

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 02-Apr-2026

1. Administrative & Study Identification

Full Study Title: Patient Reported Outcomes and Patient Voice Among Patients Diagnosed With Low Risk Myelodysplastic Syndrome (LR-MDS) or Unexplained Anemia In Japan **Short Title/Acronym:** LR-MDS PRO & Patient Voice Japan **Protocol Number:** CA056-1133 **NCT Number:** NCT07008820 **Sponsor Name:** Bristol-Myers Squibb **Investigational Product:** N/A (Observational Study utilizing Health-Related Quality of Life Questionnaires and Qualitative Interviews) **Phase of Development:** N/A **Medical Monitor:** Bristol-Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To examine the quality of life, experiences, and unmet needs among individuals diagnosed with Low Risk Myelodysplastic Syndrome (LR-MDS) who are erythropoietin stimulating agent (ESA) naïve and non-transfusion dependent (NTD), and among individuals with suspected MDS experiencing unexplained anemia in Japan. **Secondary Objectives:** To better understand the impact of LR-MDS and unexplained anemia on patients' lives to help healthcare providers and researchers address patient needs and improve real-world care.

2.2 Background & Rationale To address the gap in understanding the patient experience in early-stage, low-risk MDS and unexplained anemia. By systematically capturing patient-reported outcomes (PROs) and the "patient voice," the study generates critical real-world evidence regarding the daily disease burden, quality of life, and unmet medical needs before the initiation of intensive clinical treatments like regular blood transfusions or blood-building medications.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational **Control Type:** N/A (Single-arm cohort) **Blinding:** Open-label / N/A **Randomization:** N/A

3.2 Planned Enrollment & Duration Target **NS:** 50 evaluable patients **Number of Sites:** Multiple sites in Japan **Estimated Study Start:** 13-May-2025 **Estimated Primary Completion:** 28-Feb-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age ≥ 18 years at the time of signing the informed consent form. 2. Confirmed Low Risk Myelodysplastic Syndrome (LR-MDS) defined by IPSS-R score ≤ 3.5 or IPSS score ≤ 1 , with $< 5\%$ blasts in bone marrow via aspirate; OR unexplained anemia suspected to be MDS by treating physicians. 3. Must be erythropoietin stimulating agent (ESA) naïve and non-transfusion dependent (NTD).

4.2 Exclusion Criteria 1. Received prior drug treatment related to anemia (e.g., ESA, erythroid maturation agents, hypomethylating agents, immunomodulatory drugs, or immunosuppressive agents). 2. Received red-blood cell transfusion (RBC-T) within 16 weeks prior to enrollment. 3. Known history of acute myeloid leukemia, secondary MDS (arising from chemical injury, prior chemo/radiation), or major surgery within 8 weeks prior to enrollment.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: N/A (Observational data collection) **Route of Administration:** Questionnaires and Qualitative Interviews (Digital/Paper) **Duration of Treatment:** N/A (Cross-sectional evaluation with select follow-up qualitative interviews)

5.2 Concomitant & Prohibited Therapy Permitted: Standard observational care. **Prohibited:** Initiation of blood-building medications or red blood cell transfusions during the PRO assessment windows.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -14 to 0	Informed Consent, Medical History, Verification of IPSS/IPSS-R score and Bone Marrow Blasts $< 5\%$
Baseline	Day 0	Completion of primary Health-Related Quality of Life (HRQoL) Questionnaires
Interim	As Scheduled	Qualitative interviews or focus groups for a selected sub-cohort (≈ 10)
End of Study	Follow-Up	Data completion and final verification

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Patient-reported quality of life, symptom burden, and unmet needs at baseline. **Measurement Method:** Standardized Health-Related Quality of Life (HRQoL) questionnaires and Patient Global Impression-Severity (PGI-S) scales.

7.2 Secondary & Exploratory Endpoints Qualitative assessment of patient experiences, daily challenges, and perspectives on living with untreated LR-MDS or unexplained anemia, captured via transcripts from focus groups and interviews.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard pharmacovigilance monitoring for spontaneous reports; as a non-interventional observational study, routine systematic AE collection related to a study drug is not applicable. **Serious Adverse Events (SAEs):** Reported according to standard institutional guidelines if spontaneously indicated during interviews. **Data Monitoring Committee (DMC):** Internal oversight by Bristol-Myers Squibb.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All enrolled patients who provide valid and complete questionnaire data (Target $N = 50$). **Sample Size Justification:** $N=50$ is sufficient to provide descriptive statistical power for quality-of-life scoring, with a purposive sub-sample of ≈ 10 participants for qualitative thematic saturation. **Handling of Missing Data:** Handled according to specific instrument scoring manuals (e.g., prorating scales where applicable or excluding incomplete domains).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP), observational research guidelines, and the Declaration of Helsinki. **Monitoring Plan:** Centralized monitoring to verify questionnaire completeness and appropriate consenting. **Audit Trail:** Secure, anonymized storage of electronic case report forms (eCRFs) and qualitative interview recordings/transcripts.

11. Study Identifiers & Governance

Primary ID: CA056-1133 **Registry Number:** NCT07008820 **Sponsor/Lead Organization:** Bristol-Myers Squibb **Study Title:** Patient Reported Outcomes and Patient Voice Among Patients Diagnosed With Low Risk Myelodysplastic Syndrome (LR-MDS) or Unexplained Anemia In Japan **Official Regulatory Title:** Patient Reported Outcomes and Patient Voice Among Patients Diagnosed With Low Risk Myelodysplastic Syndrome (LR-MDS) or Unexplained Anemia In Japan

12. Clinical Framework (Disease Specific)

Primary Condition: Low-Risk Myelodysplastic Syndrome (LR-MDS) or Unexplained Anemia **Diagnosis Threshold:** Bone Marrow aspirate $\leq 5\%$ blasts; IPSS-R ≤ 3.5 or IPSS ≤ 1 ; Hemoglobin < 9.5 g/dL **Medical Methodology:** Non-Transfusion Dependent (NTD) observation **Optimization Target:** Patient Quality of Life and Symptom Burden Assessment

13. Study Procedures & Methodology

Management Pathway: Observational Quality of Life Tracking **Education Protocol (HCP):** Protocol training on identifying ESA-naïve, NTD patients and distributing PRO instruments. **Education Protocol (Patient):** Guidance on accurately completing PRO questionnaires and preparing for interviews. **Quality Audit Mechanism:** Real-time data checks on survey completion metrics and interview fidelity.

14. Observation & Follow-Up Schedule

Total Duration: Estimated 10 months overall study period (May 2025 – Feb 2026) **Onsite Visit Cadence:** Baseline cross-sectional visit for survey delivery **Remote Monitoring Frequency:** Remote qualitative interviews scheduled post-baseline (for the sub-cohort of 10) **Checklist Review Interval:** Final completeness review upon questionnaire submission.

15. Sign-off & Approval

Role	Name	Signature	Date						
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]						
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]						
Statistician	[Name]	_____	[DD-MMM-YYYY]						