

1. Administrative & Study Identification

Full Study Title: A Multicenter, Randomized, Participant- and Investigator -Blinded, Placebo-controlled, Phase 2a Study to Assess the Efficacy, Safety and Tolerability of GIA632 in Adult Participants With Moderate to Severe Atopic Dermatitis **Short Title/Acronym:** GIA632 Phase 2a in Atopic Dermatitis **Protocol Number:** CGIA632A12201 **NCT Number:** NCT07220577 **Sponsor Name:** Novartis Pharmaceuticals **Investigational Product:** GIA632 **Phase of Development:** Phase 2a **Medical Monitor:** Novartis Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the preliminary efficacy, safety, and tolerability of GIA632 when administered to adult participants with moderate to severe atopic dermatitis (AD). **Secondary Objectives:** To characterize the pharmacokinetic and pharmacodynamic profiles of GIA632, and evaluate patient-reported outcomes for disease severity.

2.2 Background & Rationale To address the medical necessity for novel, targeted treatments in adult patients suffering from moderate to severe atopic dermatitis for at least 1 year who experience significant inflammation and skin irritation. This trial focuses on testing the clinical effectiveness and safety profile of GIA632 to control flare-ups and reduce disease severity compared to a placebo.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind (Investigator and Participant blinded) **Randomization:** Randomized, Parallel-group

3.2 Planned Enrollment & Duration Target **\$N\$:** 84 participants **Number of Sites:** Multicenter (Approx. 26 locations) **Estimated Study Start:** 10-Nov-2025 **Estimated Primary Completion:** 17-May-2027

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Adult participants aged 18 to 100 years. 2. Confirmed diagnosis of atopic dermatitis with disease

present for at least 1 year. 3. Moderate to severe atopic dermatitis at screening.

4.2 Exclusion Criteria 1. Participants with any clinically unstable disease states that would likely require systemic corticosteroids (e.g., uncontrolled asthma). 2. Participants with any other active inflammatory skin disease that would interfere with the appropriate assessment of atopic dermatitis. 3. Women of childbearing potential unless they are using highly effective methods of contraception (failure rate < 1% per year) while taking study treatment.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: GIA632 or matching Placebo, administered according to the randomization schedule. **Route of Administration:** Investigational (Systemic/Targeted Therapy) **Duration of Treatment:** 16 weeks of exposure.

5.2 Concomitant & Prohibited Therapy Permitted: Standard bland emollients/moisturizers for baseline skin care. **Prohibited:** Systemic corticosteroids, other investigational therapies, or competing immunosuppressants that might confound efficacy or safety signals.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Medical History, Diagnostic Confirmation, Baseline Labs
Baseline	Day 0	Randomization, First Dose Administration, Initial Efficacy Evaluation
Interim	Weeks 1 to 15	Safety Labs, Efficacy Assessment (Severity Scoring), Vital Signs
End of Study	Week 16 (+ 4-week follow-up)	Final Efficacy Evaluation, Exit Interview, IP Accountability, End of Study Safety Labs

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Preliminary efficacy, safety, and tolerability as assessed by the incidence of adverse events (AEs) and changes in baseline atopic dermatitis severity scales at Week 16. **Measurement Method:** Investigator clinical evaluation, standardized AD scoring metrics, and laboratory analysis.

7.2 Secondary & Exploratory Endpoints * Change from baseline in participant-reported pruritus and symptom burden. * Pharmacokinetic (PK) concentrations of GIA632 over the treatment period.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection via clinical laboratory tests (vital signs, ECG, physical examination) and participant reporting. **Serious Adverse Events (SAEs):** Reported continuously per protocol guidelines (typically within 24 hours). **Data Monitoring Committee (DMC):** Internal sponsor-designated safety review committee.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) for primary efficacy and Safety Set for tolerability. **Sample Size Justification:** \$N = 84\$ evaluable patients powered appropriately for a Phase 2a non-confirmatory exploratory signal detection trial. **Handling of Missing Data:** Standard handling via Multiple Imputation or Last Observation Carried Forward (LOCF) for continuous variables.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Regular onsite and remote monitoring visits by the sponsor to ensure protocol adherence. **Audit Trail:** Strict documentation of inclusion criteria, eCRF locking, and data clarification forms.

11. Study Identifiers & Governance

Primary ID: {{CGIA632A12201}} **Registry Number:** {{NCT07220577}} – **Sponsor/Lead Organization:** {{Novartis Pharmaceuticals}} **Study Title:** {{Phase 2a Study to Assess the Efficacy, Safety and Tolerability of GIA632 in Adult Participants With Moderate to Severe Atopic Dermatitis}} **Official Regulatory Title:** {{A Multicenter, Randomized, Participant- and Investigator -Blinded, Placebo-controlled, Phase 2a Study to Assess the Efficacy, Safety and Tolerability of GIA632 in Adult Participants With Moderate to Severe Atopic Dermatitis}}

12. Clinical Framework (Atopic Dermatitis Specific)

Primary Condition: {{Moderate to Severe Atopic Dermatitis}} **Diagnosis Threshold:** {{Clinical diagnosis of AD established for \$ \ge\$ 1 year}} **Medical Methodology:** {{Investigational Medical Therapy vs Placebo}} **Optimization Target:** {{Reduction in skin inflammation, pruritus, and disease severity scoring}}

13. Study Procedures & Methodology

Management Pathway: {{Standard clinical assessment pathway for Atopic Dermatitis}} **Education Protocol (HCP):** {{Investigator training for standardized severity assessments & blinding protocols}} **Education Protocol (Patient):** {{Onsite training/counseling for IP compliance and symptom tracking}} **Quality Audit Mechanism:** {{Patient adherence monitoring & rigorous laboratory safety evaluations}}

14. Observation & Follow-Up Schedule

Total Duration: {{20 weeks (16 weeks of treatment + 4 weeks follow-up)}} **Onsite Visit Cadence:** {{Screening, Baseline, and regular periodic visits through Week 16}} **Remote Monitoring Frequency:** {{As dictated by Novartis clinical protocol}} **Checklist Review Interval:** {{At each scheduled clinical visit}}

15. Sign-off & Approval

Role	Name	Signature	Date	_____	_____	_____	_____
Principal Investigator	[Insert Name]	_____	[DD-MMM-YYYY]	_____	_____	_____	_____
Clinical Operations Lead	[Insert Name]	_____	[DD-MMM-YYYY]	_____	_____	_____	_____
Lead Statistician	[Insert Name]	_____	[DD-MMM-YYYY]	_____	_____	_____	_____