

1. Administrative & Study Identification

Full Study Title: A Study to Evaluate the Efficacy and Safety of Intravenous (IV) Prasinezumab in Participants With Early-Stage Parkinson's Disease **Short Title/Acronym:** PARAISO **Protocol Number:** BN44715 / 2025-522683-32-00 **NCT Number:** NCT07174310 **Sponsor Name:** Hoffmann-La Roche (in collaboration with Prothena Biosciences) **Investigational Product:** Prasinezumab (Intravenous Infusion) / Placebo **Phase of Development:** Phase III **Medical Monitor:** Hoffmann-La Roche Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the efficacy, safety, and pharmacokinetics (PK) of prasinezumab compared with placebo in delaying motor progression in participants with early-stage Parkinson's disease (PD) on stable symptomatic monotherapy with levodopa. **Secondary Objectives:** To evaluate changes in medication requirements, overall disease progression, and the safety profile of the investigational treatment.

2.2 Background & Rationale To address the need for disease-modifying therapies in early-stage Parkinson's disease. Traditional symptomatic therapies can mask treatment effects and do not slow underlying disease progression. This study targets alpha-synuclein proteins, which accumulate in the brains of PD patients, aiming to delay clinical motor progression and provide a fundamental shift from traditional treatment approaches.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind **Randomization:** Randomized

3.2 Planned Enrollment & Duration Target **SN\$:** Approximately 900 participants **Number of Sites:** Multiple medical centers **Estimated Study Start:** Q1 2026 **Estimated Primary Completion:** June 2029

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Adults 50-85 years of age; Body weight within 40-110 kg (88-242 lbs) and a body mass index (BMI) within the range 18-34 kg/m2. 2. Diagnosis of idiopathic PD based on Movement Disorder Society (MDS) criteria; Hoehn and Yahr (H&Y)

Stage 1 or 2 off medication at screening and prior to randomization. 3. Has received stable symptomatic monotherapy with levodopa; An MDS-UPDRS Part IV score of 0 at screening and prior to randomization.

4.2 Exclusion Criteria 1. Pregnant or breastfeeding, or intention of becoming pregnant during the study. 2. Medical history indicating a parkinsonian syndrome other than idiopathic PD, or diagnosis of a significant neurologic disease other than PD. 3. Chronic uncontrolled hypertension or taking multiple Parkinson's medications simultaneously (polytherapy).

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Intravenous (IV) infusion of prasinezumab or matching placebo. **Route of Administration:** Intravenous (IV) **Duration of Treatment:** 2-year double-blind treatment period, followed by an Open Label Extension (OLE) phase.

5.2 Concomitant & Prohibited Therapy Permitted: Stable symptomatic monotherapy with levodopa. **Prohibited:** Multiple Parkinson's medications simultaneously.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	
:---	:---	Screening Day -28 to 0 Informed Consent, Medical History, MDS-UPDRS Assessment, H&Y Stage Evaluation	
Baseline	Day 0	Randomization, First IV Infusion	Interim
Scheduled Visits		IV Infusion of Study Medication/Placebo, Safety Evaluation, PK Labs, Motor Function Tracking	
End of Study	Year 2	Final Efficacy/Safety Assessment, Exit Interview, Entry into Open Label Extension (OLE) Phase	

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Time-to-event endpoint focusing on the time to confirmed motor progression to measure delay in disease progression. **Measurement Method:** Assessed by the Movement Disorder Society-Sponsored Unified Parkinson's Disease Rating Scale (MDS-UPDRS) Part III.

7.2 Secondary & Exploratory Endpoints 1. Changes in Parkinson's medication requirements. 2. Change from baseline in MDS-UPDRS total scores. 3. Overall disease progression and comprehensive safety profile.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard clinical monitoring via onsite visits to track the safety profile of the investigational treatment. **Serious Adverse Events (SAEs):** Typical 24-hour reporting timeline for severe/unexpected neurologic or systemic events. **Data Monitoring Committee (DMC):** Internal/External safety review committees managed by the sponsor (Hoffmann-La Roche).

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) for primary efficacy evaluation (motor progression). Safety Set for AE/SAE metrics. **Sample Size Justification:** $N=900$ adequately powered for the time-to-event primary endpoint over the 2-year study duration to achieve statistical separation. **Handling of Missing Data:** Standard survival analysis (e.g., right-censoring) for the time-to-event primary endpoint.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Frequency of onsite monitoring visits to oversee accurate administration of the IV infusion and valid MDS-UPDRS scoring. **Audit Trail:** Double-blind maintenance, eCRF locking, and rigorous data clarification processes.

11. Study Identifiers & Governance

Primary ID: BN44715 **Registry Number:** NCT07174310 **Sponsor/Lead Organization:** Hoffmann-La Roche **Study Title:** PARAISO **Official Regulatory Title:** A Study to Evaluate the Efficacy and Safety of Intravenous (IV) Prasinezumab in Participants With Early-Stage Parkinson's Disease

12. Clinical Framework (Parkinson's Disease Specific)

Primary Condition: Early-Stage Parkinson's Disease **Diagnosis Threshold:** Idiopathic PD, Hoehn and Yahr (H&Y) Stage 1 or 2 **Medical Methodology:** Symptomatic monotherapy with levodopa **Optimization Target:** Delaying motor progression via targeting alpha-synuclein

13. Study Procedures & Methodology

Management Pathway: Standard PD monitoring aligned with experimental IV infusion therapy **Education Protocol (HCP):** Training on proper standardized MDS-UPDRS assessment scales **Education Protocol (Patient):** Education regarding Open Label Extension (OLE) procedures and monotherapy adherence **Quality Audit Mechanism:** Independent/blinded verification of MDS-UPDRS scoring and clinical staging

14. Observation & Follow-Up Schedule

Total Duration: 2 years (Double-blind period) + Open Label Extension (OLE) **Onsite Visit Cadence:** Correlated with the regular IV infusion schedule **Remote Monitoring Frequency:** Routine safety check-ins **Checklist Review Interval:** Regular tracking of motor function changes and medication requirement updates

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]			Lead	
Statistician	[Name]	_____	[DD-MMM-YYYY]				