

1. Administrative & Study Identification

Full Study Title: A Phase 1/2a, First-in-human, Study of BMS-986517 in Participants With Advanced Solid Tumors **Short Title/Acronym:** BMS-986517 in Advanced Solid Tumors **Protocol Number:** CA254-0001 **NCT Number:** NCT07160725 **Sponsor Name:** Bristol-Myers Squibb **Investigational Product:** BMS-986517 **Phase of Development:** Phase 1/2a **Medical Monitor:** Bristol-Myers Squibb Clinical Operations [Name and Contact Information]

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the safety and tolerability of BMS-986517 as a monotherapy and to determine the Maximum Tolerated Dose (MTD) and/or Recommended Dose for Expansion (RDE) in participants with select advanced and/or metastatic solid tumors. **Secondary Objectives:** To evaluate preliminary anti-tumor activity (Objective Response Rate [ORR], Progression-Free Survival [PFS]) by RECIST v1.1 and to characterize the pharmacokinetics (PK) of BMS-986517.

2.2 Background & Rationale To address the ongoing medical need for effective treatments in patients with advanced, unresectable, or metastatic solid tumors (including NSCLC, HNSCC, TNBC, and HR+/HER2- breast cancer) who have exhausted standard of care options, by introducing a novel first-in-human therapeutic (BMS-986517) and evaluating its safety profile and preliminary efficacy.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Single-arm (Monotherapy) **Blinding:** Open-label **Randomization:** N/A (Dose Escalation / Expansion)

3.2 Planned Enrollment & Duration Target \$N\$: Not explicitly specified (standard early-phase cohort sizing) **Number of Sites:** Multiple global sites (including US, Denmark, Japan, and Spain) **Estimated Study Start:** 15-Oct-2025 **Estimated Primary Completion:** 31-Jul-2028

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age ≥ 18 years. 2. Documented histologically or cytologically confirmed advanced, unresectable/

metastatic solid tumors, including NSCLC, HNSCC, TNBC, and HR+/HER2- breast cancer. 3. Measurable disease by RECIST v1.1 (radiologically measured by the Investigator). 4. ECOG performance status of 0 to 1.

4.2 Exclusion Criteria 1. Untreated CNS metastases (eligible if CNS metastases have been treated, do not require immediate treatment, and the patient has neurologically returned to baseline). 2. Concurrent malignancy (present during Screening) requiring treatment or history of prior malignancy active within 2 years prior to treatment assignment. 3. Impaired cardiac function or history of severe heart disease. 4. History of serious recurrent infections.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: BMS-986517 monotherapy administered at escalating dose levels (Part 1) and subsequently at the Recommended Dose for Expansion (RDE) (Part 2). **Route of Administration:** Systemic administration (investigational product). **Duration of Treatment:** Cycles continuing until disease progression, unacceptable toxicity, or withdrawal of consent.

5.2 Concomitant & Prohibited Therapy Permitted: Standard supportive care for advanced cancer symptoms and toxicities. **Prohibited:** Concurrent anti-cancer therapy, other investigational agents, or radiation therapy to target lesions during the evaluation period.

6. Study Timeline & Visit Schedule

| Visit ID | Window (Days) | Key Activities/Procedures | | :---
| :--- | :--- | | **Screening** | Day -28 to 0 | Informed Consent, Medical History, RECIST v1.1 Imaging, ECOG Evaluation | |
Baseline | Day 0 | First Dose, Pharmacokinetic (PK) Blood Draws, Safety Assessment | | **Treatment** | Cycle-dependent | Safety Labs, Efficacy Assessment, Dose-Limiting Toxicity (DLT) Evaluation | |
End of Study | 30 Days Post-Last Dose | Final Vital Signs, Exit Interview, Safety Follow-Up |

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Incidence of Adverse Events (AEs), Serious Adverse Events (SAEs), and Dose-Limiting Toxicities (DLTs) to determine the safety, tolerability, and RDE of BMS-986517. **Measurement Method:** Clinical observation, lab analysis, and Data Monitoring Committee (DMC) review criteria.

7.2 Secondary & Exploratory Endpoints * Preliminary efficacy assessment using RECIST v1.1 criteria (ORR, PFS, DoR). * Pharmacokinetics (e.g., Cmax, AUC) of BMS-986517.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring via physical examinations, vital signs, and laboratory assessments throughout all cycles. **Serious Adverse Events (SAEs):** Reported within 24 hours of site awareness to the Sponsor and institutional review boards. **Data Monitoring Committee (DMC):** An independent group of scientists and medical experts will review safety data to make decisions on dose escalation, suspension, or determining the RDE.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all patients who receive ≥ 1 dose of study drug) and Efficacy Evaluable Set (patients with measurable disease and ≥ 1 post-baseline scan). **Sample Size Justification:** Powered appropriately based on standard Phase 1/2a dose-escalation paradigms (e.g., 3+3 or Bayesian models) to identify MTD/RDE, followed by expansion cohorts. **Handling of Missing Data:** Patients missing efficacy evaluations due to early discontinuation are typically considered non-responders for ORR.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Routine onsite and remote monitoring visits to review source data and protocol adherence. **Audit Trail:** Electronic Data Capture (EDC) locking, source data verification (SDV), and query resolution processes.

11. Study Identifiers & Governance

Primary ID: CA254-0001 **Registry Number:** NCT07160725 **Sponsor/Lead Organization:** Bristol-Myers Squibb **Study Title:** A Phase 1/2a, First-in-human, Study of BMS-986517 in Participants With Advanced Solid Tumors **Official Regulatory Title:** A Phase 1/2a, First-in-human, Open-label Study of BMS-986517 as Monotherapy in Adult Participants with Advanced Solid Tumors

12. Clinical Framework (Oncology Specific)

Primary Condition: Advanced Solid Tumors (NSCLC, HNSCC, TNBC, HR+/HER2- BC) **Diagnosis Threshold:** RECIST v1.1 measurable disease

Medical Methodology: Phase 1/2a First-in-Human trial methodology
Optimization Target: Maximum Tolerated Dose (MTD) / Recommended Dose for Expansion (RDE)

13. Study Procedures & Methodology

Management Pathway: Clinical pathway for advanced solid tumors
Education Protocol (HCP): Dose-Limiting Toxicity (DLT) and safety reporting training
Education Protocol (Patient): Informed consent process and side-effect reporting
Quality Audit Mechanism: Independent DMC review and AE/SAE tracking

14. Observation & Follow-Up Schedule

Total Duration: Estimated 34 months (through primary completion in July 2028) **Onsite Visit Cadence:** Every cycle (frequency dependent on established RDE schedule) **Remote Monitoring Frequency:** As designated by the safety monitoring plan **Checklist Review Interval:** Pre-dose every cycle

15. Sign-off & Approval

Role	Name	Signature	Date		:---	:---	:---	:---
Principal Investigator	[Insert Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Insert Name]	_____	[DD-MMM-YYYY]					
Lead Statistician	[Insert Name]	_____	[DD-MMM-YYYY]					