

1. Administrative & Study Identification

Full Study Title: A Single-blind, Randomized, Placebo-controlled Study to Investigate the Safety, Tolerability and Pharmacokinetics of an Oral Suspension of AZD6793 Following Single and Multiple Doses in Japanese and Chinese Healthy Participants **Short Title/Acronym:** Safety and PK of AZD6793 in Healthy Japanese and Chinese Participants **Protocol Number:** D7860C00003 **NCT Number:** NCT06368440 **Sponsor Name:** AstraZeneca **Investigational Product:** AZD6793 (Oral Suspension) **Phase of Development:** Phase I **Medical Monitor:** AstraZeneca Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To assess the safety and tolerability of oral AZD6793 suspension following single (Part 1) and multiple (Part 2) administrations in healthy Japanese and Chinese participants. **Secondary Objectives:** To evaluate the pharmacokinetic (PK) parameters of AZD6793 following single and multiple oral doses.

2.2 Background & Rationale AZD6793 (an IRAK4 inhibitor) is being developed for inflammatory diseases and COPD. To support global clinical development and confirm dosing strategies for Asian populations, this Phase I study was conducted to generate essential safety, tolerability, and pharmacokinetic profiling data specifically in healthy Japanese and Chinese participants prior to advancing into larger patient efficacy trials.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Single-blind **Randomization:** Randomized

3.2 Planned Enrollment & Duration Target \$N\$: 40 participants **Number of Sites:** Single Clinical Unit (United States) **Estimated Study Start:** 14-May-2024 **Estimated Primary Completion:** 23-Dec-2024

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Healthy male or female participants, BMI between 18 and 30 kg/m² inclusive, and weighing at least 45

kg at the Screening Visit. 2. For Japanese participants: Born in Japan, have 2 Japanese biological parents and 4 Japanese grandparents, and did not live outside Japan for >10 years. For Chinese participants: Born in China (including Hong Kong, Macau, and Taiwan), have 2 Chinese biological parents and 4 Chinese grandparents, and did not live outside greater China for >10 years. 3. Females of childbearing potential must have a negative pregnancy test and use highly effective contraception; females of non-childbearing potential must be confirmed by menopause (amenorrhea for >12 months) or irreversible surgical sterilization.

4.2 Exclusion Criteria 1. History of any clinically important disease or disorder (e.g., gastrointestinal, hepatic, renal) known to interfere with the absorption, distribution, metabolism, or excretion of drugs. 2. Diagnosis or history of immunodeficiency, increased susceptibility to severe infection, or a clinically significant infection within 4 weeks of Screening. 3. Any positive result on screening for serum hepatitis B surface antigen (HBsAg), hepatitis B core antibody (HBcAb), hepatitis C, or human immunodeficiency virus (HIV).

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: - *Part 1:* Single dose of AZD6793 or placebo on Day 1. - *Part 2:* Single dose of AZD6793 or placebo on Day 1, followed by a washout of at least 48 hours, then once daily dosing from Day 3 to Day 8. **Route of Administration:** Oral (Suspension) **Duration of Treatment:** Up to 8 days of active dosing (in Part 2) during a 10-day inpatient stay.

5.2 Concomitant & Prohibited Therapy Permitted: Standard Phase I healthy volunteer guidelines strictly limiting concurrent medication. **Prohibited:** Use of drugs with enzyme-inducing properties (e.g., St John's Wort) within 3 weeks prior to the first administration. Excessive intake of caffeine-containing drinks or food (>500 mg of caffeine per day).

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -29 to -2	Informed Consent, Medical History, Eligibility Labs, Pregnancy testing
Baseline	Day -1	Admission to the Clinical Unit, Baseline Safety Assessments
Treatment (Part 1/2)	Day 1 to Day 10	Part 1: Resident until ≥ 72 hours post-dose. Part 2: Resident until Day 10. Intensive PK sampling and safety monitoring.
Follow-up	6 ± 1 days	Follow-up evaluation after the final study intervention administration, Exit Interview

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Incidence of Adverse Events (AEs) and Serious Adverse Events (SAEs) to evaluate overall safety and tolerability. **Measurement Method:** Clinical observation, physical examinations, vital signs, ECGs, and clinical laboratory evaluations during the inpatient stay and follow-up.

7.2 Secondary & Exploratory Endpoints **Endpoint 1:** Pharmacokinetic (PK) parameters of AZD6793 following a single oral dose. **Endpoint 2:** Pharmacokinetic (PK) parameters of AZD6793 following multiple daily oral doses.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring during the inpatient residency at the Clinical Unit and via physical examination at the Follow-up visit. **Serious Adverse Events (SAEs):** Reported by the investigator within 24 hours of awareness. **Data Monitoring Committee (DMC):** Internal Dose Escalation / Safety Review Committee to review blinded/unblinded safety and PK data before proceeding between cohorts.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Analysis Set (all participants receiving at least one dose of study drug) and PK Analysis Set. **Sample Size Justification:** $N=40$ (Targeted cohorts of 6 active and 2 placebo per group) is statistically adequate for characterizing Phase I PK, safety, and tolerability, rather than being powered for formal hypothesis testing. **Handling of Missing Data:** PK data missingness handled per standard pharmacokinetic non-compartmental analysis rules; safety endpoints summarized based on observed data without imputation.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Continuous onsite supervision and source data verification by monitors at the Phase I Clinical Unit. **Audit Trail:** Automated tracking of PK sample chains of custody, eCRF locking, and rigorous data clarification processes.

11. Study Identifiers & Governance

Primary ID: D7860C00003 **Registry Number:** NCT06368440 **Sponsor/Lead Organization:** AstraZeneca **Study Title:** A Study to Investigate the Safety and Pharmacokinetics of AZD6793 in Healthy Japanese and Chinese Participants **Official Regulatory Title:** A Single-blind, Randomized, Placebo-controlled Study to Investigate the Safety, Tolerability and Pharmacokinetics of an Oral Suspension of AZD6793 Following Single and Multiple Doses in Japanese and Chinese Healthy Participants

12. Clinical Framework (Study Specific)

Primary Condition: Healthy Participants **Diagnosis Threshold:** Normal baseline clinical parameters (BMI 18–30 kg/m²) **Medical Methodology:** Phase I Single and Multiple Ascending Dose (SAD/MAD) observation **Optimization Target:** Pharmacokinetics and Safety Tolerability Evaluation

13. Study Procedures & Methodology

Management Pathway: Intensive Inpatient Clinical Unit Monitoring **Education Protocol (HCP):** Protocol-specific PK sampling and safety tracking training for Clinical Unit staff **Education Protocol (Patient):** Informed consent review, healthy volunteer diet/activity restriction guidelines **Quality Audit Mechanism:** Clinical and PK laboratory source data verification, adverse event reporting compliance

14. Observation & Follow-Up Schedule

Total Duration: Up to 45 Days (max 28-day screening + up to 11 days confined + 6 days follow-up) **Onsite Visit Cadence:** Daily continuous observation during clinical unit residency (Day -1 to Day 10) **Remote Monitoring Frequency:** N/A (Participants confined to clinical unit during treatment) **Checklist Review Interval:** Daily during confinement; final review at Follow-Up Visit (Day 6 \$\\pm\$ 1)

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]				Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]				