

1. Administrative & Study Identification

Full Study Title: Continuing Treatment for Participants Who Have Participated in a Prior Protocol Investigating Elotuzumab
Official Title: Continuing Treatment for Subjects Who Have Participated in a Prior Protocol Investigating Elotuzumab
Short Title/Acronym: CA204-185 (Elotuzumab Rollover Study)
Preferred UMLS Name: Elotuzumab in Multiple Myeloma
Protocol Number: CA204-185
NCT Number: NCT02719613
Posting ID: 962351464507751489
Sponsor/Company Name: Bristol Myers Squibb
Trial Status: ACTIVE_NOT_RECRUITING (Active but not currently recruiting)
Investigational Product: Elotuzumab (Empliciti, BMS-901608, HuLuc63) and/or backbone study drugs (Dexamethasone, Lenalidomide, Bortezomib, Pomalidomide, Nivolumab)
Phase of Development: Phase 2
Medical Monitor: Bristol Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To continue to provide elotuzumab and/or other study drugs to participants who have participated on a prior protocol investigating elotuzumab who are not able to receive commercial drug supply. The primary endpoint evaluation includes the number of subjects who received at least one dose of elotuzumab or backbone therapy and the duration of treatment. **Secondary Objectives:** To monitor and assess the ongoing safety and tolerability of Elotuzumab combined with standard therapy in rollover participants.

2.2 Background & Rationale Multiple myeloma is a malignancy of plasma cells and is one of the most frequent cancers of the bone marrow. Following initial treatment for myeloma, almost all patients will suffer relapse regardless of the therapy used, highlighting a significant unmet need. This rollover protocol (CA204-185) was designed to ensure that patients who were demonstrating clinical benefit in prior Elotuzumab clinical trials (e.g., CA204-006, CA204007, CA204009) could continue receiving their treatment securely, provided they cannot access the commercial drug supply.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (Treatment Continuation/Rollover) **Control Type:** Single-arm **Blinding:** Open-label (both the participant and study doctor will know which drugs the participant is receiving) **Randomization:** N/A

(Participants are assigned based on prior trial treatment) **Trial Status:** Active but not currently recruiting

3.2 Planned Enrollment & Duration Targeted Enrollment: 67 participants (Based on rollover eligibility) **Number of Sites:** Multinational (Including sites in Europe, Canada, Japan, US, and Rest of World) **Estimated Study Start:** 15-Jul-2016 **Estimated Primary Completion:** 13-Nov-2025

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Participated in a previous elotuzumab protocol (including, but not limited to HuLuc63-1703, CA204007, CA204009, or CA204011) and is deemed by the investigator to be deriving benefit from elotuzumab and/or other study drugs as defined by the previous protocol. 2. Receiving elotuzumab and/or other study drugs at the time of signature of informed consent. 3. Males and Females, ages 18 and older.

4.2 Exclusion Criteria 1. All participants previously discontinued from an elotuzumab study for any reason. 2. Participants not receiving clinical benefit from previous study therapy. 3. Participants who are not medically well enough to receive study therapy as determined by the investigator.

Note: Other protocol defined inclusion/exclusion criteria could apply.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Patients will continue to receive treatment with the investigational study drug at the exact dose and schedule received in the previous study. **Route of Administration:** Intravenous (IV) solution. **Duration of Treatment:** Until the study doctor concludes that the participant is no longer benefiting from the treatment, disease progression occurs, or commercial supply is obtained.

5.2 Concomitant & Prohibited Therapy Permitted: Standard backbone combinations previously prescribed (e.g., Lenalidomide, dexamethasone, Bortezomib, Pomalidomide). **Prohibited:** Use of new investigational agents or treatments outside of the approved rollover regimen.

5.3 Backbone Therapy Reference (Dexamethasone) * ATC Code: S03BA01 * **Trade Names:** Dexium, Baycadron, DexaJect, Neopolydex, Ozurdex, Eyetrol, Ciprodex, Robadex, Ocu-Dex, Ocu-Trol, Decadron, Maxidex, Dexasone, Hexadrol, Aeroseb-Dex, Decaspray, AK-Dex, AK-Neo-Dex, AK-Trol, Dalalone, De-Sone LA, Decadron-LA, Decadron with Xylocaine, Dexacidin, Dexacine, Dexacort Phosphate in Turbinaire, Dexacort Phosphate in Respihaler, Dexasporin,

Dexacort-LA, Dexasol, Dexamethasone Intensol, Methadex, Neo-Dex, Neo-Decadron, Neo-Dexair, Poly-Dex, Tobradex, Maxitrol, Tresaderm, Hemady, Dextenza, Dexycu * **EMA Product Information:**
[Ozurdex EPAR](#)

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	N/A (Rollover)	Informed Consent for protocol CA204-185, Assessment of clinical benefit from prior trial
Baseline	Day 0	Registration in rollover study, First Dose under new protocol
Interim	Per prior schedule	Safety Labs, IV Drug Administration, AE/SAE Assessment
End of Study	At Discontinuation	Treatment cessation, Final Safety Follow-Up, IP Accountability

7. Outcome Measures (Endpoints)

7.1 Primary Outcomes 1. The number of participants who received at least one dose of elotuzumab or backbone therapy (other study drugs) and the duration of treatment will be collected.

7.2 Secondary Outcomes 1. All serious adverse events (SAEs) will be collected. 2. All Grade 5 adverse events (AEs) will be collected. 3. All adverse events (AEs) previously not reported will be collected.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Routine safety monitoring via ongoing clinical visits. **Serious Adverse Events (SAEs):** Investigated and reported to the sponsor (Bristol Myers Squibb) typically within 24 hours. **Data Monitoring Committee (DMC):** Internal safety review handled by Bristol Myers Squibb's pharmacovigilance teams.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all rollover patients receiving at least one dose of Elotuzumab or backbone therapy). **Sample Size Justification:** Not statistically powered for hypothesis testing; sample size driven by the number of patients from parent protocols actively deriving clinical benefit and unable to access commercial supply. **Handling of Missing Data:** As an open-label, continuation study, descriptive statistics are predominantly utilized.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Risk-based onsite and remote monitoring managed by the sponsor to ensure protocol adherence and patient safety.

Audit Trail: Continuous eCRF logging of drug administration, tolerability data, and AE/SAEs.

11. Study Identifiers & Governance

Posting ID: 962351464507751489 **Primary ID:** CA204-185 **Registry Number:** NCT02719613 **Sponsor/Lead Organization:** Bristol Myers Squibb **Study Title:** Continuing Treatment for Participants Who Have Participated in a Prior Protocol Investigating Elotuzumab **Preferred UMLS Name:** Elotuzumab in Multiple Myeloma **Trial Status:** ACTIVE_NOT_RECRUITING

12. Clinical Framework (Multiple Myeloma Specific)

Disease Area / Primary Condition: Multiple Myeloma **Definition:** A bone marrow-based plasma cell neoplasm characterized by a serum monoclonal protein and skeletal destruction with osteolytic lesions, pathological fractures, bone pain, hypercalcemia, and anemia. Clinical variants include non-secretory myeloma, smoldering myeloma, indolent myeloma, and plasma cell leukemia. (WHO, 2001) **MeSH Code:** D009101 **HPO Codes:** HP:0006775 **SNOMED ID:** 109989006 **Diagnosis Threshold:** Pathologically confirmed Multiple Myeloma requiring treatment, enrolled in a prior Elotuzumab trial. **Medical Methodology:** Targeted Monoclonal Antibody Therapy (Anti-SLAMF7) + Standard Backbone Therapy **Optimization Target:** Sustained clinical benefit, disease control, and progression-free maintenance.

13. Study Procedures & Methodology

Management Pathway: Open-label continuation of previous oncology care pathway **Education Protocol (HCP):** Rollover protocol training and adverse event monitoring guidelines **Education Protocol (Patient):** Re-consenting for CA204-185; counseling on long-term safety observation **Quality Audit Mechanism:** Routine sponsor oversight and source data verification

14. Observation & Follow-Up Schedule

Total Duration: Extended treatment until progression, toxicity, or end of study (Estimated 9+ Years from 2016 to 2025) **Onsite Visit Cadence:** Dictated by the IV administration schedule of the

previously assigned treatment protocol **Remote Monitoring**
Frequency: Intermittent per sponsor monitoring plan **Checklist**
Review Interval: At every scheduled infusion visit

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---	
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]					Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]					