

1. Administrative & Study Identification

Full Study Title: An Extension Study in Participants Previously Enrolled in a Genentech and/or F. Hoffmann-La Roche Ltd Sponsored Atezolizumab Study (IMbrella C) **Official Title:** An Open-Label, Multicenter Extension Study in Participants Previously Enrolled in a Genentech and/or F. Hoffmann-La Roche Ltd Sponsored Atezolizumab Study (IMbrella C) **Short Title/Acronym:** IMbrella C **Protocol Number:** Y042713 **NCT Number:** NCT05112965 **Posting ID:** 969193211588276656 **Sponsor / Company Name:** Roche (Hoffmann-La Roche) **Trial Status:** ACTIVE_NOT_RECRUITING (Active but not currently recruiting) **Investigational Product:** Atezolizumab (Preferred UMLS Name) administered as monotherapy or combined with other agent(s) or comparator agent(s) (e.g., Paclitaxel) as per parent protocol **Phase of Development:** PHASE3 **Medical Monitor:** Hoffmann-La Roche Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To provide continued access to study treatments for participants who were receiving atezolizumab monotherapy or atezolizumab combined with other agent(s) or comparator agent(s) in a parent Genentech/Roche-sponsored study. **Secondary Objectives:** To monitor and evaluate the long-term safety, tolerability, and incidence of adverse events and serious adverse events of the continued therapies.

2.2 Background & Rationale To address the ongoing medical necessity for patients who continue to derive clinical benefit from their treatment regimens assigned in a parent Genentech/Roche oncology study, but who do not have access to these treatments commercially in their local region.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (Extension Study) **Control Type:** Single-arm/Parallel continuous **Blinding:** Open-label (None) **Randomization:** Non-Randomized

3.2 Planned Enrollment & Duration Targeted Enrollment: 49 participants **Number of Sites:** Multicenter **Estimated Study Start:** 01-Dec-2021 **Estimated Primary Completion:** 30-Jun-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Eligible for continuing or crossing over to atezolizumab-based therapy at the time of rollover from the parent study, as per the parent study protocol, or eligible for continuing the comparator agent(s) in a Genentech- or Roche-sponsored study as per the parent study protocol, with no access to commercially available comparator agent. 2. First dose of study treatment in this extension study will be received within 7 days of the treatment interruption window allowed by the parent study. 3. Continue to benefit from atezolizumab-based study treatment or from the comparator at the time of rollover from the parent study as assessed by the investigator. 4. Negative serum pregnancy test within 7 days prior to start of study treatment in women of childbearing potential. 5. For women of childbearing potential: agreement to remain abstinent or use contraceptive methods, and agreement to refrain from donating eggs. 6. For men: agreement to remain abstinent or use contraceptive measures, and agreement to refrain from donating sperm.

4.2 Exclusion Criteria 1. Meet any of the study treatment discontinuation criteria specified in the parent study at the time of enrollment in the extension study. 2. Study treatment is commercially marketed in the patient's country for the patient-specific disease and is accessible to the patient. 3. Time between the last dose of treatment received in parent study and first dose in extension study is longer than the interruption period (± 7 days) allowed in the parent study. 4. Treatment with any anti-cancer treatment (other than treatment permitted in the parent study) during the time between last treatment in the parent study and the first dose of study treatment in the extension study. 5. Permanent discontinuation of atezolizumab for any reason during the parent study or during the time between last treatment in the parent study and the first dose of study treatment in the extension study (if applicable). 6. Any unresolved or irreversible toxicities during the parent study that required permanent discontinuation of study treatment, in accordance to the parent study or local prescribing information. 7. Ongoing serious adverse events that have not resolved to baseline level or Grade ≤ 1 from the parent study or during the time between the last treatment in the parent study and the first dose of study treatment in the extension study. 8. Any serious uncontrolled concomitant disease that would contraindicate the use of study treatment at the time of the extension study or that would place the patient at high risk for treatment-related complications. 9. Concurrent participation in any therapeutic clinical trial (other than the parent study). 10. Pregnant or lactating, or intending to become pregnant during the extension study.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Atezolizumab and/or comparator drugs administered as directed per the parent study protocol. The dosing regimen and schedule continue at an equivalent dose as assigned prior to parent study closure. Specific comparator drug metadata include: * **Drug Name:** Paclitaxel * **ATC Code:** L01CD01 * **Trade Names:** Abraxane, Onxol, Taxol, Paccal * **EMA URL:** [Abraxane EPAR Product Information](#)

Route of Administration: Intravenous (IV) or Oral, depending on the specific regimen transitioning from the parent study.

Duration of Treatment: Continued until disease progression, unacceptable toxicity, withdrawal of consent, or study termination by the Sponsor.

5.2 Concomitant & Prohibited Therapy Permitted: Concomitant medications necessary for standard care as dictated by the parent protocol. **Prohibited:** Treatment with any anti-cancer treatment (other than the treatments permitted in the parent study) during the transition time between the last treatment in the parent study and the first dose in this extension study.

6. Study Timeline & Visit Schedule

| Visit ID | Window (Days) | Key Activities/Procedures | | :---
| :--- | :--- | | **Screening/Rollover** | Day -7 to 0 | Transition verification, Medical History review from parent study, Eligibility check | | **Baseline** | Day 0 | Continued treatment initiation on IMbrella C protocol | | **Interim** | Per parent protocol | Safety Labs, Efficacy/Tumor Assessment, AE monitoring | | **End of Study** | Study Completion | Final Vital Signs, Exit Interview, IP Accountability, Transition to commercial drug (if applicable) |

(Note: Visit schedules mimic the corresponding parent study protocols to ensure continuity of care).

7. Outcome Measures (Endpoints)

7.1 Primary Outcomes 1. Number of Participants With Continued Access to Atezolizumab-based Therapy and/or Comparator Agent(s).

7.2 Secondary Outcomes 1. Percentage of Participants With Serious Adverse Events (SAEs). 2. Percentage of Participants With Adverse Events of Special Interest (AESIs).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection via regular clinical site visits aligned with parent study schedules. **Serious Adverse Events (SAEs):** Routine 24-hour reporting timeline as required by global regulatory oncology standards. **Data Monitoring Committee (DMC):** Internal/External safety monitoring managed by F. Hoffmann-La Roche Ltd.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all patients who receive at least one dose of study treatment in the extension study). **Sample Size Justification:** $N=49$; sample size is purely driven by the rollover eligibility of patients from the terminating parent trials rather than a statistical power calculation. **Handling of Missing Data:** Handled as per standard operating procedures defined in the parent studies' SAPs.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Periodic onsite and remote monitoring to ensure protocol adherence and patient safety. **Audit Trail:** Continuous eCRF tracking and reconciliation of data rolled over from parent studies.

11. Study Identifiers & Governance

Posting ID: 969193211588276656 **Primary ID:** Y042713 **Registry Number:** NCT05112965 **Sponsor/Lead Organization:** Roche **Study Title:** IMbrella C **Official Regulatory Title:** An Open-Label, Multicenter Extension Study in Participants Previously Enrolled in a Genentech and/or F. Hoffmann-La Roche Ltd Sponsored Atezolizumab Study (IMbrella C)

12. Clinical Framework (Oncology Specific)

Primary Condition / Disease Area: Neoplasms (Solid Tumors) **Preferred Name:** Neoplasms **Semantic Type:** Neoplastic Process **Definition:** New abnormal growth of tissue. Malignant neoplasms show a greater degree of anaplasia and have the properties of invasion and metastasis, compared to benign neoplasms. **Clinical Ontology Codes:** * **MeSH Code:** D009369 * **HPO Code:** HP:0002664 * **SNOMED ID:** 108369006 **Medical Methodology:** Extended Immunotherapy / Targeted Therapy **Optimization Target:** Maintenance of disease stability or continued tumor response

13. Study Procedures & Methodology

Management Pathway: Standard oncological pathways determined by the respective parent studies. **Education Protocol (HCP):** Site initiation and extension protocol alignment. **Quality Audit Mechanism:** Safety tracking & AE reconciliation.

14. Observation & Follow-Up Schedule

Total Duration: Estimated 4.5 years (until June 2026) **Onsite Visit Cadence:** Maintained strictly per parent study protocol **Remote Monitoring Frequency:** As indicated per site capabilities and protocol requirements.

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]				Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]				