

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

## 1. Administrative & Study Identification

|                          |                                                                   |
|--------------------------|-------------------------------------------------------------------|
| Full Study Title:        | A Phase 1 Study of PF-08046054/SGN-PDL1V in Advanced Solid Tumors |
| Short Title:             | A Study of PF-08046054/SGN-PDL1V in Advanced Solid Tumors         |
| Protocol Number:         | 165318907139447493                                                |
| NCT Number:              | NCT05208762                                                       |
| Sponsor Name:            | Pfizer                                                            |
| Investigational Product: | pembrolizumab                                                     |
| Phase:                   | PHASE1                                                            |
| Medical Monitor:         | [Not Provided in Posting]                                         |

## 2. Study Synopsis & Rationale

### 2.1 Study Objective

|                    |                                                                                                                                                                                                                                                                                                                                                                       |
|--------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Primary Objective: | 1. Number of participants with adverse events (AEs): Any untoward medical occurrence in a clinical investigational participant administered a medicinal product and which does not necessarily have a causal relationship with this treatment. 2. Number of participants with laboratory abnormalities 3. Number of participants with dose-limiting toxicities (DLTs) |
| Secondary Obj.:    | 1. Confirmed objective response rate (ORR) per Response Evaluation Criteria in Solid Tumors Version 1.1 (RECIST v1.1) by investigator assessment 2. Duration of objective response (DOR) per RECIST v1.1 by investigator assessment 3. Progression-free survival (PFS) per RECIST v1.1 by investigator assessment                                                     |

### 2.2 Background & Rationale

This study will test the safety of a drug called PF-08046054/SGN-PDL1V alone and with pembrolizumab in participants with solid tumors. It will also study the side effects of this drug. A side effect is anything a drug does to your body besides treating your disease.

## 3. Study Design & Methodology

|                   |                                                         |
|-------------------|---------------------------------------------------------|
| Design Framework: | Type: INTERVENTIONAL, Phase: PHASE1, Status: RECRUITING |
| Target N:         | 315                                                     |

## 4. Subject Selection (Eligibility Criteria)

### 4.1 Inclusion Criteria

\* Parts A and B:

\* Participants must have one of the following histologically- or cytologically-confirmed metastatic or unresectable solid tumor types

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- \* Non-small cell lung cancer (NSCLC)
- \* Head and neck squamous cell carcinoma (HNSCC) (except nasopharyngeal cancer)
- \* Esophageal squamous cell carcinoma (SCC)
- \* Triple negative breast cancer (TNBC)
- \* Participants must have disease that is relapsed or refractory, that has progressed on approved therapies, be intolerant to or refused such therapies, or such and therapies are contraindicated and in the judgement of the investigator, should have no appropriate SoC therapeutic option
- \* Participants must have PD-L1 expression based on historical testing

## \* Part C:

\* Participants must have disease that is relapsed or refractory or be intolerant to SoC therapies and must have one of the following tumor types

### \* HNSCC

- \* Participants with HNSCC must have histologically or cytologically-confirmed HNSCC

### \* NSCLC

\* Participants must have histologically or cytologically-confirmed NSCLC. Participants with SCC and non--SCC histology are eligible. Note: Participants with a neuroendocrine component or histology are not eligible.

### \* Esophageal SCC

### \* Ovarian cancer

### \* Melanoma

### \* TNBC

### \* Gastric cancer

\* Participants must have been previously tested for PD-L1 expression and should have PD-L1 expression  $\geq 1$  or  $\leq 1$  by CPS or TPS based on historical testing

## \* Part D and Part E:

- \* Participants must have histologically or cytologically-confirmed disease of the HNSCC or NSCLC
- \* Participants must have PD-L1 expression based on historical testing
- \* Participants with NSCLC; PD-L1 expression  $\geq 1\%$  by TPS
- \* Participants with HNSCC; PD--L1 expression  $\geq 1$  by CPS
- \* Eastern Cooperative Oncology Group (ECOG) performance status score of 0 or 1
- \* Measurable disease per RECIST v1.1 at baseline

## 4.2 Exclusion Criteria

- \* History of another malignancy within 3 years of first dose of study treatment or any evidence of residual disease from a previously diagnosed malignancy.
- \* Known active central nervous system metastases. Participants with previously-treated brain metastases may

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

participate provided they:

- \* Are clinically stable for at least 4 weeks prior to study entry after brain metastasis treatment
- \* Have no new or enlarging brain metastases
- \* And are off of corticosteroids prescribed for symptoms associate with brain metastases for at least 7 days prior to first dose of study treatment
- \* Lepto-meningeal disease
- \* Prior treatment with an anti-PD-L1 agent within less than 5 half-lives. This duration of time will vary according to the half-life of the specific agent.
- \* Previous receipt of an monomethylauristatin E (MMAE)-containing agent.
- \* Pre-existing neuropathy ?Grade 2 per National Cancer Institute Common Terminology Criteria for Adverse Events (NCI CTCAE) v5.0.

There are additional inclusion criteria. The study center will determine if criteria for participations are met.

## 11. Study Identifiers & Governance

**Primary ID:** 165318907139447493  
**Registry Number:** NCT05208762  
**Sponsor:** Pfizer  
**Study Title:** A Study of PF-08046054/SGN-PDL1V in Advanced Solid Tumors

## 15. Sign-off & Approval

Principal Investigator: \_\_\_\_\_ Date: \_\_\_\_\_  
Clinical Operations Lead: \_\_\_\_\_ Date: \_\_\_\_\_  
Lead Statistician: \_\_\_\_\_ Date: \_\_\_\_\_