

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Single-Dose, Randomized, Double-Blind, Placebo- and Positive-Controlled, 4-Way Crossover Study to Evaluate the Effect of Evobrutinib on the QTc (Corrected QT) Interval in Healthy Adult Participants
Short Title:	A TQT Study of Effect of M2951 on Cardiac Repolarization
Protocol Number:	361234196472511629
NCT Number:	NCT07214935
Sponsor Name:	Merck
Investigational Product:	moxifloxacin
Phase:	PHASE1
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Placebo-corrected Change From Baseline in Corrected QT Interval by Fridericia' Formula (QTcF) for Evobrutinib: A linear mixed-effects model was used to analyze the relationship between evobrutinib and MSC2729909A concentrations and ?QTc. Based on this model, drug-induced ??QTc and its two-sided 90% CI was predicted over the clinical concentration range and at concentrations corresponding to the observed geometric mean Cmax following administration of 45 mg and 225 mg evobrutinib. The higher geometric mean Cmax calculated based on the PK and ECG Analysis Sets was considered.
Secondary Obj.:	1. Placebo-corrected Change From Baseline in Corrected QT Interval by Fridericia' Formula (QTcF) for Moxifloxacin 2. Number of Participants With Treatment-Emergent Adverse Events (TEAEs) 3. Number of Participants With Treatment-Emergent Adverse Events (TEAEs) Based on Severity

2.2 Background & Rationale

The purpose of this study is to assess potential effects of M2951 on cardiac repolarization (i.e. prolongation of QT interval).

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE1, Status: COMPLETED
Target N:	36

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Participants are overtly healthy as determined by medical evaluation, including no clinically significant abnormality identified on physical examination or laboratory evaluation and no active clinically significant disorder, condition, infection, or disease that would pose a risk to participant safety or interfere with the study evaluation, procedures, or completion
- * Participants have a body weight within 50.0 and 100.0 kilograms (kg) (inclusive) and body mass index (BMI) within the range 19.0 and 30.0 kilograms per square meter (kg/m²) (inclusive)
- * Participants are stable nonsmokers for at least 3 months preceding the first administration of study intervention

4.2 Exclusion Criteria

- * Participants with history or presence of clinically relevant respiratory, gastrointestinal, renal, hepatic, hematological, lymphatic, neurological, cardiovascular, musculoskeletal, genitourinary, immunological, dermatological, connective tissue, psychiatric (due to rare risk of hallucinations, agitation, and activation of psychosis), and other diseases or disorders, and epilepsy, as determined by medical evaluation
- * Participants with diagnosis of hemochromatosis, Wilson's disease, alpha 1 antitrypsin deficiency, or any other chronic liver disease including Gilbert's disease will be excluded from the study. Prior history of cholecystectomy or splenectomy, and any clinically relevant surgery within 6 months prior to the first administration of study intervention
- * Participants with history of any malignancy
- * Participants with history of seizures
- * Participants with history of pharmacologically treated psychiatric disease

11. Study Identifiers & Governance

Primary ID: 361234196472511629
Registry Number: NCT07214935
Sponsor: Merck
Study Title: A TQT Study of Effect of M2951 on Cardiac Repolarization

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____