

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

## 1. Administrative & Study Identification

|                          |                                                                                                                                                                                                                                    |
|--------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Full Study Title:        | A Phase Ib Study Evaluating the Safety, Efficacy, Pharmacokinetics, and Pharmacodynamics of Glofitamab in Combination With Gemcitabine Plus Oxaliplatin in U.S. Patients With Relapsed or Refractory Diffuse Large B-Cell Lymphoma |
| Short Title:             | A Study Evaluating the Safety and Efficacy of Glofitamab + Gemcitabine + Oxaliplatin in U.S. Patients With Relapsed or Refractory Diffuse Large B-Cell Lymphoma                                                                    |
| Protocol Number:         | 362213820902993546                                                                                                                                                                                                                 |
| NCT Number:              | NCT06624085                                                                                                                                                                                                                        |
| Sponsor Name:            | Roche                                                                                                                                                                                                                              |
| Investigational Product: | gemcitabine                                                                                                                                                                                                                        |
| Phase:                   | PHASE1                                                                                                                                                                                                                             |
| Medical Monitor:         | [Not Provided in Posting]                                                                                                                                                                                                          |

## 2. Study Synopsis & Rationale

### 2.1 Study Objective

|                    |                                                                                  |
|--------------------|----------------------------------------------------------------------------------|
| Primary Objective: | 1. Incidence of Adverse Events (AEs) 2. Complete response (CR) rate              |
| Secondary Obj.:    | 1. Objective response rate (ORR) 2. Duration of response (DOR) 3. Duration of CR |

### 2.2 Background & Rationale

The purpose of the study is to evaluate glofitamab + gemcitabine + oxaliplatin in participants in the United States, including under-represented racial and ethnic populations, that have relapsed or refractory (R/R) diffuse large B-cell lymphoma (DLBCL).

## 3. Study Design & Methodology

|                   |                                                         |
|-------------------|---------------------------------------------------------|
| Design Framework: | Type: INTERVENTIONAL, Phase: PHASE1, Status: RECRUITING |
| Target N:         | 50                                                      |

## 4. Subject Selection (Eligibility Criteria)

### 4.1 Inclusion Criteria

- \* Histologically confirmed DLBCL, not otherwise specified (NOS)
- \* Relapsed (disease that has recurred following a response that lasted  $\geq$  6 months after completion of the last line of therapy) or refractory (disease that did not respond to or that progressed  $<$  6 months after completion of the last line of therapy) disease
- \* At least one prior line of systemic therapy
- \* Participants who have failed only one prior line of therapy must not be a candidate for high-dose chemotherapy followed by autologous stem cell transplant (ASCT)
- \* At least one bi-dimensionally measurable ( $\geq$  1.5 cm) nodal lesion, or one bi-dimensionally measurable ( $\geq$  1 cm)

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

extranodal lesion, as measured on CT scan

\* Eastern Cooperative Oncology Group (ECOG) Performance Status of 0, 1, or 2

## 4.2 Exclusion Criteria

\* Prior enrollment in Study GO41944 (STARGLO; NCT04408638)

\* Participant has failed only one prior line of therapy and is a candidate for stem cell transplantation

\* History of transformation of indolent disease to DLBCL

\* High-grade B-cell lymphoma with MYC and BCL2 and/or BCL6 rearrangements, and high-grade B-cell lymphoma NOS, as defined by 2016 WHO guidelines

\* Primary mediastinal B-cell lymphoma

\* History of severe allergic or anaphylactic reactions to humanized or murine monoclonal antibodies (or recombinant antibody-related fusion proteins) or known sensitivity or allergy to murine products

\* Prior treatment with glofitamab or other bispecific antibodies targeting both CD20 and CD3

\* Prior treatment with gemcitabine or oxaliplatin

\* Peripheral neuropathy or paresthesia assessed to be Grade  $\geq 2$  according to NCI CTCAE v5.0 at enrollment

\* Treatment with radiotherapy, chemotherapy, immunotherapy, immunosuppressive therapy, or any investigational agent for the purposes of treating cancer within 2 weeks prior to first study treatment

\* Treatment with monoclonal antibodies for the purposes of treating cancer within 4 weeks prior to first study treatment

\* Primary or secondary CNS lymphoma at the time of recruitment or history of CNS lymphoma

\* Prior CNS involvement that has been definitively treated and confirmed via MRI or cerebrospinal fluid analysis to be in complete remission is permissible

\* Current or history of CNS disease, such as stroke, epilepsy, CNS vasculitis, or neurodegenerative disease

\* History of other primary malignancy, with exceptions defined by the protocol

\* Significant or extensive cardiovascular disease, or significant pulmonary disease

\* Known active bacterial, viral, fungal, mycobacterial, parasitic, or other infection (excluding fungal infections of nail beds) at study enrollment or any major episode of infection within 4 weeks prior to the first study treatment

\* Documented severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) infection within 6 months of first study treatment, or positive SARS-CoV-2 test within 7 days prior to enrollment

\* Suspected or latent tuberculosis

\* Positive test results for hepatitis B (HBV) or hepatitis C (HCV)

\* Known or suspected chronic active Epstein-Barr viral infection

\* Known or suspected history of hemophagocytic lymphohistiocytosis (HLH)

\* Known history of progressive multifocal leukoencephalopathy

\* Prior solid organ transplantation

\* Prior allogenic stem cell transplant

\* Active autoimmune disease requiring treatment

\* Prior treatment with systemic immunosuppressive medications within 4 weeks prior to first dose of study treatment

\* Ongoing systemic corticosteroid use which, in the opinion of the investigator, puts the patient at increased risk of steroid-related iatrogenic adrenal insufficiency

\* Recent major surgery (within 4 weeks before the first study treatment) other than for diagnosis

\* Clinically significant history of cirrhotic liver disease

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

## 11. Study Identifiers & Governance

|                  |                                                                                                                                                                 |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Primary ID:      | 362213820902993546                                                                                                                                              |
| Registry Number: | NCT06624085                                                                                                                                                     |
| Sponsor:         | Roche                                                                                                                                                           |
| Study Title:     | A Study Evaluating the Safety and Efficacy of Glofitamab + Gemcitabine + Oxaliplatin in U.S. Patients With Relapsed or Refractory Diffuse Large B-Cell Lymphoma |

## 15. Sign-off & Approval

Principal Investigator: \_\_\_\_\_ Date: \_\_\_\_\_  
Clinical Operations Lead: \_\_\_\_\_ Date: \_\_\_\_\_  
Lead Statistician: \_\_\_\_\_ Date: \_\_\_\_\_