

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	Not Provided
Short Title:	Korean Post Marketing Surveillance for ELREXFIO (Elranatamab).
Protocol Number:	827806790010543763
NCT Number:	NCT06581848
Sponsor Name:	Pfizer
Investigational Product:	elranatamab
Phase:	Not Applicable
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective: 1. Incidence of an adverse event (AE)/ adverse drug reaction (ADR): The safety analysis population will consist of all patients who received at least one dose of the study drug and had at least one follow-up safety evaluation.

The numbers and proportions of patients experiencing AE and ADR will be summarized with the 95% CIs in addition to their occurrence frequencies. 2. Incidence of a serious AE (SAE)/ serious ADR (SADR): The safety analysis population will consist of all patients who received at least one dose of the study drug and had at least one follow-up safety evaluation.

The numbers and proportions of patients experiencing SAE and SADR will be summarized with the 95% CIs in addition to their occurrence frequencies. 3. Incidence of an unexpected AE (UAE)/ unexpected ADR (UADR): The safety analysis population will consist of all patients who received at least one dose of the study drug and had at least one follow-up safety evaluation.

The numbers and proportions of patients experiencing UAE and UADR will be summarized with the 95% CIs in addition to their occurrence frequencies.

Secondary Obj.: 1. Objective response rate (ORR) per International Myeloma Working Group (IMWG) response criteria as determined by investigator 2. Progression-free survival (PFS) per IMWG response criteria as determined by investigator 3. Time to response (TTR) per IMWG response criteria as determined by investigator

2.2 Background & Rationale

This study is to assess the safety and effectiveness of Elranatamab in the real-world clinical settings for the treatment of patients with multiple myeloma in Korea.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

3. Study Design & Methodology

Design Framework: Type: OBSERVATIONAL, Status: ACTIVE_NOT_RECRUITING

Target N: 150

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

* Patients who have been prescribed ELREXFIO (Elranatamab) by their physician as monotherapy for the treatment of adult patients with relapsed or refractory multiple myeloma, who have received at least three prior therapies, including a proteasome inhibitor, an immunomodulatory agent, and an anti-CD38 monoclonal antibody, and have demonstrated disease progression on the last therapy.

* Patients with evidence of a personally signed and dated informed consent/assent document indicating that the patient (or a legally acceptable representative) has been informed of all pertinent aspects of the study.

4.2 Exclusion Criteria

* Patients with contraindication according to locally approved label of ELREXFIO (Elranatamab)

* Any patients (or a legally acceptable representative) who does not agree that Pfizer and companies working with Pfizer use his/her information

11. Study Identifiers & Governance

Primary ID: 827806790010543763

Registry Number: NCT06581848

Sponsor: Pfizer

Study Title: Korean Post Marketing Surveillance for ELREXFIO (Elranatamab).

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____