

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	EPIK-B2: A Two Part, Phase III, Multicenter, Randomized (1:1), Double-blind, Placebo-controlled Study to Assess the Efficacy and Safety of Alpelisib (BYL719) in Combination With Trastuzumab and Pertuzumab as Maintenance Therapy in Patients With HER2-positive Advanced Breast Cancer With a PIK3CA Mutation
Short Title:	Study of Alpelisib (BYL719) in Combination With Trastuzumab and Pertuzumab as Maintenance Therapy in Patients With HER2-positive Advanced Breast Cancer With a PIK3CA Mutation
Protocol Number:	1096663396468018684
NCT Number:	NCT04208178
Sponsor Name:	Novartis
Investigational Product:	trastuzumab
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Part 1: Incidence of dose limiting toxicities (DLTs) for each dose level: Incidence of DLTs during the first 6 weeks of treatment for each dose level associated with administration of alpelisib in combination with trastuzumab and pertuzumab 2. Part 2: Progression Free Survival (PFS): PFS is the time from date of randomization/start of treatment to the date of event defined as the first documented progression or death due to any cause. PFS is based on local investigator assessment and using RECIST 1.1 criteria
Secondary Obj.:	1. Part 1: Alpelisib concentrations by timepoint and dose level 2. Part 2: Overall survival (OS) (Key Secondary) 3. Part 2: Summary statistics of alpelisib concentrations by timepoint and dose level

2.2 Background & Rationale

The purpose of this two part multicenter, randomized, double-blind, placebo-controlled, Phase III study is to evaluate the efficacy and safety of alpelisib compared to alpelisib matching-placebo in combination with trastuzumab and pertuzumab as maintenance treatment of patients with HER2-positive advanced breast cancer whose tumor harbors a PIK3CA mutation following induction therapy with a taxane in combination with trastuzumab and pertuzumab. Part 1 is the open-label, safety run-in part of the study, designed to confirm the recommended phase 3 dose (RP3D) dose of alpelisib in combination with trastuzumab and pertuzumab. Following Part 1, Part 2 will be initiated, which is the randomized, Phase III part of the study.

3. Study Design & Methodology

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Design Framework: Type: INTERVENTIONAL, Phase: PHASE3, Status: ACTIVE_NOT_RECRUITING
Target N: 20

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Participant has histologically-confirmed HER2-positive breast cancer that is advanced (loco-regionally not amenable to surgery or is metastatic).
- * Participant has received pre-study induction therapy with up to and including a maximum of 8 cycles of a taxane (docetaxel, paclitaxel, or nab-paclitaxel), plus trastuzumab and pertuzumab. 4 or 5 cycles of induction therapy are permitted if discontinuation of taxane was due to taxane toxicity. Of note, participants enrolled in Part 1 of this study received 4-6 cycles of pre-study induction therapy.
- * Participant has an Eastern Cooperative Oncology Group (ECOG) performance status 0 or 1
- * Participant has adequate bone marrow and organ function
- * Applies only to Part 2: Participant has a PIK3CA mutation(s) present in tumor prior to enrollment, locally confirmed per test listed in protocol or as determined by a Novartis designated central laboratory.

4.2 Exclusion Criteria

- * Participant with inflammatory breast cancer at screening.
- * Participant with evidence of disease progression during the pre-study induction therapy and prior to first dose of alpelisib (or alpelisib/alpelisib matching-placebo for Part 2)
- * Participant with an established diagnosis of diabetes mellitus type I or uncontrolled type II based on fasting plasma glucose (FPG) and HbA1c.
- * Participant has a known history of acute pancreatitis within 1 year of screening or past medical history of chronic pancreatitis
- * Participant has clinically significant, uncontrolled heart disease and/or recent cardiac events
- * Participant has a history of Steven-Johnson Syndrome (SJS), erythema multiforme (EM) or Toxic Epidermal Necrolysis (TEN).
- * Participant has currently documented pneumonitis/interstitial lung disease

Other protocol-defined Inclusion/Exclusion may apply.

11. Study Identifiers & Governance

Primary ID: 1096663396468018684
Registry Number: NCT04208178
Sponsor: Novartis
Study Title: Study of Alpelisib (BYL719) in Combination With Trastuzumab and Pertuzumab as Maintenance Therapy in Patients With HER2-positive Advanced Breast Cancer With a PIK3CA Mutation

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____