

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	Two Part (Double-blind Inclisiran Versus Placebo [Year 1] Followed by Open-label Inclisiran [Year 2]) Randomized Multicenter Study to Evaluate Safety, Tolerability, and Efficacy of Inclisiran in Children (2 to Less Than 12 Years) With Homozygous Familial Hypercholesterolemia and Elevated LDL-cholesterol
Short Title:	Study to Evaluate Safety, Tolerability and Efficacy of Inclisiran in Children With Homozygous Familial Hypercholesterolemia
Protocol Number:	1103090460876593113
NCT Number:	NCT06597006
Sponsor Name:	Novartis
Investigational Product:	inclisiran
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Percentage change in LDL-C from baseline to Day 330 (Year 1): Evaluate the effect of inclisiran compared to placebo on reducing LDL-C \[percent change\] at Day 330
Secondary Obj.:	1. Time-adjusted percent change in LDL-C from baseline after Day 90 and up to Day 330 (Year 1) 2. Percent change in LDL-C, total cholesterol, non-HDL-C, triglycerides, HDL-C, VLDL-C from baseline to each assessment time up to Day 720 (Year 2) 3. Percent change in PCSK9 from baseline to each assessment time up to Day 720 (Year 2)

2.2 Background & Rationale

This is a pivotal phase III study designed to evaluate safety, tolerability, and efficacy of inclisiran in children (aged 2 to <12 years) with homozygous familial hypercholesterolemia (HoFH) and elevated low density lipoprotein cholesterol (LDLC).

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: RECRUITING
Target N:	9

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Male or female participants, 2 to <12 years of age at screening
- * HoFH diagnosed by genetic confirmation

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

\\- Note: Participants with known null (negative) mutations in both LDLR alleles are not eligible (see also exclusion criteria)

* Fasting LDL-C ≥ 130 mg/dL (3.4 mmol/L) at screening

* On an optimal dose of statin (investigator's discretion), unless statin intolerant, with or without other lipid-lowering therapy (e.g. ezetimibe)

* Participants on lipid-lowering therapies (such as e.g. statins, ezetimibe) must be on a stable dose for ≥ 30 days before screening with no planned medication or dose changes during study participation

* Participants on a documented regimen of LDL-apheresis for ≥ 3 months before screening will be allowed to continue the apheresis during the study, if needed. The apheresis schedule/settings/duration must be stable prior to screening, are not allowed to change during the double-blind period of the trial and must permit that an apheresis coincides with each study visit.

4.2 Exclusion Criteria

* Documented evidence of a null (negative) mutation in both LDLR alleles

* Previous treatment (within 90 days of screening) with monoclonal antibodies directed towards PCSK9

* History of poor response to therapy with any monoclonal antibody directed towards PCSK9 (e.g. $\leq 15\%$ reduction in LDL-C)

* Treatment with mipomersen or lomitapide (within 5 months of screening)

* Secondary hypercholesterolemia, e.g. hypothyroidism or nephrotic syndrome

* Heterozygous familial hypercholesterolemia (HeFH)

* Body weight (at the screening and/or randomization (Day 1) visit) ≤ 16 kg for participants 6 to ≤ 12 years (at screening) or ≤ 11 kg for participants 2 to ≤ 6 years (at screening)

* Active liver disease defined as any known current infectious, neoplastic, or metabolic pathology of the liver or unexplained alanine aminotransferase (ALT), aspartate aminotransferase (AST) elevation $\geq 3 \times$ ULN, or total bilirubin elevation $\geq 2 \times$ ULN (except patients with Gilbert's syndrome)

* Pregnant or nursing females

* Recent and/or planned use of other investigational medicinal products or devices

11. Study Identifiers & Governance

Primary ID: 1103090460876593113

Registry Number: NCT06597006

Sponsor: Novartis

Study Title: Study to Evaluate Safety, Tolerability and Efficacy of Inclisiran in Children With Homozygous Familial Hypercholesterolemia

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____