

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Randomized, Double-blind, Placebo-controlled, Multicenter Trial, Assessing the Impact of Inclisiran on Major Adverse Cardiovascular Events in Participants With Established Cardiovascular Disease (VICTORION-2 PREVENT)
Short Title:	Study of Inclisiran to Prevent Cardiovascular (CV) Events in Participants With Established Cardiovascular Disease
Protocol Number:	247065760660952892
NCT Number:	NCT05030428
Sponsor Name:	Novartis
Investigational Product:	inclisiran
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Time to First Occurrence of 3P-MACE (3-Point Major Adverse Cardiovascular Events): 3P-MACE is a confirmed composite endpoint which includes cardiovascular death, non-fatal myocardial infarction and non-fatal ischemic stroke.
Secondary Obj.:	1. Time to Occurrence of Cardiovascular (CV) Death 2. Time to First Occurrence of 4P-MACE (4-Point Major Adverse Cardiovascular Events) 3. Time to first occurrence of Major Limb Adverse Events (MALE)

2.2 Background & Rationale

Study CKJX839B12302 is a pivotal Phase III trial to evaluate the benefits of inclisiran on major adverse cardiovascular (MACE) events in participants with established cardiovascular disease (CVD).

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: ACTIVE_NOT_RECRUITING
Target N:	17004

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- Fasting LDL-C $\leq$ 70 mg/dL at randomization visit
- Stable (greater than or equal to 4 weeks) and well-tolerated lipid-lowering regimen (including e.g. with or without Ezetimibe) that must include a high-intensity statin therapy with either atorvastatin greater than or equal to 40 mg QD or rosuvastatin greater than or equal to 20 mg QD
- Established CV disease defined as ANY of the following three conditions

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Spontaneous Myocardial infarction ? 4 weeks from screening visit
2. History of ischemic stroke occurred ? 4 weeks prior to the Screening visit
3. Symptomatic peripheral arterial disease (PAD) evidenced by either intermittent claudication with ankle brachial index (ABI) ≤ 0.85 , prior peripheral arterial revascularization procedure, or, amputation due to atherosclerotic disease.

4.2 Exclusion Criteria

1. Acute coronary syndrome, stroke, peripheral arterial revascularization procedure or amputation due to atherosclerotic disease ≤ 4 weeks before screening visit
2. Treatment with PCSK9 inhibitors (e.g. evolocumab, alirocumab) within 90 days or planned use post first study visit
3. Planned or expected cardiac, cerebrovascular or peripheral artery surgery or re-vascularization within the 6 months after the first study visit
4. Heart failure NYHA class III or IV
5. Active liver disease defined as any known current infectious, neoplastic, or metabolic pathology of the liver
6. Previous exposure to inclisiran or any other non-mAb PCSK9-targeted therapy, either as an investigational or marketed drug within 2 years
7. Severe concomitant non-CV disease that is expected to reduce life expectancy to less than 5 years
8. History of malignancy that required surgery radiation therapy and/or systemic therapy during the 3 years prior to the first study visit
9. Pregnant or nursing (lactating) women

Other protocol-defined inclusion/exclusion criteria may apply.

11. Study Identifiers & Governance

Primary ID:	247065760660952892
Registry Number:	NCT05030428
Sponsor:	Novartis
Study Title:	Study of Inclisiran to Prevent Cardiovascular (CV) Events in Participants With Established Cardiovascular Disease

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____