

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Randomized, Multicenter, Open-Label, Phase 3 Study of Nivolumab Plus Ipilimumab or Nivolumab in Combination With Oxaliplatin Plus Fluoropyrimidine Versus Oxaliplatin Plus Fluoropyrimidine in Subjects With Previously Untreated Advanced or Metastatic Gastric or Gastroesophageal Junction Cancer
Short Title:	Efficacy Study of Nivolumab Plus Ipilimumab or Nivolumab Plus Chemotherapy Against Chemotherapy in Stomach Cancer or Stomach/Esophagus Junction Cancer
Protocol Number:	142177259292238040
NCT Number:	NCT02872116
Sponsor Name:	Bristol Myers Squibb
Investigational Product:	fluorouracil
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Overall Survival (OS) in Participants Treated With Nivolumab Plus Chemotherapy vs Chemotherapy With PD-L1 CPS ? 5: Overall survival (OS), defined as the time from randomization to the time of death, in participants treated with Nivolumab plus Chemotherapy vs Chemotherapy with PD-L1 CPS (combined positive score) ? 5. CPS is defined as the number of PD-L1 staining cells (tumor cells, lymphocytes, macrophages) divided by the total number of viable tumor cells, multiplied by 100. 2. Progression Free Survival (PFS) in Participants Treated With Nivolumab Plus Chemotherapy vs Chemotherapy With PD-L1 CPS ? 5: Progression Free Survival (PFS) is defined as the time from randomization to the date of the first documented PD or death due to any cause. PD is determined by blinded independent committee review (BICR) per RECIST1.1 criteria in participants treated with Nivolumab plus Chemotherapy vs Chemotherapy with PD-L1 CPS ? 5. Progressive disease (PD) is defined as at least a 20% increase in the sum of diameters of target lesions, taking in reference the smallest sum on study that also demonstrated an absolute increase of at least 5 mm. CPS is defined as the number of PD-L1 staining cells (tumor cells, lymphocytes, macrophages) divided by the total number of viable tumor cells, multiplied by 100.
Secondary Obj.:	1. OS in Participants Treated With Nivolumab Plus Chemotherapy vs Chemotherapy 2. PFS in Participants Treated With Nivolumab Plus Chemotherapy vs Chemotherapy 3. Objective Response Rate in Participants Treated With Nivolumab Plus Chemotherapy vs Chemotherapy

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

2.2 Background & Rationale

The main purpose of this study is to compare how long patients with gastric or gastroesophageal junction cancer live after receiving nivolumab and ipilimumab or nivolumab and chemotherapy compared with patients receiving chemotherapy alone.

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE3, Status: COMPLETED
Target N: 2031

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Male or Female at least 18 years of age
- * Must have gastric cancer or gastroesophageal junction cancer that cannot be operated on and that is advanced or has spread out
- * Did not receive neoadjuvant or adjuvant treatment (chemotherapy, radiotherapy, or both) for their disease within the last 6 months
- * Must have full activity or, if limited, must be able to walk and carry out light activities such as light house work or office work
- * Must agree to provide tumor tissue sample, either from a previous surgery or biopsy within 6 months or fresh, prior to the start of treatment in this study

4.2 Exclusion Criteria

- * Presence of tumor cells in the brain or spinal cord that have not been treated
- * Active known or suspected autoimmune disease
- * Any serious or uncontrolled medical disorder or active infection
- * Known history of positive test for human immunodeficiency virus (HIV) or known acquired immunodeficiency syndrome (AIDS)
- * Any positive test result for hepatitis B or C indicating acute or chronic infection

Other protocol-defined inclusion/exclusion criteria apply

11. Study Identifiers & Governance

Primary ID: 142177259292238040
Registry Number: NCT02872116
Sponsor: Bristol Myers Squibb
Study Title: Efficacy Study of Nivolumab Plus Ipilimumab or Nivolumab Plus Chemotherapy Against Chemotherapy in Stomach Cancer or Stomach/Esophagus Junction Cancer

15. Sign-off & Approval

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____