

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 3, Multicenter, Randomized, Double-Blind, Placebo-Controlled Study to Evaluate the Efficacy and Safety of Enlicitide Decanoate Coadministered With Rosuvastatin in Adults With Hyperlipidemia
Short Title:	A Clinical Study of Enlicitide in Participants With High Cholesterol (MK-0616-037)
Protocol Number:	367580228062351295
NCT Number:	NCT07216482
Sponsor Name:	Merck
Investigational Product:	rosuvastatin
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Mean Percent Change from Baseline in LDL-C at Week 8 (Enlicitide + Rosuvastatin Versus Placebo): Blood samples will be collected at baseline and at Week 8 to assess mean percent change in LDL-C between participants treated with enlicitide and rosuvastatin versus placebo.
Secondary Obj.:	1. Mean Percent Change from Baseline in LDL-C at Week 8 2. Mean Percent Change from Baseline in Apolipoprotein B (ApoB) at Week 8 3. Number of Participants with One or More Adverse Events (AEs)

2.2 Background & Rationale

Researchers designed a study medicine called enlicitide to lower low-density lipoprotein cholesterol (LDL-C). In this study, researchers want to learn about giving enlicitide with another medicine called rosuvastatin. Rosuvastatin is a standard (usual) treatment to lower LDL-C.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE3, Status: NOT_YET_RECRUITING
Target N:	975

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

-Has either not received lipid-lowering therapy (LLT) or has not received certain LLTs within a specified time period prior to the study.

4.2 Exclusion Criteria

* Has a history of homozygous familial hypercholesterolemia (FH), compound heterozygous FH, or double heterozygous

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

FH.

- * Had a heart failure hospitalization within 3 months before Screening.
- * Is unwilling to take a statin, and/or has a history of statin-associated muscle symptoms or other statin-related AEs to any statin and dose, and/or is known to be intolerant to 1 or more statins.
- * Has a history of any of the following conditions: (1) Myopathy, myositis, rhabdomyolysis, or unexplained muscle pain; (2) Muscular or neuromuscular disease; (3) Neuropathy, fibromyalgia, or chronic pain; or (4) Has a personal or family history of hereditary muscular disorders.
- * Has active or chronic hepatobiliary or hepatic disease.
- * Has known human immunodeficiency virus (HIV) infection.
- * Is undergoing or previously underwent an LDL-C apheresis program within 3 months before Screening or plans to initiate an LDL-C apheresis program.
- * Has received any medication that may interact with rosuvastatin within 5 half-lives prior to Screening or is planning to initiate such treatment.

11. Study Identifiers & Governance

Primary ID: 367580228062351295
Registry Number: NCT07216482
Sponsor: Merck
Study Title: A Clinical Study of Enlicitide in Participants With High Cholesterol (MK-0616-037)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____
Lead Statistician: _____ Date: _____