

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 3, Randomized, Open-label, Multicenter Clinical Study to Evaluate the Safety and Efficacy of MK-1084, Cetuximab, and mFOLFOX6 Versus mFOLFOX6 With or Without Bevacizumab as First-line Treatment of Participants With KRAS G12C-mutant, Locally Advanced Unresectable or Metastatic Colorectal Cancer (KANDLELIT-012)
Short Title:	A Clinical Study of MK-1084 With Targeted Therapy and Chemotherapy in People With Colorectal Cancer (MK-1084-012/KANDLELIT-012)
Protocol Number:	516746307885808500
NCT Number:	NCT06997497
Sponsor Name:	Merck
Investigational Product:	calcium
Phase:	PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Number of Participants Experiencing Dose-Limiting Toxicity (DLT): A DLT is defined as the occurrence of protocol-specified toxicities if assessed by the investigator to be possibly, probably, or definitely related to study intervention administration. 2. Part 1: Number of Participants Who Experience an Adverse Event (AE): An AE is any untoward medical occurrence in a clinical study participant, temporally associated with the use of study intervention, whether or not considered related to the study intervention. An AE can therefore be any unfavorable and unintended sign (including an abnormal laboratory finding), symptom, or disease (new or exacerbated) temporally associated with the use of a study intervention. 3. Part 1: Number of Participants Who Discontinue Study Treatment Due to an AE: An AE is any untoward medical occurrence in a clinical study participant, temporally associated with the use of study intervention, whether or not considered related to the study intervention. An AE can therefore be any unfavorable and unintended sign (including an abnormal laboratory finding), symptom, or disease (new or exacerbated) temporally associated with the use of a study intervention.
Secondary Obj.:	1. Objective Response Rate (ORR) 2. Overall Survival (OS) 3. Duration of Response (DOR)

2.2 Background & Rationale

Researchers are looking for other ways to treat locally advanced or metastatic colorectal cancer (mCRC) that is unresectable and has a gene mutation called KRAS G12C.

3. Study Design & Methodology

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Design Framework: Type: INTERVENTIONAL, Phase: PHASE3, Status: RECRUITING
Target N: 477

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

The main inclusion criteria include but are not limited to the following:

- * Has a histologically confirmed diagnosis of locally advanced unresectable or metastatic (unresectable Stage III or Stage IV as defined by American Joint Committee on Cancer [AJCC] eighth edition) colorectal adenocarcinoma
- * Part 2 only: Has not received systemic anticancer therapy for locally advanced unresectable or metastatic colorectal cancer
- * Tumor tissue demonstrates presence of a Kirsten rat sarcoma viral oncogene homolog G12C (KRAS G12C) mutation
- * Human immunodeficiency virus (HIV)-infected participants must have well controlled HIV on antiretroviral therapy (ART)
- * Participants who are Hepatitis B surface antigen (HBsAg) positive are eligible if they have received hepatitis B virus (HBV) antiviral therapy and have undetectable HBV viral load
- * Participants with history of hepatitis C virus (HCV) infection are eligible if HCV viral load is undetectable

4.2 Exclusion Criteria

The main exclusion criteria include but are not limited to the following:

- * Has active inflammatory bowel disease requiring immunosuppressive medication or previous clear history of inflammatory bowel disease (eg, Crohn's disease, ulcerative colitis, chronic diarrhea)
- * Has uncontrolled, significant cardiovascular disease or cerebrovascular disease
- * Has known dihydropyrimidine dehydrogenase (DPD) deficiency
- * HIV-infected participants with a history of Kaposi's sarcoma and/or Multicentric Castleman's Disease
- * Has received prior systemic anticancer therapy including investigational agents within 4 weeks before randomization
- * Has 1 or more conditions that, in the opinion of the investigator, make the participant ineligible for treatment with bevacizumab
- * Has known additional malignancy that is progressing or has required active treatment within the past 3 years
- * Has known active central nervous system (CNS) metastases and/or carcinomatous meningitis or leptomeningeal disease
- * Has active infection requiring systemic therapy
- * Has not adequately recovered from major surgery or have ongoing surgical complications
- * Has a history of (noninfectious) pneumonitis/interstitial lung disease that required steroids or has current pneumonitis/interstitial lung disease

11. Study Identifiers & Governance

Primary ID: 516746307885808500
Registry Number: NCT06997497

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Sponsor: Merck

Study Title: A Clinical Study of MK-1084 With Targeted Therapy and Chemotherapy in People With Colorectal Cancer (MK-1084-012/KANDLELIT-012)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____