

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase II, Randomized, Double Blind Study of Atezolizumab Plus Tiragolumab and Atezolizumab Plus Placebo as First-Line Treatment in Patients With Recurrent/Metastatic PD-L1 Positive Squamous Cell Carcinoma of the Head and Neck
Short Title:	A Study of Atezolizumab Plus Tiragolumab and Atezolizumab Plus Placebo as First-Line Treatment in Participants With Recurrent/Metastatic PD-L1 Positive Squamous Cell Carcinoma of the Head and Neck
Protocol Number:	336242404924023701
NCT Number:	NCT04665843
Sponsor Name:	Roche
Investigational Product:	atezolizumab
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Confirmed Objective Response Rate (ORR)
Secondary Obj.:	1. Duration of Response (DOR) 2. Progression-Free Survival (PFS) 3. Overall Survival (OS)

2.2 Background & Rationale

The primary objective of this study is to evaluate the efficacy of atezolizumab plus tiragolumab and atezolizumab plus placebo as first-line (1L) treatment in recurrent/metastatic PD-L1-positive squamous cell carcinoma of the head and neck (SCCHN) on the basis of confirmed objective response rate. In addition, safety, pharmacokinetics, immunogenicity of atezolizumab and tiragolumab will be evaluated.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE2, Status: COMPLETED
Target N:	123

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Histologically or cytologically confirmed recurrent/metastatic SCCHN involving the oropharynx, oral cavity, larynx, or hypopharynx, that is considered incurable by local therapies
- * Known results from human papillomavirus (HPV) status test for oropharyngeal carcinoma
- * No prior systemic therapy for metastatic and/or recurrent SCCHN
- * Measurable disease per Response Evaluation Criteria in Solid Tumors (RECIST) v1.1

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Tumor PD-L1 expression as determined by PD-L1 immunohistochemistry assay
- * Eastern Cooperative Oncology Group (ECOG) Performance Status of 0 or 1
- * Life expectancy ≥ 12 weeks

Key Exclusion Criteria:

- * Disease suitable for local therapy with curative intent
- * Progressive or recurrent disease within 6 months of the last dose of curative intent systemic treatment for locally advanced SCCHN
- * Rapidly progressing disease in the opinion of the treating investigator
- * Grade ≥ 2 unresolved toxicity related to surgery or other prior therapies
- * Symptomatic, untreated, or actively progressing central nervous system (CNS) metastases
- * History of leptomeningeal disease
- * Active or history of autoimmune disease or immune deficiency
- * History of idiopathic pulmonary fibrosis, organizing pneumonia, drug-induced pneumonitis, or idiopathic pneumonitis, or evidence of active pneumonitis on screening chest computed tomography (CT) scan
- * History of additional malignancy other than SCCHN within 5 years prior to randomization
- * Prior treatment with CD137 agonists or immune checkpoint blockade therapies, including anti-CTLA-4, anti-TIGIT, anti-PD-L1, and anti-PD-1 therapeutic antibodies
- * Treatment with systemic immunostimulatory agents or systemic immunosuppressive medication
- * Pregnancy or breastfeeding

4.2 Exclusion Criteria

- * Disease suitable for local therapy with curative intent
- * Progressive or recurrent disease within 6 months of the last dose of curative intent systemic treatment for locally advanced SCCHN
- * Rapidly progressing disease in the opinion of the treating investigator
- * Grade ≥ 2 unresolved toxicity related to surgery or other prior therapies
- * Symptomatic, untreated, or actively progressing central nervous system (CNS) metastases
- * History of leptomeningeal disease
- * Active or history of autoimmune disease or immune deficiency
- * History of idiopathic pulmonary fibrosis, organizing pneumonia, drug-induced pneumonitis, or idiopathic pneumonitis, or evidence of active pneumonitis on screening chest computed tomography (CT) scan
- * History of additional malignancy other than SCCHN within 5 years prior to randomization
- * Prior treatment with CD137 agonists or immune checkpoint blockade therapies, including anti-CTLA-4, anti-TIGIT, anti-PD-L1, and anti-PD-1 therapeutic antibodies
- * Treatment with systemic immunostimulatory agents or systemic immunosuppressive medication
- * Pregnancy or breastfeeding

11. Study Identifiers & Governance

Primary ID: 336242404924023701

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Registry Number: NCT04665843

Sponsor: Roche

Study Title: A Study of Atezolizumab Plus Tiragolumab and Atezolizumab Plus Placebo as First-Line Treatment in Participants With Recurrent/Metastatic PD-L1 Positive Squamous Cell Carcinoma of the Head and Neck

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____