

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 2, Open-Label, Single-Arm, Sequential-Panel Study to Evaluate the Pharmacokinetics, Safety, and Tolerability of Posaconazole (POS, MK-5592) Intravenous and Powder for Oral Suspension Formulations in Pediatric Participants From Birth to Less Than 2 Years of Age With Possible, Probable, or Proven Invasive Fungal Infection
Short Title:	Posaconazole (MK-5592) Intravenous and Oral in Children (<2 Years) With Invasive Fungal Infection (MK-5592-127)
Protocol Number:	675145905589660818
NCT Number:	NCT04665037
Sponsor Name:	Merck
Investigational Product:	tolnaftate
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Average concentration (Cavg) of single-dose IV POS (Panel A): The Cavg of IV POS is based on population PK analysis. 2. Maximum concentration (Cmax) of single-dose IV POS (Panel A): The Cmax of IV POS is based on population PK analysis. 3. Time to maximum concentration (Tmax) of single-dose IV POS (Panel A): The Tmax of IV POS is based on population PK analysis.
Secondary Obj.:	1. Cavg of IV POS in neonates and infants <2 years of age compared to adults and older pediatric populations (Panel B) 2. Percentage of participants with an ? 1 adverse event (AE) [Panels A and B] 3. Percentage of participants who discontinued study therapy due to an AE (Panels A and B)

2.2 Background & Rationale

This study aims to estimate the pharmacokinetics (PK) of posaconazole (POS, MK-5592) intravenous (IV) and powder for oral suspension (PFS) formulations in pediatric participants <2 years of age with invasive fungal infection (IFI).

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE2, Status: RECRUITING
Target N:	40

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Panel A: is undergoing treatment for possible, probable, or proven IFI known or suspected to be cause by fungal pathogens against which POS has demonstrated activity (which can include candidiasis)
- * Panel B: has an investigator-assessed diagnosis of possible, probable, or proven IFI known or suspected to be cause by fungal pathogens against which POS has demonstrated activity (and cannot include candidiasis)
- * Has a central line (eg, central venous catheter, peripherally-inserted central catheter) in place or planned to be in place before beginning IV study intervention.
- * Has a body weight of ≥500 g
- * The participant (or legally acceptable representative) has provided documented informed consent for the study.

Exclusion Criteria

- * Has received POS within 30 days before Day 1
- * Has cystic fibrosis, pulmonary sarcoidosis, aspergilloma, or allergic bronchopulmonary aspergillosis
- * Has a known hereditary problem of galactose intolerance, Lapp lactase deficiency, or glucose-galactose malabsorption
- * Has known or suspected active COVID-19 infection
- * Has a known hypersensitivity or other serious adverse reaction to any azole antifungal therapy, or to any other ingredient of the study intervention used
- * Has any known history of torsade de pointes, unstable cardiac arrhythmia or proarrhythmic conditions, a history of recent myocardial infarction, congenital or acquired QT interval (QT) prolongation, or cardiomyopathy in the context of cardiac failure within 90 days of first dose of study intervention
- * Has received any listed prohibited medications within the specified timeframes before the start of study intervention
- * Has a known hereditary problem of galactose intolerance, Lapp lactase deficiency, or glucose-galactose malabsorption (Part B)
- * Has suspected/proven invasive candidiasis (Part B)
- * Has enrolled previously in the current study and been discontinued
- * Has QTc prolongation at screening ≥500 msec
- * Has significant liver dysfunction
- * Is hemodynamically unstable, exhibits hemodynamic compromise, or is not expected to survive at least 5 days

4.2 Exclusion Criteria

Not Provided

11. Study Identifiers & Governance

Primary ID:	675145905589660818
Registry Number:	NCT04665037
Sponsor:	Merck
Study Title:	Posaconazole (MK-5592) Intravenous and Oral in Children (<2 Years) With Invasive Fungal Infection (MK-5592-127)

15. Sign-off & Approval

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____