

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 2/3, Multicenter, Randomized, Dose Optimization (Part I), Double-blind (Part II) Study to Compare the Efficacy and Safety of Oral Azacitidine (Oral-Aza, ONUREG®) Plus Best Supportive Care (BSC) Versus Placebo Plus BSC in Participants With IPSS-R Low- or Intermediate-risk Myelodysplastic Syndrome (MDS)
Short Title:	A Study to Compare the Efficacy and Safety of Oral Azacitidine Plus Best Supportive Care (BSC) Versus Placebo Plus BSC in Participants With International Prognostic Scoring System Revised (IPSS-R) Low- or Intermediate-risk Myelodysplastic Syndrome (MDS)
Protocol Number:	72607804122006579
NCT Number:	NCT05469737
Sponsor Name:	Bristol Myers Squibb
Investigational Product:	azacitidine
Phase:	PHASE2, PHASE3
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Number of participants with Adverse Events (AEs) evaluated using the National Cancer Institute Common Terminology Criteria for Adverse Events (NCI CTCAE) criteria v.5.0: Phase 2 2. Number of participants who achieved complete remission (CR) per International Working Group (IWG) 2006 criteria within 6 cycles: Phase 2 and 3
Secondary Obj.:	1. Number of participants who achieved Overall Response (OR) per IWG 2006 criteria within 6 cycles 2. Number of participants who achieved 84-day packed red blood cells transfusion independence (pRBC-TI) 3. pRBC-TI duration

2.2 Background & Rationale

The purpose of this study is to evaluate the safety and efficacy of oral azacitidine in participants with low to intermediate International Prognostic Scoring System Revised (IPSS-R) myelodysplastic syndrome (MDS).

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL,	Phase: PHASE2,	PHASE3,	Status:
	ACTIVE_NOT_RECRUITING			
Target N:	230			

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

? Participant has a documented diagnosis of MDS according to WHO 2016 classification that meets International Prognostic Scoring System Revised (IPSS-R) classification of low- or intermediate-risk disease (IPSS-R score between 1.5 and 4.5).

MDS diagnosis, WHO classification, and IPSS-R risk classification will be prospectively determined by independent central pathology and cytogenetics review, and applicable central laboratory results.

? Participant must have an Eastern Cooperative Oncology Group (ECOG) performance status of 0, 1, or 2.

4.2 Exclusion Criteria

* Participants with prior malignancies must have an expected median life expectancy of at least 12 months at the time of inclusion and no active treatment of any sort for at least 24 weeks prior to randomization (including but not limited to immunotherapy or targeted therapy)

* Hypoplastic Myelodysplastic Syndrome (MDS) with a marrow cellularity of ? 10%

* Participants diagnosed with MDS with excess blasts-2 (MDS-EB2)

* Prior treatment with azacitidine (any formulation), decitabine, or other hypomethylating agent

Other protocol-defined inclusion/exclusion criteria apply

11. Study Identifiers & Governance

Primary ID: 72607804122006579

Registry Number: NCT05469737

Sponsor: Bristol Myers Squibb

Study Title: A Study to Compare the Efficacy and Safety of Oral Azacitidine Plus Best Supportive Care (BSC) Versus Placebo Plus BSC in Participants With International Prognostic Scoring System Revised (IPSS-R) Low- or Intermediate-risk Myelodysplastic Syndrome (MDS)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____