

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 1/2 Study of BMS-986408 Alone and in Combination With Nivolumab or With Nivolumab and Ipilimumab in Participants With Advanced Solid Tumors
Short Title:	A Study to Evaluate the Safety and Tolerability of BMS-986408 Alone and in Combination With Nivolumab or Nivolumab and Ipilimumab in Participants With Advanced Solid Tumors
Protocol Number:	1014858546236547335
NCT Number:	NCT05407675
Sponsor Name:	Bristol Myers Squibb
Investigational Product:	rabeprazole
Phase:	PHASE1, PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Number of Participants With Dose Limiting Toxicities (DLTs): A Dose-Limiting Toxicity (DLT) is defined as a treatment-related adverse event that meets specific severity criteria, excluding those clearly due to disease progression or unrelated causes. DLTs include: any Grade ≥3 non-hematologic toxicity (with exceptions like transient nausea, fatigue, rash, or electrolyte imbalances), significant liver enzyme elevations, Grade 4 neutropenia >7 days, Grade 4 thrombocytopenia, Grade 3 thrombocytopenia with bleeding, febrile neutropenia, and any Grade ≥3 immune-mediated toxicity including myocarditis, myelitis, or severe skin reactions. Grade 3 is severe or medically significant but not immediately life-threatening; Grade 4 events are usually severe enough to require hospitalization. 2. Number of Participants With Adverse Events: An adverse event (AE) is defined as any new untoward medical occurrence or worsening of a pre-existing medical condition occurring in a clinical investigation participant after signing of informed consent, whether or not considered related to the study intervention. An AE can therefore be any unfavorable and unintended sign (such as an abnormal laboratory test result), symptom, or disease temporally associated with the study intervention. Serious Adverse Event (SAE) is defined as any untoward medical occurrence that, at any dose results in death, is life-threatening, and requires inpatient hospitalization or causes prolongation of existing hospitalization. 3. Number of Participants Who Died
Secondary Obj.:	1. Maximum Observed Plasma Concentration (C_{max}) of BMS-986408 2. Time to Maximum Observed Plasma Concentration (T_{max}) of BMS-986408 3. Area Under the Plasma Concentration-time Curve From Time 0 to Time of Last Quantifiable Concentration [AUC(0-T)]

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

2.2 Background & Rationale

The primary purpose of this study is to characterize the safety profile of BMS-986408 as monotherapy and in combination with nivolumab or nivolumab and ipilimumab to establish the maximum tolerated dose (MTD). The Recommended Phase 2 Dose (RP2D) that optimizes the pharmacokinetic/pharmacodynamic (PK/PD) relationship of BMS-986408 will also be determined.

3. Study Design & Methodology

Design Framework: Type: INTERVENTIONAL, Phase: PHASE1, PHASE2, Status: COMPLETED

Target N: 68

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Participants with a histologically or cytologically confirmed, advanced, unresectable/metastatic, solid malignancy of any histology measurable by Response Evaluation Criteria in Solid Tumors (RECIST) v1.1
- * Participants who have received, been refractory to, ineligible for, or intolerant of existing therapy(ies) known to provide clinical benefit for the condition of the participant
- * Participants with melanoma should have documentation of mutation status for B-type Raf proto-oncogene (BRAF) and neuroblastoma ras viral oncogene homolog (NRAS)
- * Participants must have experienced radiographically documented progressive disease on or after the most recent therapy

4.2 Exclusion Criteria

- * An active, known or suspected autoimmune disease
- * Conditions requiring systemic treatment with either corticosteroids within 14 days or other immunosuppressive medications within 30 days of the first dose of study treatment
- * Current or recent gastrointestinal disease or gastrointestinal surgery that could impact the absorption of study drug
- * Untreated central nervous system (CNS) metastases or leptomeningeal metastasis

Other protocol-defined inclusion/exclusion criteria apply

11. Study Identifiers & Governance

Primary ID: 1014858546236547335

Registry Number: NCT05407675

Sponsor: Bristol Myers Squibb

Study Title: A Study to Evaluate the Safety and Tolerability of BMS-986408 Alone and in Combination With Nivolumab or Nivolumab and Ipilimumab in Participants With Advanced Solid Tumors

15. Sign-off & Approval

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____