

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase II, Open-label, Multicenter, Master Protocol to Evaluate the Safety and Efficacy of Novel Study Interventions and Combinations in Participants With Colorectal Cancer (CANTOR)
Short Title:	A Study of Novel Study Interventions and Combinations in Participants With Colorectal Cancer
Protocol Number:	285947927338156627
NCT Number:	NCT06792695
Sponsor Name:	AstraZeneca
Investigational Product:	irinotecan
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Progression Free Survival (PFS): PFS is defined as the time from randomization until progression per Response Evaluation Criteria in Solid Tumours, Version 1.1 (RECIST 1.1) or death due to any cause. 2. Number of Participants with Adverse Events (AEs): Number of participants who received at least one dose of study treatment will be assessed.
Secondary Obj.:	1. Overall Survival (OS) 2. Objective Response Rate (ORR) 3. Disease Control Rate (DCR)

2.2 Background & Rationale

The main purpose of this study is to evaluate the safety and efficacy of novel study interventions and combinations in participants with Colorectal Cancer (CRC).

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE2, Status: RECRUITING
Target N:	120

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Histopathologically confirmed colorectal adenocarcinoma.
- * Provision of FFPE tumor sample collected as per SoC.
- * Presence of measurable disease by RECIST 1.1 criteria.
- * ECOG performance status of 0 or 1.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Life expectancy ? 12 weeks at the time of screening.

Substudy Inclusion Criteria:

- * No radiological evidence of liver metastasis.
- * No prior systemic therapy for mCRC, except for neoadjuvant/adjuvant chemotherapy where, \> 6 months have elapsed between completion of therapy and documented date of diagnosis of recurrent or metastatic disease.
- * Known pMMR/MSS status (only pMMR/MSS mCRC allowed).
- * Adequate organ and bone marrow function
- * Body weight \> 35 kg at screening and at randomization.
- * Contraceptive use by participants should be consistent with local regulations regarding the methods of contraception for those participating in clinical studies.

Overall Exclusion Criteria:

- * Central nervous system metastases or spinal cord compression
- * Known history of severe allergy to any monoclonal antibody or study intervention.
- * Any unresolved toxicity CTCAE Grade ? 2 from a previous anticancer therapy.
- * History of another primary malignancy.

Substudy Exclusion Criteria:

- * Potentially resectable disease with multidisciplinary plan for radical surgery.
- * Active or prior documented autoimmune or inflammatory disorders or cardiac conditions.
- * Participants with a prior history of hypertensive crisis or hypertensive encephalopathy or bleeding risks.
- * Deep venous thrombosis, pulmonary embolism, arterial thrombosis, transient ischemic attack or cerebrovascular accident.
- * History of abdominal or tracheoesophageal fistula, GI perforation and/or fistulae, or intraabdominal abscess within 6 months prior to randomization.
- * Prior exposure to immune mediated therapy.

4.2 Exclusion Criteria

- * Central nervous system metastases or spinal cord compression
- * Known history of severe allergy to any monoclonal antibody or study intervention.
- * Any unresolved toxicity CTCAE Grade ? 2 from a previous anticancer therapy.
- * History of another primary malignancy.

Substudy Exclusion Criteria:

- * Potentially resectable disease with multidisciplinary plan for radical surgery.
- * Active or prior documented autoimmune or inflammatory disorders or cardiac conditions.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Participants with a prior history of hypertensive crisis or hypertensive encephalopathy or bleeding risks.
- * Deep venous thrombosis, pulmonary embolism, arterial thrombosis, transient ischemic attack or cerebrovascular accident.
- * History of abdominal or tracheoesophageal fistula, GI perforation and/or fistulae, or intraabdominal abscess within 6 months prior to randomization.
- * Prior exposure to immune mediated therapy.

11. Study Identifiers & Governance

Primary ID:	285947927338156627
Registry Number:	NCT06792695
Sponsor:	AstraZeneca
Study Title:	A Study of Novel Study Interventions and Combinations in Participants With Colorectal Cancer

15. Sign-off & Approval

Principal Investigator:	_____	Date:	_____
Clinical Operations Lead:	_____	Date:	_____
Lead Statistician:	_____	Date:	_____