

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase 1b/2 Open-Label Trial of Tisotumab Vedotin (HuMax®-TF-ADC) Monotherapy and in Combination With Other Agents in Subjects With Recurrent or Stage IVB Cervical Cancer
Short Title:	Safety and Efficacy of Tisotumab Vedotin Monotherapy & in Combination With Other Cancer Agents in Subjects With Cervical Cancer
Protocol Number:	35140835394056246
NCT Number:	NCT03786081
Sponsor Name:	Pfizer
Investigational Product:	carboplatin
Phase:	PHASE1, PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Dose escalation: Dose Limiting Toxicities (DLTs): To establish the MTD and RP2D of tisotumab vedotin in combination 2. Dose expansion: Objective Response Rate (ORR) per Response Evaluation Criteria in Solid Tumors version 1.1 (RECIST v1.1): Objective response is defined as confirmed partial response (PR) or complete response (CR)
Secondary Obj.:	1. Number of adverse events (AEs) 2. Dose escalation: ORR per RECIST v1.1 3. Duration of Response (DOR) per RECIST v1.1 by investigator assessment

2.2 Background & Rationale

This is an open label, multi-center trial of tisotumab vedotin monotherapy and in combination with bevacizumab, pembrolizumab, or carboplatin in subjects with recurrent or stage IVB cervical cancer.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, ACTIVE_NOT_RECRUITING	Phase: PHASE1, PHASE2,	Status:
Target N:	214		

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Must have squamous, adenosquamous, or adenocarcinoma of the cervix and progressed on or after standard of care treatments or are ineligible or intolerant to standard of care for recurrent or stage IVB cervical cancer (Arms A, B and C only).
- * Must have squamous, adenosquamous, or adenocarcinoma of the cervix and must not have received prior systemic

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

therapy for recurrent or stage IVB cervical cancer (Arms D, E, and H only).

- * Must have squamous, adenosquamous, or adenocarcinoma of the cervix and progressed on or after at least one but no more than two prior systemic therapies for recurrent or stage IVB cervical cancer (Arms F and G only).
- * Must have baseline measurable disease per RECIST v1.1.
- * Have an Eastern Cooperative Oncology Group (ECOG) performance status of 0 or 1 (All Arms).
- * Is not pregnant, breastfeeding, or expecting to conceive children within the projected duration of the trial and for at least 6 months after the last trial treatment administration
- * Participants of childbearing potential must agree to use adequate contraception during and for 6 months after the last dose of trial treatment administration.
- * Must sign an informed consent form (ICF) indicating the trial subject understands the purpose of and procedures required for the trial and are willing to participate in the trial (All Arms).

4.2 Exclusion Criteria

- * Has clinically relevant bilateral hydronephrosis which cannot be alleviated by ureteral stents or percutaneous drainage. (All Arms)
- * Has clinical signs or symptoms of gastrointestinal obstruction and requires parenteral hydration and/or nutrition. Post-operative obstructions within 4 weeks of abdominal surgery are permitted. (All Arms)
- * Has clinically significant bleeding issues or risks
 - * Prior history (within 3 months) or current evidence of hemoptysis (1/2 teaspoon or more) (Arm A and bevacizumab-eligible participants in Arm H)
 - * Recent (within 4 weeks of first dose of trial treatment) clinically significant gastrointestinal or vaginal bleeding requiring PRBC transfusion (Arms A and H only)
 - * Recent (within 4 weeks of first dose of trial treatment) evidence of wound healing complications that require medical intervention (Arms A and H only)
- * Has active ocular surface disease at baseline. Subjects with prior history of cicatricial conjunctivitis are ineligible (All Arms).
- * Clinically significant cardiac disease
- * Requires anti-coagulation therapy (Arms A and H only)

11. Study Identifiers & Governance

Primary ID:	35140835394056246
Registry Number:	NCT03786081
Sponsor:	Pfizer
Study Title:	Safety and Efficacy of Tisotumab Vedotin Monotherapy & in Combination With Other Cancer Agents in Subjects With Cervical Cancer

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Lead Statistician: _____ Date: _____