

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	A Phase II, Open-label Study to Evaluate the Safety, Tolerability, Pharmacokinetics, Immunogenicity, and Antitumor Activity of Volrustomig Priming Regimens in Combination With Other Anticancer Agents in Participants With Solid Tumors (eVOLVE-01)
Short Title:	Volrustomig Priming Regimens Exploratory Phase II Platform Study
Protocol Number:	515765215473271155
NCT Number:	NCT06448754
Sponsor Name:	AstraZeneca
Investigational Product:	carboplatin
Phase:	PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Number of Participants with Adverse Events (AEs) and Serious Adverse Events (SAEs): The safety and tolerability of volrustomig in combination with other anticancer drugs in participants with specified solid tumors will be assessed. 2. Confirmed Objective Response rate (ORR): ORR is defined as the percentage of participants who have a confirmed complete response (CR) or confirmed partial response (PR), as per Response Evaluation Criteria in Solid Tumors, Version 1.1 (RECIST 1.1).
Secondary Obj.:	1. Disease Control Rate (DCR) 2. Duration of Response (DOR) 3. Progression Free Survival (PFS)

2.2 Background & Rationale

Purpose of this study is to assess the safety, tolerability, pharmacokinetics, immunogenicity, and antitumor activity of volrustomig in combination with other anticancer drugs in participants with specified solid tumors.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL, Phase: PHASE2, Status: RECRUITING
Target N:	180

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * Eastern Cooperative Oncology Group (ECOG) performance status of 0 or 1 with no deterioration.
- * Life expectancy greater than or equal to ($\geq$) 12 weeks.
- * Adequate organ and bone marrow function.

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

- * Body weight greater than ($\geq$) 35 kilograms (kg) at screening and at randomization.
- * Histologically or cytologically documented NSQ NSCLC in substudy 1 and SQ or NSQ mNSCLC in substudy 2.
- * Absence of sensitizing epidermal growth factor receptor (EGFR) mutations.
- * Absence of documented tumor genomic alteration results from tests conducted as part of standard local practice in any other actionable driver oncogenes for which there are locally approved targeted 1L therapies.
- * At least one measurable lesion not previously irradiated that can be accurately measured at baseline as $\geq$ 10 millimeter (mm) in the longest diameter.

Key Exclusion Criteria:

- * Spinal cord compression.
- * History of primary active immunodeficiency.
- * Active or prior documented autoimmune or inflammatory disorders.
- * Mixed small-cell lung cancer and NSCLC histology or sarcomatoid variant.
- * Brain metastases unless asymptomatic, stable, and not requiring steroids for at least 14 days prior to start of study intervention. A minimum of 2 weeks must have elapsed between the end of radiation therapy and study enrollment.
- * Prior chemotherapy or any other systemic therapy for Stage IV NSCLC. Participants who have received prior platinum-containing adjuvant, neoadjuvant, or definitive chemoradiation for local disease are eligible, provided that progression has occurred greater ($\geq$) 12 months from end of last therapy.

4.2 Exclusion Criteria

- * Spinal cord compression.
- * History of primary active immunodeficiency.
- * Active or prior documented autoimmune or inflammatory disorders.
- * Mixed small-cell lung cancer and NSCLC histology or sarcomatoid variant.
- * Brain metastases unless asymptomatic, stable, and not requiring steroids for at least 14 days prior to start of study intervention. A minimum of 2 weeks must have elapsed between the end of radiation therapy and study enrollment.
- * Prior chemotherapy or any other systemic therapy for Stage IV NSCLC. Participants who have received prior platinum-containing adjuvant, neoadjuvant, or definitive chemoradiation for local disease are eligible, provided that progression has occurred greater ($\geq$) 12 months from end of last therapy.

11. Study Identifiers & Governance

Primary ID: 515765215473271155
Registry Number: NCT06448754
Sponsor: AstraZeneca
Study Title: Volrustomig Priming Regimens Exploratory Phase II Platform Study

15. Sign-off & Approval

Principal Investigator: _____ Date: _____
Clinical Operations Lead: _____ Date: _____

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Lead Statistician: _____ Date: _____