

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

1. Administrative & Study Identification

Full Study Title:	TACTIVE-U: An Interventional Safety and Efficacy Phase 1b/2, Open-label Umbrella Study to Investigate Tolerability, pk, and Antitumor Activity of Vepdegestrant (ARV-471/PF-07850327), an Oral Proteolysis Targeting Chimera, in Combination With Other Anticancer Treatments in Participants Aged 18 Years and Over With ER+ Advanced or Metastatic Breast Cancer, Sub-study A (ARV-471 in Combination With Abemaciclib)
Short Title:	TACTIVE-U: A Study to Learn About the Study Medicine (Vepdegestrant) When Given With Other Medicines in People With Advanced or Metastatic Breast Cancer (Sub-Study A)
Protocol Number:	783213531361932075
NCT Number:	NCT05548127
Sponsor Name:	Pfizer
Investigational Product:	abemaciclib
Phase:	PHASE1, PHASE2
Medical Monitor:	[Not Provided in Posting]

2. Study Synopsis & Rationale

2.1 Study Objective

Primary Objective:	1. Phase 1b: number of participants with dose limiting toxicities: Dose Limiting Toxicities rate for ARV-471 in combination with abemaciclib, estimated based on data from DLT-evaluable participants during the DLT observation period (Cycle 1 \[28 days\]). 2. Phase 2: percentage of participants with objective response by investigator assessment: Objective response (OR) refers to confirmed complete response (CR) or partial response (PR) according to Response Evaluation Criteria in Solid Tumor (RECIST) version 1.1. as determined by investigator assessment.
Secondary Obj.:	1. Phase 1b and Phase 2: number of participants experiencing any AE, SAE, Treatment Related SAE 2. Phase 1b and Phase 2: number of participants with lab abnormalities - Hematology and coagulation parameters 3. Phase 1b and Phase 2: number of participants with lab abnormalities - chemistry parameters

2.2 Background & Rationale

The purpose of this clinical trial is to learn about the safety and effects of the study medicine (called ARV-471) when given together with other medicines for the potential treatment of advanced or metastatic breast cancer.

3. Study Design & Methodology

Design Framework:	Type: INTERVENTIONAL,	Phase: PHASE1, PHASE2,	Status: ACTIVE_NOT_RECRUITING
-------------------	-----------------------	------------------------	-------------------------------

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 01-APR-2026

Target N: 37

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria

- * histological or cytological diagnosis of ER+ and HER2- advanced/metastatic breast cancer that is not amendable to surgical resection with curative intent (≥1% ER+ stained cells on the most recent tumor biopsy).
- * prior anticancer therapies: at least 1 and no more than 2 lines of prior therapies for advanced/metastatic disease; 1 line of any CDK4/6 inhibitor-based regimen is required (independent of the setting eg, adjuvant or advanced/metastatic)
- * at least 1 measurable lesion as defined by RECIST v1.1.
- * ECOG PS ≤1.

4.2 Exclusion Criteria

- * visceral crisis at risk of life-threatening complications in the short term
- * known history of drug-induced pneumonitis or other significant symptomatic deterioration of lung functions.
- * newly diagnosed brain metastases, or symptomatic CNS metastases, carcinomatous meningitis, or leptomeningeal disease. Participants with a history of CNS metastases or cord compression are eligible if they have been definitively treated, clinically stable and discontinued anti-seizure medications and corticosteroids for at least 14 days prior to enrollment in the study.
- * history of any other tumor malignancies within the past 3 years, except for the following: (1) adequately treated basal or squamous cell carcinoma of the skin; (2) curatively treated in situ carcinoma of the cervix.
- * inflammatory breast cancer
- * impaired cardiovascular function or clinically significant cardiovascular diseases
- * concurrent administration of medications, food, or herb supplements that are strong inhibitors and strong/moderate inducers of CYP3A and drugs known to predispose to Torsade de Pointes or QT interval prolongation.
- * renal impairment, not adequate liver function and/or bone marrow function
- * known active infection

11. Study Identifiers & Governance

Primary ID: 783213531361932075

Registry Number: NCT05548127

Sponsor: Pfizer

Study Title: TACTIVE-U: A Study to Learn About the Study Medicine (Vepdegestrant) When Given With Other Medicines in People With Advanced or Metastatic Breast Cancer (Sub-Study A)

15. Sign-off & Approval

Principal Investigator: _____ Date: _____

Clinical Operations Lead: _____ Date: _____

Lead Statistician: _____ Date: _____