

1. Administrative & Study Identification

Full Study Title: Treating Atopic Dermatitis With Abrocitinib and Its Impact in Real Life: An Observational Cohort Study To Describe the Effectiveness of Abrocitinib in Patients With Moderate-to-Severe Atopic Dermatitis **Short Title/Acronym:** ADAIR (A Study to Learn About Abrocitinib in Adult Patients With Moderate to Severe Atopic Dermatitis) **Protocol Number:** B7451096 **NCT Number:** NCT05689151 **Posting ID:** 1017249050785072541 **Sponsor/Company Name:** Pfizer **Investigational Product:** Abrocitinib **Phase of Development:** Not Applicable **Trial Status:** RECRUITING (Currently recruiting participants) **Medical Monitor:** Pfizer CT.gov Call Center

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To describe the effectiveness and safety of Abrocitinib in patients with moderate-to-severe Atopic Dermatitis in a real-life clinical setting. **Secondary Objectives:** To examine the experiences of patients receiving the study medicine over a 24-month period to determine if the medication helps in treating Atopic Dermatitis safely in a real-world scenario.

2.2 Background & Rationale Atopic dermatitis (AD) is a long-lasting disease that causes inflammation, redness, and irritation of the skin. While clinical trials measure initial efficacy, observing Abrocitinib in a real-world clinical setting provides essential insights into its long-term safety and practical effectiveness. This study aims to fill the gap by observing patients older than 18 years taking Abrocitinib tablets once daily alongside standard medicated topical treatments.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational Cohort Study **Control Type:** Single-arm **Blinding:** Open-label (None) **Randomization:** N/A (Observational)

3.2 Planned Enrollment & Duration Target \$N\$: 183 participants **Number of Sites:** Approximately 30 locations (primarily in France) **Estimated Study Start:** 09-Mar-2023 **Estimated Primary Completion:** 05-Jun-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patients older than 18 years of age at inclusion. 2. Patients with a clinical diagnosis of moderate-to-severe chronic atopic dermatitis (also referred to as atopic eczema) at inclusion according to the investigator and eligible for abrocitinib according to its marketing approval. 3. Patients that have been informed of the study procedures and have signed the consent.

4.2 Exclusion Criteria 1. Patients for whom abrocitinib is contraindicated. 2. Patients unable to follow and respect the study procedures and judged inapt to respond to the questions required for the study due to linguistical, psychological, social, or geographical reasons. 3. Patients not affiliated to the French social security system. 4. Patients deprived of liberty, under guardianship, or unable to provide oral consent. 5. Patients participating in a clinical study assessing a medicinal treatment (patients can participate in registries and observatories).

5. Intervention & Treatment Plan

5.1 Investigational Regimen Drug Name: Abrocitinib Trade Name: Cibingo ATC Code: D11AH08 EMA URL: [Cibingo EPAR Product Information](#) Dosage/Frequency: Once daily Route of Administration: Oral (Tablet) Duration of Treatment: 24 months

5.2 Concomitant & Prohibited Therapy Permitted: Medicated topical treatments for Atopic Dermatitis. **Prohibited:** Participation in another clinical study assessing a medicinal treatment (though participation in registries and observatories is permitted).

6. Study Timeline & Visit Schedule

Visit ID	Window	Key Activities/Procedures
1	Day 0	Informed Consent, Eligibility Confirmation, Initial Clinical Assessment
2	Every 4 to 6 months	Safety Monitoring, Effectiveness Tracking, Patient Experience Assessment
3	Month 24	Final Clinical Assessment, Final Experience Review

(Note: Participants will visit the study clinic about 5 times over the 24-month duration)

7. Outcome Measures (Endpoints)

7.1 Primary Outcomes 1. Proportion of patients with an Investigator's Global Assessment (IGA) score of clear (0) or

almost clear (1) (on a 5- point scale) and a reduction from baseline of ≥ 2 points.

7.2 Secondary Outcomes 1. Proportion of patients with an Investigator's Global Assessment (IGA) score of clear (0) or almost clear (1) (on a 5- point scale) and a reduction from baseline of ≥ 2 points. 2. Change in Eczema Area and Severity Index (EASI) score from baseline. 3. Proportion of patients with an EASI75 and EASI90.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard clinical monitoring via clinic visits scheduled approximately every 4 to 6 months.

Serious Adverse Events (SAEs): Reported per standard real-world observational protocol and marketing approval guidelines. **Data**

Monitoring Committee (DMC): Managed under Pfizer's standard observational trial governance.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Observational cohort (Intent-to-treat equivalent for observational studies). **Sample Size Justification:** \$N = 183\$ target enrollment designed to capture a representative sample of real-world patients in the region. **Handling of Missing Data:** Standard observational cohort data methodologies (e.g., LOCF or Multiple Imputation for incomplete patient questionnaires).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Standard observational tracking. **Audit Trail:** Details tracked per standard electronic medical records and study registries.

11. Study Identifiers & Governance

Primary ID: B7451096 **Registry Number:** NCT05689151 **Posting ID:** 1017249050785072541 **Source Level:** 5 **Sponsor/Lead Organization:** Pfizer **Study Title:** ADAIR (A Study to Learn About Abrocitinib in Adult Patients With Moderate to Severe Atopic Dermatitis) **Official Regulatory Title:** Treating Atopic Dermatitis With Abrocitinib and Its Impact in Real Life: An Observational Cohort Study To Describe the Effectiveness of Abrocitinib in Patients With Moderate-to-Severe Atopic Dermatitis

12. Clinical Framework (Atopic Dermatitis Specific)

Disease Areas: Atopic Dermatitis, Eczema **Preferred Name:** Dermatitis **Semantic Type:** Disease or Syndrome **Definition:** Any inflammation of the skin. **Diagnosis Threshold:** Clinical diagnosis of moderate-to-severe chronic AD according to the investigator **MeSH Code:** D003872 **HPO Codes:** HP:0011123 **SNOMED ID:** 43116000 **Medical Methodology:** Abrocitinib tablet + medicated topical treatments **Optimization Target:** Effectiveness and safety in a real-life clinical setting

13. Study Procedures & Methodology

Management Pathway: Real-world standard clinical pathway for Moderate-to-Severe AD **Education Protocol (HCP):** Standard of care protocols and marketing approval guidelines **Education Protocol (Patient):** Informed of study procedures prior to signing consent **Quality Audit Mechanism:** Periodic clinic visits (~every 4 to 6 months)

14. Observation & Follow-Up Schedule

Total Duration: 24 months **Onsite Visit Cadence:** Approximately 5 times total (1 time every 4 to 6 months) **Remote Monitoring Frequency:** N/A (Based on regular clinical cadence) **Checklist Review Interval:** At each scheduled clinic visit

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]				Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]				