

1. Administrative & Study Identification

Full Study Title: FASENRA® Subcutaneous Injection 30 mg / 10mg Syringe Protocol of Specific Drug Use Result Study for Pediatric Patients
Short Title/Acronym: Fasenra Pediatric Japan Post-Marketing Study(PMS)
Protocol Number: D3250C00100
NCT Number: NCT06427876
Sponsor Name: AstraZeneca
Investigational Product: Fasenra® Subcutaneous Injection 30 mg / 10mg Syringe (benralizumab)
Phase of Development: Post-Marketing Study (PMS) / Phase IV
Medical Monitor: AstraZeneca Clinical Operations

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To grasp the development of unexpected and related adverse events (AEs) in the real-world post-marketing setting under the actual use of Fasenra. **Secondary Objectives:** To confirm effectiveness under actual clinical use, specifically assessing pulmonary function and asthma control.

2.2 Background & Rationale This investigation is being conducted to support the application for re-examination specified in Article 14-4 of the Act on Securing Quality, Effectiveness and Safety of Products Including Pharmaceuticals and Medical Devices in Japan. It aims to confirm safety and effectiveness data in a pediatric population under real-world, post-marketing actual use.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Post-Marketing Study) **Control Type:** Single-arm **Blinding:** Open-label
Randomization: N/A

3.2 Planned Enrollment & Duration Target \$N\$: 40 participants
Number of Sites: Multiple regional sites across Japan (including Aichi, Chiba, Hiroshima, Hokkaido, Hyogo, Ibaraki, Mie, Okayama, Osaka, and Saitama) **Estimated Study Start:** 16-Jul-2024 **Estimated Primary Completion:** 17-Mar-2027

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Children aged ≥ 6 years to < 15 years. 2. Patients treated with Fasenra for the first time due to a diagnosis of "Bronchial asthma". 3. Patients with intractable bronchial asthma which could not be controlled with existing therapy.

4.2 Exclusion Criteria 1. No specific exclusion criteria are outlined for this observational study, deferring to the approved product label and physician discretion.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Fasenra 30 mg or 10 mg as indicated per the approved standard of care labeling. **Route of Administration:** Subcutaneous Injection (SC). **Duration of Treatment:** Administered as part of routine clinical care, with observation running through the study completion date in March 2027.

5.2 Concomitant & Prohibited Therapy Permitted: Standard of care asthma maintenance medications as prescribed by the healthcare provider. **Prohibited:** N/A (Routine clinical care study).

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Screening/Baseline	Day 0 Assessment of eligibility, evaluation of asthma status, First Dose of Fasenra
Interim	Real-world Care	Routine clinical visits: Safety/AE monitoring, pulmonary function, asthma control assessment	End of Study
	Mar 2027	Final data collection on AEs and effectiveness measures	

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Development of unexpected related adverse events (AEs) and related AEs in the real-world post-marketing setting. **Measurement Method:** Physician reporting of AEs where the investigator or Marketing Authorization Holder (MAH) considers there is a reasonable possibility that the event may have been caused by the drug.

7.2 Secondary & Exploratory Endpoints 1. Effectiveness regarding pulmonary function. 2. Effectiveness regarding overall asthma control.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection in the real-world setting, focusing on events with a suspected causal relationship to Fasenra. **Serious Adverse Events (SAEs):** Reported according to Japanese regulatory pharmacovigilance timelines for post-marketing data. **Data Monitoring Committee (DMC):** AstraZeneca internal pharmacovigilance and safety monitoring teams.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all pediatric participants who received at least one dose of Fasenra). **Sample Size Justification:** $N = 40$, powered to meet the Japanese Ministry of Health, Labour and Welfare (MHLW) regulatory requirements for pediatric re-examination data. **Handling of Missing Data:** Standard handling for observational, real-world registry data.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: The study is conducted in accordance with Japanese Post-Marketing Surveillance regulations (Article 14-4 of the Act on Securing Quality, Effectiveness and Safety of Products). **Monitoring Plan:** Routine post-marketing pharmacovigilance data collection via standard case report forms. **Audit Trail:** Managed through AstraZeneca's registered data capture and safety reporting systems.

11. Study Identifiers & Governance

Primary ID: D3250C00100 **Registry Number:** NCT06427876 **Sponsor/Lead Organization:** AstraZeneca **Study Title:** Fasenra Pediatric Japan Post-Marketing Study(PMS) **Official Regulatory Title:** FASENRA® Subcutaneous Injection 30 mg / 10mg Syringe Protocol of Specific Drug Use Result Study for Pediatric Patients

12. Clinical Framework (Asthma Specific)

Primary Condition: Bronchial Asthma **Diagnosis Threshold:** Intractable bronchial asthma that cannot be controlled with existing therapies **Medical Methodology:** Biologic therapy initiation in a real-world setting **Optimization Target:** Improvement of pulmonary function and asthma control

13. Study Procedures & Methodology

Management Pathway: Standard clinical pathway for severe pediatric asthma management **Education Protocol (HCP):** Prescribing in accordance with approved country-specific Fasenra label **Education Protocol (Patient):** Standard of care routine patient counseling **Quality Audit Mechanism:** MAH post-marketing surveillance safety evaluation

14. Observation & Follow-Up Schedule

Total Duration: July 2024 to March 2027 (~32 Months) **Onsite Visit Cadence:** Dictated by patient's routine clinical care schedule **Remote Monitoring Frequency:** N/A (Real-world observational tracking) **Checklist Review Interval:** Data collected continuously during standard follow-ups

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---	
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]					Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]					