

Clinical Study Summary Report (CSSR)

Document Status: Draft | Version: 0.1 | Date: 02-Apr-2026

1. Administrative & Study Identification

Full Study Title: A Study of AZD2962, an IRAK4 Inhibitor (IRAK4 [a Body Protein] Blocker), in Participants With Haematologic Neoplasms (Blood Cancers) **Short Title/Acronym:** AZD2962 in Haematologic Neoplasms **Protocol Number:** D7770C00001 **NCT Number:** NCT07064122 **Sponsor Name:** AstraZeneca **Investigational Product:** AZD2962 (IRAK4 inhibitor) **Phase of Development:** Phase 1 **Medical Monitor:** AstraZeneca Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the safety, tolerability, pharmacokinetics (PK), pharmacodynamics, and preliminary efficacy of AZD2962, an Interleukin-1 Receptor-Associated Kinase 4 (IRAK4) inhibitor, as monotherapy and in combination with other agents in participants with haematologic neoplasms. **Secondary Objectives:** To evaluate Objective Response (OR), Duration of Response (DoR), Time to Response (TTR), Overall Survival (OS), time to progression, and PK measures.

2.2 Background & Rationale To address the need for novel therapies in participants with relapsed/refractory myelodysplastic syndromes (MDS) and dysplastic chronic myelomonocytic leukemia (CMML). Research has shown that AZD2962 blocks the IRAK4 protein, which is linked to inflammation and cancer growth. This study will evaluate this novel mechanism in patients who have exhausted standard treatments.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (Modular) **Control Type:** Single-arm (Dose-escalation) **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 72 participants **Number of Sites:** Multi-centre (including Moffitt Cancer Center) **Estimated Study Start:** 03 Nov 2025 **Estimated Primary Completion:** 20 Oct 2028 **Estimated Study Completion:** 20 Oct 2028

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Participants with relapsed/refractory MDS or participants with relapsed/refractory dysplastic CMML, with peripheral blasts or bone marrow blasts < 20%, and who

received one or more prior lines of therapy as per standard of care. 2. Diagnosis must be histologically confirmed as per the WHO 2016 classification of myeloid neoplasms. 3. Eastern Cooperative Oncology Group (ECOG) performance status of ≤ 2 . 4. Participants must have symptomatic disease that requires therapy and allows for objective efficacy assessments. 5. Willing to provide baseline bone marrow aspirate (or biopsy if dry-tap). 6. Contraceptive use by participants or participant partners should be consistent with local regulations and comply with Clinical Study Protocol requirements. 7. All women of childbearing potential must have a negative serum pregnancy test result at Screening.

4.2 Exclusion Criteria 1. Prior treatment with IRAK inhibitors or inhibitors of the inflammasome pathway. 2. Received any antineoplastic therapy (except hydroxyurea) within 15 days prior to first dose, or any strong or moderate Cytochrome P450 3A (CYP3A) inhibitors within 15 days prior to first dose. 3. Received major surgery within 28 days prior to first dose, or still recovering from surgery. 4. Mean resting corrected QT interval using Fridericia's formula (QTcF) > 450 ms (or > 470 ms in the presence of bundle branch block) obtained from triplicate ECGs. 5. History of intracranial bleeding within 6 months prior to first dose. 6. Active gastrointestinal disease or other condition that will interfere significantly with the absorption, distribution, metabolism or excretion of oral therapy. 7. History of a prior non-haematologic neoplasm (with some exceptions). 8. Unresolved Grade > 2 toxicities from prior anticancer therapies (with some exceptions). 9. Concurrent enrolment in another clinical study (with some exceptions). 10. Known hypersensitivity to study intervention or its excipients.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: AZD2962 dose escalation given once daily. **Route of Administration:** Oral. **Duration of Treatment:** 28-day cycles; treatment continues until disease progression, unacceptable toxicity, or withdrawal.

5.2 Concomitant & Prohibited Therapy Permitted: Hydroxyurea. **Prohibited:** Prior/concurrent treatment with other IRAK inhibitors or inhibitors of the inflammasome pathway, strong/moderate CYP3A inhibitors, and drugs known to prolong corrected QT interval (QTc).

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Screening	Day -21 to 0 Informed Consent, medical history, pregnancy test, baseline bone marrow aspirate/biopsy
Baseline	Day 1	First Dose of AZD2962	Interim

Every 28 Days | Treatment period with 28-day cycles: Safety Labs, Efficacy Assessments | | **End of Study** | +30 Days Post-Dose | Safety follow-up period 30 days after the last dose |

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Incidence of Dose Limiting Toxicities (DLT), Adverse Events (AEs), duration of exposure, and relative dose intensity. **Measurement Method:** Clinical observation, vital signs, and standard laboratory analyses during the dose-escalation phase.

7.2 Secondary & Exploratory Endpoints Objective Response (OR) and Duration of Response (DoR). Time to Response (TTR) and Overall Survival (OS).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection monitored closely by the medical team to ensure safety during the dose-escalation phase. **Serious Adverse Events (SAEs):** Reported as per standard early-phase clinical trial guidelines. **Data Monitoring Committee (DMC):** Internal safety review committee for dose-escalation clearance.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set and Dose-Escalation Set for all primary DLT and AE evaluations. **Sample Size Justification:** Target \$N=72\$ is deemed appropriate for a Phase 1 dose-escalation modular study to determine the maximum tolerated dose and safety profile. **Handling of Missing Data:** Standard handling for PK parameters and safety data as outlined in the statistical protocol.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Standard onsite/remote monitoring ensuring strict oversight of dose-limiting toxicities. **Audit Trail:** Continuous review of eCRF entries and central laboratory data tracking.

11. Study Identifiers & Governance

Primary ID: D7770C00001 **Secondary IDs:** NCI-2025-07823, 172349, 2025-520786-44 **Registry Number:** NCT07064122 **Sponsor/Lead Organization:** AstraZeneca **Study Title:** A Study of AZD2962, an IRAK4 Inhibitor (IRAK4 [a Body Protein] Blocker), in Participants With Haematologic Neoplasms (Blood Cancers) **Official Regulatory Title:** A modular study to evaluate the safety, tolerability, pharmacokinetics, pharmacodynamics, and preliminary efficacy of AZD2962 as monotherapy and in combination in participants with haematologic neoplasms.

12. Clinical Framework (Haematologic Neoplasms Specific)

Primary Condition: Relapsed/refractory MDS or dysplastic CMML **Diagnosis Threshold:** Peripheral blasts or bone marrow blasts < 20% **Medical Methodology:** Interleukin-1 Receptor-Associated Kinase 4 (IRAK4) Inhibition **Optimization Target:** Dose escalation to identify optimal monotherapy dose

13. Study Procedures & Methodology

Management Pathway: Monotherapy dose escalation modular clinical pathway **Education Protocol (HCP):** Protocol-specific safety monitoring & DLT training **Education Protocol (Patient):** Informed consent & trial procedures training **Quality Audit Mechanism:** Pharmacovigilance & DLT tracking

14. Observation & Follow-Up Schedule

Total Duration: Until disease progression or unacceptable toxicity + 30-day safety follow-up **Onsite Visit Cadence:** Every 28 days (per treatment cycle) **Remote Monitoring Frequency:** Standard clinical trial frequency **Checklist Review Interval:** Continuous throughout 28-day cycles

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]			Lead	
Statistician	[Name]	_____	[DD-MMM-YYYY]				