

1. Administrative & Study Identification

Full Study Title: AN INTERVENTIONAL SAFETY AND EFFICACY PHASE 1B/2, OPEN-LABEL STUDY TO INVESTIGATE TOLERABILITY, PK, AND ANTITUMOR ACTIVITY OF VEPDEGESTRANT (ARV-471/PF-07850327), AN ORAL PROTEOLYSIS TARGETING CHIMERA, IN COMBINATION WITH PF-07220060 IN PARTICIPANTS AGED 18 YEARS AND OLDER WITH ER+/HER2- ADVANCED OR METASTATIC BREAST CANCER **Short Title/Acronym:** TACTIVE-K (A Study to Learn About Vepdegestrant When Given With PF-07220060 to People With Advanced or Metastatic Breast Cancer) **Protocol Number:** C4891026 **NCT Number:** NCT06206837 **Trial Status:** Active, not recruiting **Sponsor Name:** Pfizer **Investigational Product:** Vepdegestrant (ARV-471 / PROTAC ER Degradar) and PF-07220060 (Atirmociclib / CDK4-selective inhibitor) **Phase of Development:** Phase 1b/2 **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: * **Phase 1b:** To evaluate safety and determine the Recommended Phase 2 Dose (RP2D) by assessing the number of participants with dose-limiting toxicities (DLTs) during the DLT observation period (Cycle 1). * **Phase 2:** To evaluate the preliminary antitumor activity by assessing the Objective Response Rate (ORR), defined as confirmed complete response (CR) or partial response (PR) by investigator assessment.

Secondary Objectives: To evaluate additional parameters of antitumor activity (Duration of Response [DOR], Clinical Benefit Rate [CBR]), Progression-Free Survival (PFS), overall safety (including AEs, SAEs, and lab abnormalities), Pharmacokinetics (PK), plasma concentrations of study drugs, and changes in circulating tumor DNA (ctDNA).

2.2 Background & Rationale To address the need for effective treatments in patients with hard-to-treat, estrogen receptor-positive/human epidermal growth factor receptor 2-negative (ER+/HER2-) advanced or metastatic breast cancer who have progressed on standard therapies. Vepdegestrant is a novel, orally administered PROTAC ER degrader designed to directly induce ER degradation. PF-07220060 is an investigational CDK4-selective inhibitor that spares CDK6 blockade, which is hypothesized to cause less neutropenia than standard CDK4/6 inhibitors. The study investigates whether combining these two targeted oral medications provides safe and robust clinical activity.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Single-arm (Dose escalation/de-escalation in Phase 1b, followed by expansion in Phase 2) **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target N\$: 71 participants
Number of Sites: Multicenter (Global) **Estimated Study Start:** 19-Feb-2024 **Estimated Primary Completion:** 05-Sep-2025

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Male or female participants aged ≥ 18 years old. 2. Histological or cytological diagnosis of ER+/HER2- advanced or metastatic breast cancer that is not amenable to surgical resection with curative intent ($\geq 1\%$ ER+ stained cells as per local practice on the most recent tumor biopsy; HER2- tumor by IHC or in-situ hybridization). 3. Exactly 1, and only 1, prior CDK4/6 inhibitor-based regimen required. 4. **Phase 1b:** At least 1 line of standard of care (SOC) for advanced/metastatic breast cancer; ≤ 1 prior chemotherapy line (no antibody-drug conjugates permitted) in the A/MBC setting; prior fulvestrant allowed. Participants with only non-measurable lesions are eligible. ECOG Performance Status = 0 or 1. 5. **Phase 2:** At least 1 and a maximum of 2 lines of endocrine therapy (ET) in the advanced/metastatic setting, with the most recent ET-based regimen lasting ≥ 6 months. At least 1 measurable lesion as defined by RECIST v1.1. ECOG Performance Status ≤ 2 .

4.2 Exclusion Criteria 1. Visceral crisis at risk of life-threatening complications in the short term. 2. Newly diagnosed brain metastases, symptomatic central nervous system (CNS) metastases, carcinomatous meningitis, or leptomeningeal disease (participants with definitively treated, clinically stable CNS metastases off corticosteroids/anti-seizure meds for ≥ 28 days are allowed). 3. Any condition precluding an adequate absorption of study interventions. 4. History of any other tumor malignancies within the past 3 years, except for adequately treated basal or squamous cell carcinoma of the skin or curatively treated in situ carcinoma of the cervix. Inflammatory breast cancer is excluded. 5. Impaired cardiovascular function, clinically significant cardiovascular diseases, or concurrent use of drugs known to predispose to Torsade de Pointes or QT interval prolongation. 6. Concurrent administration of medications, food, or herb supplements that are strong inhibitors/inducers of CYP3A or UGT2B7, or moderate inducers of CYP3A (Phase 1b only). 7. Renal impairment, inadequate liver function, and/or inadequate bone marrow function. 8. Known active infection.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Vepdegestrant administered orally once daily continuously; PF-07220060 administered orally twice daily continuously. (Dose levels evaluated and optimized in Phase 1b to establish RP2D). **Route of Administration:** Oral (at-home administration) **Duration of Treatment:** Continuous treatment until disease progression, unacceptable toxicity, or patient withdrawal.

5.2 Concomitant & Prohibited Therapy Permitted: Standard supportive care medications. **Prohibited:** Strong inhibitors/inducers of CYP3A or UGT2B7, moderate inducers of CYP3A (Phase 1b only), drugs known to predispose to Torsade de Pointes or prolong the QT interval, and any other concurrent anticancer therapies.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	-28 to 0	Informed Consent, Medical History, Tumor Assessment (RECIST v1.1), Safety Labs
2	0 to 4	Screening
3	4 to 8	Treatment Cycles
4	8 to 12	Treatment Cycles
5	12 to 16	Treatment Cycles
6	16 to 20	Treatment Cycles
7	20 to 24	Treatment Cycles
8	24 to 28	Treatment Cycles
9	28 to 32	Treatment Cycles
10	32 to 36	Treatment Cycles
11	36 to 40	Treatment Cycles
12	40 to 44	Treatment Cycles
13	44 to 48	Treatment Cycles
14	48 to 52	Treatment Cycles
15	52 to 56	Treatment Cycles
16	56 to 60	Treatment Cycles
17	60 to 64	Treatment Cycles
18	64 to 68	Treatment Cycles
19	68 to 72	Treatment Cycles
20	72 to 76	Treatment Cycles
21	76 to 80	Treatment Cycles
22	80 to 84	Treatment Cycles
23	84 to 88	Treatment Cycles
24	88 to 92	Treatment Cycles
25	92 to 96	Treatment Cycles
26	96 to 100	Treatment Cycles
27	100 to 104	Treatment Cycles
28	104 to 108	Treatment Cycles
29	108 to 112	Treatment Cycles
30	112 to 116	Treatment Cycles
31	116 to 120	Treatment Cycles
32	120 to 124	Treatment Cycles
33	124 to 128	Treatment Cycles
34	128 to 132	Treatment Cycles
35	132 to 136	Treatment Cycles
36	136 to 140	Treatment Cycles
37	140 to 144	Treatment Cycles
38	144 to 148	Treatment Cycles
39	148 to 152	Treatment Cycles
40	152 to 156	Treatment Cycles
41	156 to 160	Treatment Cycles
42	160 to 164	Treatment Cycles
43	164 to 168	Treatment Cycles
44	168 to 172	Treatment Cycles
45	172 to 176	Treatment Cycles
46	176 to 180	Treatment Cycles
47	180 to 184	Treatment Cycles
48	184 to 188	Treatment Cycles
49	188 to 192	Treatment Cycles
50	192 to 196	Treatment Cycles
51	196 to 200	Treatment Cycles
52	200 to 204	Treatment Cycles
53	204 to 208	Treatment Cycles
54	208 to 212	Treatment Cycles
55	212 to 216	Treatment Cycles
56	216 to 220	Treatment Cycles
57	220 to 224	Treatment Cycles
58	224 to 228	Treatment Cycles
59	228 to 232	Treatment Cycles
60	232 to 236	Treatment Cycles
61	236 to 240	Treatment Cycles
62	240 to 244	Treatment Cycles
63	244 to 248	Treatment Cycles
64	248 to 252	Treatment Cycles
65	252 to 256	Treatment Cycles
66	256 to 260	Treatment Cycles
67	260 to 264	Treatment Cycles
68	264 to 268	Treatment Cycles
69	268 to 272	Treatment Cycles
70	272 to 276	Treatment Cycles
71	276 to 280	Treatment Cycles
72	280 to 284	Treatment Cycles
73	284 to 288	Treatment Cycles
74	288 to 292	Treatment Cycles
75	292 to 296	Treatment Cycles
76	296 to 300	Treatment Cycles
77	300 to 304	Treatment Cycles
78	304 to 308	Treatment Cycles
79	308 to 312	Treatment Cycles
80	312 to 316	Treatment Cycles
81	316 to 320	Treatment Cycles
82	320 to 324	Treatment Cycles
83	324 to 328	Treatment Cycles
84	328 to 332	Treatment Cycles
85	332 to 336	Treatment Cycles
86	336 to 340	Treatment Cycles
87	340 to 344	Treatment Cycles
88	344 to 348	Treatment Cycles
89	348 to 352	Treatment Cycles
90	352 to 356	Treatment Cycles
91	356 to 360	Treatment Cycles
92	360 to 364	Treatment Cycles
93	364 to 368	Treatment Cycles
94	368 to 372	Treatment Cycles
95	372 to 376	Treatment Cycles
96	376 to 380	Treatment Cycles
97	380 to 384	Treatment Cycles
98	384 to 388	Treatment Cycles
99	388 to 392	Treatment Cycles
100	392 to 396	Treatment Cycles
101	396 to 400	Treatment Cycles
102	400 to 404	Treatment Cycles
103	404 to 408	Treatment Cycles
104	408 to 412	Treatment Cycles
105	412 to 416	Treatment Cycles
106	416 to 420	Treatment Cycles
107	420 to 424	Treatment Cycles
108	424 to 428	Treatment Cycles
109	428 to 432	Treatment Cycles
110	432 to 436	Treatment Cycles
111	436 to 440	Treatment Cycles
112	440 to 444	Treatment Cycles
113	444 to 448	Treatment Cycles
114	448 to 452	Treatment Cycles
115	452 to 456	Treatment Cycles
116	456 to 460	Treatment Cycles
117	460 to 464	Treatment Cycles
118	464 to 468	Treatment Cycles
119	468 to 472	Treatment Cycles
120	472 to 476	Treatment Cycles
121	476 to 480	Treatment Cycles
122	480 to 484	Treatment Cycles
123	484 to 488	Treatment Cycles
124	488 to 492	Treatment Cycles
125	492 to 496	Treatment Cycles
126	496 to 500	Treatment Cycles
127	500 to 504	Treatment Cycles
128	504 to 508	Treatment Cycles
129	508 to 512	Treatment Cycles
130	512 to 516	Treatment Cycles
131	516 to 520	Treatment Cycles
132	520 to 524	Treatment Cycles
133	524 to 528	Treatment Cycles
134	528 to 532	Treatment Cycles
135	532 to 536	Treatment Cycles
136	536 to 540	Treatment Cycles
137	540 to 544	Treatment Cycles
138	544 to 548	Treatment Cycles
139	548 to 552	Treatment Cycles
140	552 to 556	Treatment Cycles
141	556 to 560	Treatment Cycles
142	560 to 564	Treatment Cycles
143	564 to 568	Treatment Cycles
144	568 to 572	Treatment Cycles
145	572 to 576	Treatment Cycles
146	576 to 580	Treatment Cycles
147	580 to 584	Treatment Cycles
148	584 to 588	Treatment Cycles
149	588 to 592	Treatment Cycles
150	592 to 596	Treatment Cycles
151	596 to 600	Treatment Cycles
152	600 to 604	Treatment Cycles
153	604 to 608	Treatment Cycles
154	608 to 612	Treatment Cycles
155	612 to 616	Treatment Cycles
156	616 to 620	Treatment Cycles
157	620 to 624	Treatment Cycles
158	624 to 628	Treatment Cycles
159	628 to 632	Treatment Cycles
160	632 to 636	Treatment Cycles
161	636 to 640	Treatment Cycles
162	640 to 644	Treatment Cycles
163	644 to 648	Treatment Cycles
164	648 to 652	Treatment Cycles
165	652 to 656	Treatment Cycles
166	656 to 660	Treatment Cycles
167	660 to 664	Treatment Cycles
168	664 to 668	Treatment Cycles
169	668 to 672	Treatment Cycles
170	672 to 676	Treatment Cycles
171	676 to 680	Treatment Cycles
172	680 to 684	Treatment Cycles
173	684 to 688	Treatment Cycles
174	688 to 692	Treatment Cycles
175	692 to 696	Treatment Cycles
176	696 to 700	Treatment Cycles
177	700 to 704	Treatment Cycles
178	704 to 708	Treatment Cycles
179	708 to 712	Treatment Cycles
180	712 to 716	Treatment Cycles
181	716 to 720	Treatment Cycles
182	720 to 724	Treatment Cycles
183	724 to 728	Treatment Cycles
184	728 to 732	Treatment Cycles
185	732 to 736	Treatment Cycles
186	736 to 740	Treatment Cycles
187	740 to 744	Treatment Cycles
188	744 to 748	Treatment Cycles
189	748 to 752	Treatment Cycles
190	752 to 756	Treatment Cycles
191	756 to 760	Treatment Cycles
192	760 to 764	Treatment Cycles
193	764 to 768	Treatment Cycles
194	768 to 772	Treatment Cycles
195	772 to 776	Treatment Cycles
196	776 to 780	Treatment Cycles
197	780 to 784	Treatment Cycles
198	784 to 788	Treatment Cycles
199	788 to 792	Treatment Cycles
200	792 to 796	Treatment Cycles
201	796 to 800	Treatment Cycles
202	800 to 804	Treatment Cycles
203	804 to 808	Treatment Cycles
204	808 to 812	Treatment Cycles
205	812 to 816	Treatment Cycles
206	816 to 820	Treatment Cycles
207	820 to 824	Treatment Cycles
208	824 to 828	Treatment Cycles
209	828 to 832	Treatment Cycles
210	832 to 836	Treatment Cycles
211	836 to 840	Treatment Cycles
212	840 to 844	Treatment Cycles
213	844 to 848	Treatment Cycles
214	848 to 852	Treatment Cycles
215	852 to 856	Treatment Cycles
216	856 to 860	Treatment Cycles
217	860 to 864	Treatment Cycles
218	864 to 868	Treatment Cycles
219	868 to 872	Treatment Cycles
220	872 to 876	Treatment Cycles
221	876 to 880	Treatment Cycles
222	880 to 884	Treatment Cycles
223	884 to 888	Treatment Cycles
224	888 to 892	Treatment Cycles
225	892 to 896	Treatment Cycles
226	896 to 900	Treatment Cycles
227	900 to 904	Treatment Cycles
228	904 to 908	Treatment Cycles
229	908 to 912	Treatment Cycles
230	912 to 916	Treatment Cycles
231	916 to 920	Treatment Cycles
232	920 to 924	Treatment Cycles
233	924 to 928	Treatment Cycles
234	928 to 932	Treatment Cycles
235	932 to 936	Treatment Cycles
236	936 to 940	Treatment Cycles
237	940 to 944	Treatment Cycles
238	944 to 948	Treatment Cycles
239	948 to 952	Treatment Cycles
240	952 to 956	Treatment Cycles
241	956 to 960	Treatment Cycles
242	960 to 964	Treatment Cycles
243	964 to 968	Treatment Cycles
244	968 to 972	Treatment Cycles
245	972 to 976	Treatment Cycles
246	976 to 980	Treatment Cycles
247	980 to 984	Treatment Cycles
248	984 to 988	Treatment Cycles
249	988 to 992	Treatment Cycles
250	992 to 996	Treatment Cycles
251	996 to 1000	Treatment Cycles

(Note: Participants take the study medicines at home and have study clinic visits approximately every 4 weeks)

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: * **Phase 1b:** Number of participants with Dose-Limiting Toxicities (DLTs) to establish safety and tolerability during the DLT observation period (Cycle 1). * **Phase 2:** Percentage of participants with Objective Response (ORR), defined as confirmed Complete Response (CR) or Partial Response (PR). **Measurement Method:** Evaluated using the Response Evaluation Criteria in Solid Tumors (RECIST) version 1.1, as determined by investigator assessment.

7.2 Secondary & Exploratory Endpoints * **Safety Profile:** Number of participants experiencing any Adverse Event (AE), Serious Adverse Event (SAE), treatment-related AE, and treatment-related SAE. * **Laboratory Safety:** Number of participants with lab abnormalities specifically pertaining to hematology, coagulation, and chemistry parameters. * **Duration of Response (DOR)** and **Clinical Benefit Rate (CBR)** * **Progression-Free Survival (PFS)** * **Pharmacokinetics (PK)** profile and steady-state plasma concentrations of both study drugs * **Changes in circulating tumor DNA (ctDNA)** dynamics

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous collection via study clinic visits scheduled every 4 weeks and patient-reported outcomes/diaries for at-home dosing. **Serious Adverse Events (SAEs):** Safety parameters evaluated per standard CTCAE criteria; SAEs reported to the sponsor within 24 hours. **Data Monitoring Committee (DMC):** Internal safety review committee utilized to assess Phase 1b dose-escalation/de-escalation toxicity bounds and approve the transition to Phase 2.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Analysis Set (all patients who receive ≥ 1 dose of study drug) and Efficacy Evaluable Set. **Sample Size Justification:** $N = 71$ is determined to be sufficient to establish safety limits (MTD/RP2D) during the Phase 1b escalation phase and to provide preliminary indications of ORR in the Phase 2 expansion. **Handling of Missing Data:** Efficacy missing data is managed according to standard RECIST v1.1 protocol rules; patients missing valid post-baseline assessments are generally considered non-responders.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Regular onsite and remote monitoring visits per the sponsor's clinical operations plan. **Audit Trail:** Comprehensive audit trails through electronic case report forms (eCRFs) and data clarification processes for robust regulatory submission preparation.

11. Study Identifiers & Governance

Primary ID: C4891026 **Posting ID:** 1074277837018082505 **Registry Number:** NCT06206837 **Sponsor/Lead Organization:** Pfizer **Study Title:** TACTIVE-K **Official Regulatory Title:** AN INTERVENTIONAL SAFETY AND EFFICACY PHASE 1B/2, OPEN-LABEL STUDY TO INVESTIGATE TOLERABILITY, PK, AND ANTITUMOR ACTIVITY OF VEPDEGESTRANT (ARV-471/PF-07850327), AN ORAL PROTEOLYSIS TARGETING CHIMERA, IN COMBINATION WITH PF-07220060 IN PARTICIPANTS AGED 18 YEARS AND OLDER WITH ER+/HER2- ADVANCED OR METASTATIC BREAST CANCER

12. Clinical Framework (Oncology Specific)

Primary Condition: Advanced or Metastatic Breast Cancer **Diagnosis Threshold:** ER+/HER2- status confirmed pathologically ($\geq 1\%$)

ER+ stained cells) **Medical Methodology:** Targeted Combination Therapy (PROTAC ER Degradar + CDK4 inhibitor) **Optimization Target:** Maximum Tolerated Dose / Recommended Phase 2 Dose & Objective Response

13. Study Procedures & Methodology

Management Pathway: Daily oral targeted therapy with scheduled clinical restaging. **Education Protocol (HCP):** Site initiation and continuous monitoring to evaluate dose-limiting toxicities and protocol adherence. **Education Protocol (Patient):** Strict guidance on handling at-home oral medications and recognizing signs of severe adverse events. **Quality Audit Mechanism:** Centralized laboratory PK and ctDNA evaluations to maintain blinding/integrity of biomarker outcomes.

14. Observation & Follow-Up Schedule

Total Duration: Primary timeframe is up to approximately 1 year, with ongoing follow-up until disease progression or study completion. **Onsite Visit Cadence:** Clinic visits approximately every 4 weeks. **Remote Monitoring Frequency:** Between treatment cycles as indicated by patient safety reporting. **Checklist Review Interval:** End of each 28-day treatment cycle.

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				