

1. Administrative & Study Identification

Full Study Title: A Phase 1b/2 Open-Label Study of Disitamab Vedotin in Combination With Other Anticancer Therapies in Solid Tumors **Brief Title:** A Study of Disitamab Vedotin With Other Anticancer Drugs in Solid Tumors **Short Title/Acronym:** SGNDV-004 **Protocol Number:** C5731004 / 2023-507555-29-00 **NCT Number:** NCT06157892 **Trial Status:** Recruiting **Sponsor Name:** Seagen Inc., a wholly owned subsidiary of Pfizer **Investigational Product:** Disitamab vedotin (DV) [Antibody-Drug Conjugate] and Tucatinib (TUKYSA®) **Phase of Development:** Phase 1b/2 **Medical Monitor:** Pfizer Clinical Trial Contact Center

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the safety and tolerability, and identify the dose-limiting toxicities (DLTs) to determine the maximum tolerated dose and/or optimal dose of disitamab vedotin when administered in combination with tucatinib. **Secondary Objectives:** To evaluate the preliminary efficacy of the combination therapy by measuring Duration of Response (DOR), Objective Response Rate (ORR), Disease Control Rate (DCR), Progression-Free Survival (PFS), and Overall Survival (OS).

2.2 Background & Rationale To address the unmet medical need in patients with locally advanced, unresectable, or metastatic solid tumors (specifically breast cancer and gastric/gastroesophageal junction adenocarcinoma) that express HER2 (HER2-positive or HER2-low). The study combines an experimental HER2-directed antibody-drug conjugate (ADC), disitamab vedotin, with tucatinib, an approved tyrosine kinase inhibitor, for patients who have progressed on standard therapies.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Single-arm (Dose escalation and optimization phases) **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 172 **Number of Sites:** ~138 clinical sites globally **Estimated Study Start:** 20-May-2024 **Estimated Primary Completion:** 28-Jul-2029

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age $\geq$ 18 years. 2. Histologically or cytologically confirmed diagnosis of gastric/gastroesophageal junction (GEJ) adenocarcinoma or breast carcinoma. 3. Locally-advanced, unresectable, or metastatic stage with HER2-expressing tumors (HER2+ or HER2-low) and measurable disease according to RECIST v1.1. 4. Eastern Cooperative Oncology Group (ECOG) Performance Status score of 0 or 1.

4.2 Exclusion Criteria 1. Known hypersensitivity to any excipient contained in the drug formulation of disitamab vedotin or tucatinib. 2. Prior therapy with ADCs with an MMAE payload or prior therapy with tucatinib. 3. Active CNS and/or leptomeningeal metastasis. 4. Received prior systemic anticancer treatment including investigational agents within 4 weeks prior to the first dose of study treatment.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Disitamab vedotin (dose escalation/optimization to identify 2 dose levels) combined with tucatinib. Route of Administration: Disitamab vedotin administered intravenously (IV); Tucatinib taken orally (PO). Duration of Treatment: Cycles continue until disease progression, unacceptable toxicity, or withdrawal.

5.2 Concomitant & Prohibited Therapy Permitted: Standard supportive care measures. Prohibited: Concurrent systemic anticancer therapies (washout period of at least 4 weeks required prior to the first dose).

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Medical History, Tumor Assessment, Biomarker Check (HER2 status)
Baseline/Treatment	Day 1 onwards	Administration of Disitamab vedotin (IV) and Tucatinib (Oral), Safety/DLT monitoring (first 28 days)
Interim	Cycle-dependent	Tumor response evaluations per RECIST v1.1, Safety Labs, Efficacy Assessments
End of Study	Follow-Up	Safety follow-up through 30 days post-treatment; Survival follow-up (~5 years)

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Number of participants with dose-limiting toxicities (DLTs) in the dose escalation phase; Number of participants with adverse events (AEs); Number of participants with laboratory abnormalities. Measurement Method:

DLTs evaluated up to 28 days; AEs monitored throughout treatment and up to 30 days after the last dose.

7.2 Secondary & Exploratory Endpoints 1. Duration of response (DOR) per RECIST v1.1 by investigator assessment (up to ~5 years). 2. Disease control rate (DCR), Objective Response Rate (ORR), Progression-Free Survival (PFS), and Overall Survival (OS).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection via study sites through 30 days after the last study treatment, then overall survival follow-up. **Serious Adverse Events (SAEs):** Reported continuously throughout the study timeline. **Data Monitoring Committee (DMC):** Internal safety committee to review dose-escalation toxicity data and determine optimal dose cohorts.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all patients who receive at least one dose of the investigational product); Efficacy Set (patients with measurable disease and post-baseline assessments). **Sample Size Justification:** Traditional Phase 1b/2 dose escalation (e.g., 3+3 or similar design) followed by dose optimization expansion cohorts. **Handling of Missing Data:** Time-to-event endpoints (e.g., PFS, DOR, OS) will be right-censored at the last evaluable tumor assessment or contact date.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Routine onsite and remote monitoring of trial sites by Seagen/Pfizer clinical research associates. **Audit Trail:** Robust electronic Case Report Form (eCRF) infrastructure with full 21 CFR Part 11 compliant audit trails and data clarification processes.

11. Study Identifiers & Governance

Primary ID: C5731004 **Registry Number:** NCT06157892 **Sponsor/Lead Organization:** Seagen Inc., a wholly owned subsidiary of Pfizer (Sponsor: Pfizer) **Study Title:** SGNDV-004 **Official Regulatory Title:** A Phase 1b/2 Open-Label Study of Disitamab Vedotin in Combination With Other Anticancer Therapies in Solid Tumors

12. Clinical Framework (Oncology Specific)

Primary Condition: Breast Neoplasms (including HER2-Positive, HER2-Low, Triple Negative, Advanced, and Metastatic Breast Cancer) & Stomach Neoplasms / Gastric / Gastroesophageal Junction (GEJ) Adenocarcinoma (including Advanced and Metastatic Gastric Cancer). **Diagnosis Threshold:** HER2-expressing (HER2-positive or HER2-low [IHC 1+ or IHC 2+/ISH-negative]) **Medical Methodology:** ADC (Antibody-Drug Conjugate) plus TKI (Tyrosine Kinase Inhibitor) targeted therapy **Optimization Target:** Identifying safety profiles, DLTs, and the optimal dose regimen for expansion cohorts

13. Study Procedures & Methodology

Management Pathway: Standard oncology treatment pathway with regular RECIST v1.1 imaging for disease progression. **Education Protocol (HCP):** Site initiation visits and protocol training regarding ADC and TKI specific adverse events. **Education Protocol (Patient):** Informed consent, treatment scheduling, and medication compliance for oral tucatinib. **Quality Audit Mechanism:** Independent central imaging review (if applicable) and ongoing safety reviews.

14. Observation & Follow-Up Schedule

Total Duration: Approximately 5 years follow-up **Onsite Visit Cadence:** Dictated by treatment cycles (e.g., IV infusion days). **Remote Monitoring Frequency:** Routine survival follow-up contacts after treatment discontinuation. **Checklist Review Interval:** Regular tumor imaging intervals per protocol (RECIST v1.1 evaluation).

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	____	[DD-MMM-YYYY]				