

1. Administrative & Study Identification

Full Study Title: A Phase 1 Open-Label Study of PF-07985045 as a Single-Agent and in Combination with Other Anti-Cancer Agents in Participants with Advanced Solid Tumors **Short Title/Acronym:** PF-07985045 Phase 1 Study in Advanced Solid Tumors **Protocol Number:** C6081001 **NCT Number:** NCT06704724 **Sponsor Name:** Pfizer **Investigational Product:** PF-07985045 (investigational KRAS inhibitor) **Phase of Development:** Phase 1 **Medical Monitor:** Pfizer Clinical Operations

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the safety, tolerability, and effects of PF-07985045 as a single agent and in combination with other anti-cancer therapies, and to determine the Maximum Tolerated Dose (MTD) and Recommended Dose for Expansion (RDE). **Secondary Objectives:** To evaluate the preliminary anti-tumor efficacy of PF-07985045 (e.g., Objective Response Rate, Progression-Free Survival) and assess its pharmacokinetic profile.

2.2 Background & Rationale To address the critical unmet medical need in patients with advanced solid tumors harboring KRAS mutations (which are found in 20-30% of human solid tumors and drive tumorigenesis via uncontrolled cell growth). This trial will test PF-07985045, an oral pan-KRAS inhibitor, in patients with advanced pancreatic ductal adenocarcinoma (PDAC), non-small cell lung cancer (NSCLC), and colorectal cancer (CRC) whose disease has progressed on standard-of-care therapies.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Single-arm (Dose escalation and expansion cohorts) **Blinding:** Open-label **Randomization:** N/A (Phase 1, open-label assignment to cohorts)

3.2 Planned Enrollment & Duration Target \$N\$: Not explicitly stated (standard Phase 1 dynamic enrollment based on dose escalation parameters) **Number of Sites:** Multiple locations in the United States and Puerto Rico **Estimated Study Start:** December 2024 **Estimated Primary Completion:** March 2029

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age $\geq$ 18 years. 2. Histological or cytological diagnosis of advanced, unresectable, and/or metastatic or relapsed/refractory solid tumor (specifically PDAC, NSCLC, or CRC). 3. Presence of at least 1 measurable lesion based on RECIST version 1.1 that has not been previously irradiated. 4. Progressed on standard treatments (e.g., platinum-containing chemotherapy/checkpoint inhibitors for NSCLC; 1 or 2 prior systemic regimens for CRC; prior systemic therapy for PDAC).

4.2 Exclusion Criteria 1. Active pneumonitis/Interstitial Lung Disease (ILD) or pulmonary fibrosis requiring treatment with systemic steroid therapy. 2. Active or history of clinically significant gastrointestinal (GI) disease (e.g., ulcerative colitis, Crohn's disease, GI bleeding, chronic diarrhea). 3. Major surgery or completion of radiation therapy $\leq$ 4 weeks prior to enrollment, or symptomatic ascites or pleural effusion. 4. Current use or receipt of Proton Pump Inhibitors (PPIs) in the last 7 days prior to starting study treatment.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: PF-07985045 administered at prescribed dose and frequency in 21-day or 28-day cycles. (Part 1 evaluates monotherapy; Part 2 evaluates combination therapy). **Route of Administration:** Oral (PO). **Duration of Treatment:** Administered continuously in cycles until disease progression, unacceptable toxicity, or withdrawal.

5.2 Concomitant & Prohibited Therapy Permitted: Concomitant anti-cancer medications in Part 2 combination cohorts (e.g., pembrolizumab, FOLFOX, cetuximab, gemcitabine, nab-paclitaxel, bevacizumab, 5-FU, cisplatin, carboplatin, pemetrexed, SHP2 inhibitors). **Prohibited:** Proton Pump Inhibitors (PPIs) within 7 days prior to treatment.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, Medical History, Tumor Imaging (RECIST v1.1 baseline), Safety Labs
Baseline	Cycle 1 Day 1	First Dose of PF-07985045, Baseline PK profiling, Vitals
Interim	Every 21 or 28 Days	Safety Labs, PK sampling, Efficacy Assessment (Tumor Imaging), AE tracking
End of Study	Follow-up	Final Vital Signs, Exit Interview, IP Accountability, Survival Follow-up

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Incidence of Dose-Limiting Toxicities (DLTs) and Adverse Events (AEs) to establish safety and determine the Maximum Tolerated Dose (MTD) and Recommended Dose for Expansion (RDE). **Measurement Method:** Clinical safety assessments, monitoring of laboratory test abnormalities, and toxicity grading throughout Part 1 and Part 2.

7.2 Secondary & Exploratory Endpoints - Objective Response Rate (ORR) - Progression-Free Survival (PFS) - Overall Survival (OS) - Pharmacokinetic (PK) parameters

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring by the Investigator; grading of treatment-emergent adverse events (TEAEs) to determine dose-limiting toxicities. **Serious Adverse Events (SAEs):** Required rapid reporting for life-threatening events, hospitalizations, or death. **Data Monitoring Committee (DMC):** Internal dose-escalation review committee evaluates safety data before authorizing progression to the next dose level.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Analysis Set (all participants receiving at least one dose of study medication). **Sample Size Justification:** Sample size is driven by the empirical requirements of Phase 1 dose escalation (e.g., classic 3+3 or Bayesian optimal interval design) rather than strict statistical power for efficacy endpoints. **Handling of Missing Data:** Efficacy endpoints like PFS and OS will use standard censoring methods (e.g., Kaplan-Meier estimates).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Routine onsite and remote monitoring visits by the sponsor to ensure protocol adherence and patient safety. **Audit Trail:** E-data capture with comprehensive query management and data clarification forms.

11. Study Identifiers & Governance

Primary ID: C6081001 **Registry Number:** NCT06704724 **Sponsor/Lead Organization:** Pfizer **Study Title:** A Phase 1 Open-Label Study of PF-07985045 as a Single-Agent and in Combination with Other Anti-

Cancer Agents in Participants with Advanced Solid Tumors **Official Regulatory Title:** A Phase 1 Open-Label Study of PF-07985045 as a Single-Agent and in Combination with Other Anti-Cancer Agents in Participants with Advanced Solid Tumors

12. Clinical Framework (Solid Tumors/KRAS Specific)

Primary Condition: Advanced Solid Tumors (specifically PDAC, NSCLC, CRC) **Diagnosis Threshold:** Histologically/cytologically confirmed advanced disease, progressed on standard therapy, with RECIST v1.1 measurable lesions. **Medical Methodology:** Precision Oncology / Targeted Therapy. **Optimization Target:** KRAS pathway inhibition.

13. Study Procedures & Methodology

Management Pathway: Standard clinical pathway for Phase 1 dose escalation and cohort expansion in oncology. **Education Protocol (HCP):** Site Initiation Visits (SIV), Investigator Brochure (IB) reviews, and DLT assessment training. **Education Protocol (Patient):** Informed consent detailing Phase 1 risks, dosing schedules, and required compliance. **Quality Audit Mechanism:** Clinical Research Associate (CRA) source data verification and central medical data review.

14. Observation & Follow-Up Schedule

Total Duration: Until disease progression or unacceptable toxicity. **Onsite Visit Cadence:** Every 21 or 28 days corresponding with treatment cycles. **Remote Monitoring Frequency:** Continuous safety reporting. **Checklist Review Interval:** Every cycle prior to dosing authorization.

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				