

1. Administrative & Study Identification

Full Study Title: A Study to Assess Safety, Tolerability and Drug Levels of BMS-986504 in Participants With Advanced Solid Tumors
Short Title/Acronym: CA240-0010 **Protocol Number:** CA240-0010 **NCT Number:** NCT07077434 **Sponsor Name:** Bristol-Myers Squibb
Investigational Product: BMS-986504 (PRMT5 inhibitor) **Phase of Development:** Phase 1 **Medical Monitor:** Clinical Operations Lead, Bristol-Myers Squibb

2. Study Synopsis & Rationale

2.1 Study Objective * **Primary Objective:** To evaluate the safety and tolerability of BMS-986504 in participants with advanced solid tumors. * **Secondary Objectives:** To evaluate drug levels (pharmacokinetics) of BMS-986504.

2.2 Background & Rationale To address the unmet medical need in patients with advanced, unresectable, or metastatic solid tumors exhibiting a homozygous deletion of the MTAP gene. Patients with these specific tumor profiles who have progressed on prior standard therapies require novel targeted interventions, prompting the evaluation of the PRMT5 inhibitor BMS-986504.

3. Study Design & Methodology

3.1 Design Framework * **Study Type:** Interventional * **Control Type:** Single-arm * **Blinding:** Open-label * **Randomization:** N/A

3.2 Planned Enrollment & Duration * **Target \$N\$:** 32 participants * **Number of Sites:** Multicenter (including international sites such as Beijing Cancer Hospital) * **Estimated Study Start:** 15-Oct-2025 * **Estimated Primary Completion:** 19-Jan-2027

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Participants must have histologically confirmed diagnosis of a solid tumor malignancy with homozygous deletion of the MTAP gene detected in tumor tissue. 2. Participants must have unresectable or metastatic disease not amenable to curative therapies after progression on prior therapies at the time of enrollment. 3. Participants must have Eastern Cooperative Oncology Group (ECOG) performance status of 0 or 1. 4. Participants must have presence of at least one measurable tumor lesion per RECIST 1.1 at baseline.

4.2 Exclusion Criteria 1. Participants must not have prior treatment with a Protein arginine methyltransferase 5 (PRMT5) or Methionine adenosyltransferase 2A (MAT2A) inhibitor. 2. Participants must not have active brain metastases or carcinomatous meningitis. 3. Participants must not have a history of gastrointestinal disease or other gastrointestinal conditions (e.g., uncontrolled nausea, vomiting, malabsorption syndrome) likely to alter absorption of study treatment or result in inability to swallow oral medications. 4. Participants must not have known severe hypersensitivity to study treatment and/or any of its excipients.

5. Intervention & Treatment Plan

5.1 Investigational Regimen * **Dosage/Frequency:** Ascending dose cohorts of BMS-986504. * **Route of Administration:** Oral * **Duration of Treatment:** Continues until disease progression, unacceptable toxicity, or withdrawal of consent.

5.2 Concomitant & Prohibited Therapy * **Permitted:** Standard supportive care for oncology patients. * **Prohibited:** Prior treatment with PRMT5 or MAT2A inhibitors, and concurrent use of other investigational anti-cancer therapies.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent, MTAP status verification, Medical History, RECIST 1.1 Baseline Scans
Baseline	Day 0	Enrollment, First Dose, Pharmacokinetic (PK) baselines
Interim	Cycle-dependent	Safety Labs, PK draws, Efficacy Assessment (RECIST 1.1 scans every 8-12 weeks)
End of Study	Variable	Final Vital Signs, Exit Interview, IP Accountability, Off-treatment follow-up

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint * **Definition:** Safety and tolerability characterized by the incidence, severity, and relatedness of Adverse Events (AEs) and Serious Adverse Events (SAEs). * **Measurement Method:** NCI CTCAE Version 5.0 criteria.

7.2 Secondary & Exploratory Endpoints * **Endpoint 1:** Maximum observed plasma concentration (C_{max}) of BMS-986504. * **Endpoint 2:** Area under the concentration-time curve (AUC) of BMS-986504.

8. Safety & Adverse Event Reporting

- **Adverse Event (AE) Monitoring:** Continuous collection via HCP clinical assessments, laboratory monitoring, and ECGs.
 - **Serious Adverse Events (SAEs):** Required to be reported to the sponsor within 24 hours of site awareness.
 - **Data Monitoring Committee (DMC):** Internal Safety Review Committee established for dose-escalation decisions.
-

9. Statistical Analysis Plan (SAP) Summary

- **Analysis Populations:** Safety Set (all patients receiving at least one dose of BMS-986504).
 - **Sample Size Justification:** $N=32$ is deemed sufficient to evaluate dose-limiting toxicities (DLTs) and characterize the preliminary safety profile in a Phase 1 setting.
 - **Handling of Missing Data:** Descriptive statistics will be used without imputation for safety variables.
-

10. Quality Assurance & Regulatory Compliance

- **GCP Compliance:** This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.
 - **Monitoring Plan:** Frequent onsite and remote monitoring visits commensurate with early-phase oncology trials.
 - **Audit Trail:** Details on eCRF locking, source data verification (SDV), and electronic data clarification forms.
-

11. Study Identifiers & Governance

- **Primary ID:** CA240-0010
 - **Registry Number:** NCT07077434
 - **Sponsor/Lead Organization:** Bristol-Myers Squibb
 - **Study Title:** A Study to Assess Safety, Tolerability and Drug Levels of BMS-986504 in Participants With Advanced Solid Tumors
 - **Official Regulatory Title:** A Study to Assess Safety, Tolerability and Drug Levels of BMS-986504 in Participants With Advanced Solid Tumors
-

12. Clinical Framework (Oncology Specific)

- **Primary Condition:** Advanced Solid Tumors
- **Diagnosis Threshold:** Homozygous deletion of the MTAP gene
- **Medical Methodology:** Precision Oncology / Targeted Therapy
- **Optimization Target:** Maximum Tolerated Dose (MTD) / Recommended Phase 2 Dose (RP2D)

13. Study Procedures & Methodology

- **Management Pathway:** Standard clinical pathway for Phase 1 dose-escalation
- **Education Protocol (HCP):** Site Initiation Visits (SIV) and Investigator Meetings
- **Education Protocol (Patient):** Informed consent process, dosing diaries, and oral compliance training
- **Quality Audit Mechanism:** Independent auditing, protocol deviation tracking, and central monitoring

14. Observation & Follow-Up Schedule

- **Total Duration:** Estimated 15 months (up to study completion in Jan 2027)
- **Onsite Visit Cadence:** Frequent visits during Cycle 1 for PK and safety, Day 1 of subsequent cycles
- **Remote Monitoring Frequency:** Continuous based on data entry timelines
- **Checklist Review Interval:** End of each treatment cycle prior to dispensing next IP cycle

15. Sign-off & Approval

Role	Name	Signature	Date		:---	:---	:---	:---
Principal Investigator	[Insert Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Insert Name]	_____	[DD-MMM-YYYY]					
Lead Statistician	[Insert Name]	_____	[DD-MMM-YYYY]					