

1. Administrative & Study Identification

Full Study Title: AN INTERVENTIONAL, EFFICACY, AND SAFETY, PHASE 3 RANDOMIZED, DOUBLE-BLIND, PLACEBO-CONTROLLED STUDY WITH AN OPEN-LABEL EXTENSION TO INVESTIGATE RIMEGEPANT IN MIGRAINE PREVENTION IN ADOLESCENTS 12 TO LESS THAN 18 YEARS OF AGE WITH CHRONIC MIGRAINE **Short Title/Acronym:** A Study to Learn About the Study Medicine Called Rimegepant in Adolescents With Frequent Migraine **Protocol Number:** C4951013 / BHV3000-320 **NCT Number:** NCT06616194 **Trial Status:** Recruiting **Sponsor/Company Name:** Pfizer **Investigational Product:** Rimegepant (Trade Name: Nurtec; orally disintegrating tablet) **Phase of Development:** Phase 3 **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the safety and efficacy of rimegepant compared to placebo for the prevention of migraine attacks in adolescents (12 to <18 years of age) with chronic migraine. **Secondary Objectives:** To evaluate long-term safety, tolerability, percentage of participants with at least 50% reduction in moderate or severe migraine days, and the change from baseline in acute migraine-specific medication use days and headache days per month.

2.2 Background & Rationale There is a significant unmet medical need for safe, evidence-based pharmacologic treatments for migraine prevention in children and adolescents. Rimegepant, a calcitonin gene-related peptide (CGRP) receptor antagonist, is proven safe and effective for adults. This trial aims to address the pediatric gap by determining if rimegepant can safely prevent migraine attacks and reduce the frequency of headache days in adolescent patients with chronic migraines when taken over a sustained period.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Placebo-controlled **Blinding:** Double-blind **Randomization:** Randomized

3.2 Planned Enrollment & Duration Target \$N\$: 200 participants **Number of Sites:** Approximately 105 locations globally **Estimated Study Start:** [25-Jun-2024] **Estimated Primary Completion:** [02-Mar-2027]

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Adolescents aged 12 to 17 years old. 2. At least a 6-month history of migraine (with or without aura). 3. 15 or more headache days/month. 4. 8 or more migraine days/month. 5. Migraine attacks lasting 4 to 72 hours if untreated.

4.2 Exclusion Criteria 1. Unrelenting headache. 2. Current psychiatric condition uncontrolled or untreated. 3. History of suicidal behavior or the subject is at risk of self-harm. 4. History of alcohol abuse and/or illicit drug use. 5. History of severe drug allergy. 6. Use of more than one medication for migraine prevention/prophylaxis. 7. Participation in another clinical trial at the same time.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Rimegepant (75 mg) or inactive oral tablet (placebo) taken every other day. **Route of Administration:** Oral (dissolves on or under the tongue). **Duration of Treatment:** A 3-month double-blind phase, followed by a 1-year open-label extension phase where all participants remaining on study receive the rimegepant tablet every other day.

5.2 Concomitant & Prohibited Therapy Permitted: Stable use of up to one prophylactic migraine medication. **Prohibited:** Use of more than one medication for migraine prophylaxis.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -28 to 0	Informed Consent/ Assent, Medical History, Health Check, Migraine History
Baseline	Day 0	Randomization (1:1), First Dose Dispensed, eDiary Training
Interim Visits	Q4W (approx)	Up to 19 visits (clinic or home health). Intervals may vary from 2 to 8 weeks. Health checks, blood samples at all visits, daily diary review
End of Study	Week 64	Final Vital Signs, Exit Interview, IP Accountability, Final Safety Lab

(Note: Participants complete a daily diary to record migraine attacks throughout the study).

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Efficacy of rimegepant relative to placebo, measured as mean change from the baseline in the number of migraine days per month. **Measurement Method:** Patient-reported daily eDiary tracking.

7.2 Secondary & Exploratory Endpoints 1. Efficacy of rimegepant relative to placebo measured as the mean change from baseline in the number of acute migraine-specific medication days per month. 2. Efficacy of rimegepant relative to placebo measured as the mean change from baseline in the number of headache days per month. 3. Efficacy of rimegepant relative to placebo measured as the percentage of participants with at least 50% reduction from baseline in number of moderate or severe migraine days per month. 4. Long-term safety and tolerability determined by adverse events (AEs) over 1 year.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring via daily patient diaries, monthly health checks, and blood samples at all visits. **Serious Adverse Events (SAEs):** Standard reporting timeline (typically 24 hours). **Data Monitoring Committee (DMC):** Internal/External committee per Pfizer sponsor standards.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Intent-to-Treat (ITT) population for efficacy endpoints; Safety Set for all AE/SAE evaluations. **Sample Size Justification:** Powered to detect a statistically significant difference in the mean reduction of monthly migraine days between the rimegepant and placebo groups ($\alpha = 0.05$). **Handling of Missing Data:** Mixed-Model Repeated Measures (MMRM) or Multiple Imputation for daily diary missing entries.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Regular on-site and remote monitoring visits by the sponsor to ensure protocol adherence and patient safety.

Audit Trail: Strict eCRF locking processes and data clarification forms for the electronic daily patient diaries.

11. Study Identifiers & Governance

Primary ID: C4951013 **Registry Number:** NCT06616194 **Posting ID:** 126708295241375797 **Sponsor/Lead Organization:** Pfizer **Study Title:** A Study to Learn About the Study Medicine Called Rimegepant in Adolescents With Frequent Migraine **Official Regulatory Title:** AN INTERVENTIONAL, EFFICACY, AND SAFETY, PHASE 3 RANDOMIZED, DOUBLE-BLIND, PLACEBO-CONTROLLED STUDY WITH AN OPEN-LABEL EXTENSION TO INVESTIGATE RIMEGEPANT IN MIGRAINE PREVENTION IN ADOLESCENTS 12

12. Clinical Framework (Migraine Specific)

Primary Condition: Migraine (Chronic Migraine in Adolescents)
Semantic Type: Disease or Syndrome **Medical Terminology Codes:**
MeSH: D008881 | SNOMED ID: 37796009 | HPO: HP:0002076 **Diagnosis**
Threshold: 15 or more headache days/month, of which 8 or more are
migraine days/month **Medical Methodology:** CGRP receptor antagonist
prevention (ATC Code: N02CD06) **Optimization Target:** Reduction in
Migraine Days per month

13. Study Procedures & Methodology

Management Pathway: Double-blind prophylaxis followed by Open-
Label Extension **Education Protocol (HCP):** Site initiation visits
covering study parameters, double-blind protocol, and pediatric
AE tracking. **Education Protocol (Patient):** Onsite training for
proper administration of the orally disintegrating tablet (ODT)
and instruction on daily diary logging. **Quality Audit Mechanism:**
Diary compliance tracking at each clinic or home health interval
visit.

14. Observation & Follow-Up Schedule

Total Duration: 15 months (3-month double-blind + 1-year open-
label extension) **Onsite Visit Cadence:** Up to 19 visits (approx.
every 4 weeks, with variations between 2 to 8 weeks) **Remote**
Monitoring Frequency: Daily via electronic diary; home health
visits as needed **Checklist Review Interval:** Routine intervals (2
to 8 weeks) during clinic/home health visits

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				