

1. Administrative & Study Identification

Full Study Title: A Study to Learn More About Tukysa Once it is Out in the Korean Market
Short Title/Acronym: Tukysa Korean PMS Study
Protocol Number: Internal Pfizer PMS Protocol
NCT Number: NCT06873191
Sponsor Name: Pfizer
Investigational Product: Tukysa (tucatinib)
Phase of Development: Observational / Phase 4 (Post-Marketing Surveillance)
Medical Monitor: Pfizer Local Medical Monitor (South Korea)

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To collect real-world safety and effectiveness data to fulfill the Korean Ministry of Food and Drug Safety (MFDS) re-examination system requirements for Tukysa once it is available in the Korean market. **Secondary Objectives:** To evaluate real-world clinical outcomes including overall survival (OS), progression-free survival (PFS), and objective response rate (ORR) in Korean patients.

2.2 Background & Rationale To monitor the real-world safety profile and clinical effectiveness of Tukysa in a post-approval setting. This observational study is mandated by the local regulatory re-examination system to ensure the continuous assessment of Tukysa's risk-benefit profile in the treatment of HER2-positive locally advanced unresectable or metastatic breast cancer in routine clinical practice.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Post-Marketing Surveillance)
Control Type: Single-arm
Blinding: Open-label
Randomization: N/A

3.2 Planned Enrollment & Duration Target \$N\$: 600
Number of Sites: Multiple clinical sites across South Korea
Estimated Study Start: 2025
Estimated Primary Completion: May 2029

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Adult patients prescribed Tukysa in the Korean market. 2. Confirmed diagnosis of HER2-positive locally advanced unresectable or metastatic breast cancer. 3. Patients receiving Tukysa according to the locally approved label and standard of care.

4.2 Exclusion Criteria 1. Patients actively participating in an interventional clinical trial for Tukysa. 2. Known hypersensitivity or contraindications to Tukysa or its excipients as described in the local product information. 3. Use of Tukysa outside of the approved indications in the Korean market.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Tukysa administered orally, according to the approved local product labeling (typically 300 mg twice daily). **Route of Administration:** Oral. **Duration of Treatment:** Continues until disease progression, unacceptable toxicity, or decision to discontinue by the treating physician.

5.2 Concomitant & Prohibited Therapy Permitted: Standard therapies administered in combination with Tukysa (e.g., Trastuzumab and Capecitabine) and necessary supportive care. **Prohibited:** Concurrent investigational anti-cancer therapies that conflict with routine clinical practice.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Screening/Baseline	Day 0 Informed Consent (if applicable), Demographics, Medical History, Cancer Staging
2	Observational Follow-up	Per routine clinical practice Routine safety assessments, Efficacy evaluations (Tumor scans), AE recording
3	End of Study	End of treatment / Data cutoff Treatment discontinuation details, Final Survival Status, Data collection

(Note: As an observational study, visit schedules strictly follow routine clinical practice rather than a mandated trial protocol).

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Incidence, severity, and type of adverse events (AEs) and serious adverse events (SAEs) collected during the post-marketing re-examination period. **Measurement Method:** Routine clinical assessment and continuous pharmacovigilance reporting.

7.2 Secondary & Exploratory Endpoints * Objective Response Rate (ORR) assessed in standard clinical practice. * Progression-Free Survival (PFS). * Overall Survival (OS).

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection via patient health records and HCP reporting during the designated observational period. **Serious Adverse Events (SAEs):** Reported to Pfizer Pharmacovigilance and local regulatory authorities within standard rapid-reporting timelines (typically 24 hours). **Data Monitoring Committee (DMC):** Internal safety monitoring mechanisms managed by the Sponsor's global safety board.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all enrolled patients receiving at least one dose of Tukysa). **Sample Size Justification:** Target $N = 600$ is determined by the Korean MFDS regulatory requirements for the post-marketing re-examination of new oncology drugs. **Handling of Missing Data:** Missing data will be handled descriptively without formal imputation, typical for real-world evidence and PMS studies.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and local Korean MFDS regulations for Post-Marketing Surveillance. **Monitoring Plan:** Source data verification and periodic checks at participating sites based on observational data quality requirements. **Audit Trail:** Electronic Data Capture (EDC) system with complete audit trail tracking.

11. Study Identifiers & Governance

Primary ID: NCT06873191 **Registry Number:** NCT06873191 **Sponsor/Lead Organization:** Pfizer **Study Title:** A Study to Learn More About Tukysa Once it is Out in the Korean Market **Official Regulatory Title:** A Study to Learn More About Tukysa Once it is Out in the Korean Market

12. Clinical Framework (Adapted for Oncology PMS)

Primary Condition: HER2-positive Locally Advanced Unresectable, Metastatic Breast Cancer **Diagnosis Threshold:** HER2-positive status confirmed by standard clinical assays (e.g., IHC 3+ or ISH

positive) **Medical Methodology:** Real-world Standard of Care
oncology practice **Optimization Target:** Maintenance of Tukysa
targeted dose treatment

13. Study Procedures & Methodology

Management Pathway: Standard clinical oncology pathway for metastatic breast cancer
Education Protocol (HCP): Product label education, safety reporting, and PMS training
Education Protocol (Patient): Standard patient counseling for oncology treatment and AE awareness
Quality Audit Mechanism: Real-world evidence data collection, HCP reporting tracking, and pharmacovigilance AE monitoring

14. Observation & Follow-Up Schedule

Total Duration: Follow-up extending until primary completion in May 2029 **Onsite Visit Cadence:** Determined strictly by routine clinical practice (e.g., standard oncology infusion and scan cycles) **Remote Monitoring Frequency:** Periodic site data extraction per PMS protocol **Checklist Review Interval:** Data reviewed periodically by the sponsor for MFDS safety reporting

15. Sign-off & Approval

Role	Name	Signature	Date		:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]					Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]					