

# Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 02-Apr-2026

---

## 1. Administrative & Study Identification

**Full Study Title:** Treatment Patterns & Clinical Outcomes of Palbociclib Combinations in HR+HER2-MBC **Short Title/Acronym:** PRECIOUS **Protocol Number:** A5481150 **NCT Number:** NCT04937660 **Sponsor Name:** Pfizer **Investigational Product:** Palbociclib combination (Palbociclib plus letrozole/aromatase inhibitor or fulvestrant) **Phase of Development:** Observational (Non-interventional) **Medical Monitor:** Pfizer Clinical Operations Lead / Medical Monitor

---

## 2. Study Synopsis & Rationale

**2.1 Study Objective Primary Objective:** To provide prospective, observational data on patients initiating treatment with palbociclib combinations to contribute to the knowledge of HR+HER2- metastatic/locally advanced Breast Cancer (BC) disease management, its treatment pattern, clinical outcomes, and quality of life (QoL) in routine clinical practice in Africa and Middle East countries. **Secondary Objectives:** To evaluate Progression-Free Survival (PFS) and Overall Survival (OS) over a 24-month observation period.

**2.2 Background & Rationale** To address the need for real-world evidence regarding the treatment patterns, clinical outcomes, and quality of life for HR+/HER2- metastatic breast cancer patients receiving palbociclib combinations in the routine clinical practice of the Middle East and Africa. This observational data will enhance the understanding of how licensed indications perform outside of strictly controlled interventional trial settings.

---

## 3. Study Design & Methodology

**3.1 Design Framework Study Type:** Observational (Cohort) **Control Type:** Single-arm (Non-interventional) **Blinding:** Open-label **Randomization:** N/A

**3.2 Planned Enrollment & Duration Target N\$:** 350 **Number of Sites:** Multicenter (across Africa and the Middle East) **Estimated Study Start:** 15-Jul-2021 **Estimated Primary Completion:** 30-Apr-2025

---

## 4. Subject Selection (Eligibility Criteria)

**4.1 Inclusion Criteria** 1.  $\geq 18$  years or older with a diagnosis of adenocarcinoma of the breast with evidence of metastatic/locally advanced disease not amenable to treatment with curative intent. 2. Documented HR+ (ER+ and/or PR+) tumor and HER2- tumor based on local standards. 3. Will initiate treatment with palbociclib plus letrozole/aromatase inhibitor or palbociclib plus fulvestrant in line with the licensed indication(s), as first or second-line therapy for metastatic/locally advanced BC at enrollment. 4. Patients who, in the opinion of the investigator, are willing and able to comply with regular clinic visits.

**4.2 Exclusion Criteria** 1. Patients participating in any interventional clinical trial. 2. Patients on active treatment for malignancies other than metastatic/locally advanced BC at the time of enrollment. 3. Patients who are unable to understand the nature of the study and are unwilling to sign an informed consent.

---

## 5. Intervention & Treatment Plan

**5.1 Investigational Regimen Dosage/Frequency:** Palbociclib plus letrozole/aromatase inhibitor or palbociclib plus fulvestrant administered at the treating physician's discretion in line with licensed indications. **Route of Administration:** Oral (Palbociclib, Letrozole/AI) and Intramuscular (Fulvestrant). **Duration of Treatment:** Observation for up to 24 months.

**5.2 Concomitant & Prohibited Therapy Permitted:** Routine concomitant medications required for standard symptom and co-morbidity management. **Prohibited:** Active treatment for malignancies other than metastatic/locally advanced BC, and investigational products from interventional trials.

---

## 6. Study Timeline & Visit Schedule

| Visit ID           | Window (Days)              | Key Activities/Procedures                                                       |
|--------------------|----------------------------|---------------------------------------------------------------------------------|
| Screening          | Prior to Baseline          | Informed Consent, Routine Diagnosis confirmation (HR+/HER2-), Eligibility Check |
| Baseline           | Day 0                      | Initiation of palbociclib combination treatment                                 |
| Interim Follow-ups | Routine Clinical Intervals | Assessment of treatment patterns, clinical outcomes, and QoL                    |
| End of Study       | Up to 24 Months            | Final Vital Status, Overall Survival, Progression-Free Survival capture         |

*(Note: As a non-interventional study, the visit schedule strictly follows the treating physician's routine clinical practice parameters.)*

---

## 7. Outcome Measures (Endpoints)

**7.1 Primary Endpoint Definition:** Progression Free Survival (PFS)  
- The period from study entry until disease progression, or death. **Measurement Method:** Assessed from baseline up to 24 months based on clinical routine observation.

**7.2 Secondary & Exploratory Endpoints** \* **Overall Survival (OS):** Defined as the time from the date of start of the palbociclib combination treatment until the date of death due to any cause (Time Frame: Baseline up to 24 months). \* **Quality of Life (QoL) and Treatment Patterns:** Evaluation of management and patient experience in routine clinical practice.

---

## 8. Safety & Adverse Event Reporting

**Adverse Event (AE) Monitoring:** Standard pharmacovigilance for post-market observational studies. Remote data monitoring is conducted during the life of the study to ensure timely reporting of safety data. **Serious Adverse Events (SAEs):** Safety data reporting follows standard guidelines for non-interventional studies, submitted directly to the sponsor and local regulatory bodies. **Data Monitoring Committee (DMC):** Managed internally by Pfizer to ensure data integrity and consistency throughout the remote monitoring lifecycle.

---

## 9. Statistical Analysis Plan (SAP) Summary

**Analysis Populations:** Observational cohort of HR+/HER2- MBC patients initiating palbociclib combination therapies. **Sample Size Justification:** \$N=350\$ participants to adequately capture varied treatment patterns, safety profiles, and clinical outcomes across multiple geographic regions. **Handling of Missing Data:** Standard observational protocols (e.g., censoring for time-to-event endpoints like PFS and OS).

---

## 10. Quality Assurance & Regulatory Compliance

**GCP Compliance:** This study is conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and local regulatory requirements for Non-Interventional Studies (NIS). **Monitoring Plan:** Remote data monitoring is conducted to ensure data integrity, consistency, and timely safety reporting. **Audit Trail:** Electronic capturing of routine clinical notes and validated data clarification processes matching post-marketing research standards.

---

## 11. Study Identifiers & Governance

**Primary ID:** A5481150 **Registry Number:** NCT04937660 **Sponsor/Lead Organization:** Pfizer **Study Title:** PRECIOUS **Official Regulatory Title:** Treatment Patterns & Clinical Outcomes of Palbociclib Combinations in HR+HER2-MBC

---

## 12. Clinical Framework (Breast Cancer Specific)

**Primary Condition:** Metastatic Breast Cancer (MBC) **Diagnosis Threshold:** Documented HR+ (ER+ and/or PR+) and HER2- tumor **Medical Methodology:** Standard Clinical Practice / Licensed Indications **Optimization Target:** Progression Free Survival (PFS) and Quality of Life (QoL)

---

## 13. Study Procedures & Methodology

**Management Pathway:** Routine clinical pathway for HR+/HER2- Metastatic Breast Cancer **Education Protocol (HCP):** Any new information relevant to the performance of this non-interventional study is forwarded to the medical staff during the study. **Education Protocol (Patient):** General clinical standard of care education **Quality Audit Mechanism:** Ongoing remote data monitoring for consistency and safety compliance

---

## 14. Observation & Follow-Up Schedule

**Total Duration:** Up to 24 follow-up months **Onsite Visit Cadence:** Determined by the routine clinical practice of the treating physician **Remote Monitoring Frequency:** Continuous remote data review throughout the life of the study **Checklist Review Interval:** Coincides with routine clinical assessments

---

## 15. Sign-off & Approval

|                          |        |           |               |      |      |      |      |
|--------------------------|--------|-----------|---------------|------|------|------|------|
| Role                     | Name   | Signature | Date          | :--- | :--- | :--- | :--- |
| Principal Investigator   | [Name] | _____     | [DD-MMM-YYYY] |      |      |      |      |
| Clinical Operations Lead | [Name] | _____     | [DD-MMM-YYYY] |      | Lead |      |      |
| Statistician             | [Name] | _____     | [DD-MMM-YYYY] |      |      |      |      |