

1. Administrative & Study Identification

Full Study Title: LYNPARZA Tablets 100mg, 150mg general drug use - LYNPARZA breast cancer in the adjuvant setting Japan Post-Marketing Surveillance (PMS)
Short Title/Acronym: LYNPARZA Breast Cancer in the Adjuvant Setting Japan PMS
Protocol Number: D081CC00012
NCT Number: NCT05677308
Sponsor Name: AstraZeneca
Investigational Product: LYNPARZA (olaparib)
Phase of Development: Phase IV / Post-Marketing Surveillance (Observational)
Medical Monitor: AstraZeneca Clinical Operations Lead / Medical Monitor

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the frequency of bone marrow suppression Adverse Drug Reactions (ADRs) in patients with BRCA mutated HER2 negative high recurrent risk breast cancer treated with LYNPARZA for adjuvant treatment in the actual post-marketing use. **Secondary Objectives:** To evaluate the overall real-world safety, tolerability, and effectiveness profile of LYNPARZA in the Japanese post-marketing setting.

2.2 Background & Rationale This investigation is being conducted for the application for re-examination specified in Article 14-4 of the Pharmaceutical and Medical Device Act in Japan. Monitoring real-world safety is essential to understanding the frequency and severity of bone marrow suppression associated with LYNPARZA when used as an adjuvant therapy outside of controlled clinical trials.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Post-Marketing Surveillance)
Control Type: Single-arm
Blinding: Open-label
Randomization: N/A

3.2 Planned Enrollment & Duration Target \$N\$: 61
Number of Sites: Multicenter (Japan) **Estimated Study Start:** 07-Mar-2023 **Estimated Primary Completion:** 18-Feb-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patients who started treatment with LYNPARZA for the first time for the approved indication: "Adjuvant treatment for patients with BRCA-mutated HER2 negative high recurrent risk breast cancer". 2. Patients who have no treatment history with LYNPARZA.

4.2 Exclusion Criteria 1. Prior treatment history with LYNPARZA (olaparib). 2. Patients receiving LYNPARZA for indications other than adjuvant treatment of early-stage breast cancer. 3. Patients who do not consent to their data being collected for surveillance purposes.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: LYNPARZA Tablets (100 mg, 150 mg) administered orally, twice daily, with dosage adjustments based on local approved labeling and physician discretion. **Route of Administration:** Oral
Duration of Treatment: Up to 1 year per standard adjuvant treatment guidelines, or until disease progression or unacceptable toxicity.

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant therapies for the management of side effects and co-morbidities as indicated in real-world clinical practice.
Prohibited: Concurrent administration of strong CYP3A inhibitors/inducers or overlapping anti-cancer agents not indicated alongside adjuvant LYNPARZA.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Day -14 to 0	Informed Consent (if applicable), Medical History, BRCA mutation confirmation, Baseline safety labs
2	Day 0	Initiation of LYNPARZA, First Dose
3	Standard Intervals	Routine clinic visits: CBC and Safety Labs to monitor for bone marrow suppression
4	Follow-Up	Final safety assessment, recording of ADRs and treatment outcomes

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Frequency of bone marrow suppression Adverse Drug Reactions (ADRs) during the surveillance period. **Measurement Method:** Clinical laboratory assessments (Complete Blood Counts) and physician reporting into the post-marketing pharmacovigilance database.

7.2 Secondary & Exploratory Endpoints Incidence and severity of all other ADRs and Serious Adverse Events (SAEs). Real-world drug continuation rates, dose interruptions, and discontinuations due to toxicity.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous collection via Case Report Forms (CRFs) completed by prescribing physicians throughout the patient's treatment. **Serious Adverse Events (SAEs):** Subject to expedited reporting timelines (typically 24 hours) to PMDA and the Sponsor as per local Japanese regulations. **Data Monitoring Committee (DMC):** Managed internally by AstraZeneca's Pharmacovigilance and Safety teams.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Analysis Set (all enrolled patients who received at least one dose of LYNPARZA and had subsequent safety data collected). **Sample Size Justification:** $N=61$ is determined appropriately to capture the expected frequency of bone marrow suppression events in the specified Japanese patient sub-population. **Handling of Missing Data:** Handled using standard observational missing data procedures (e.g., observed case analysis without imputation).

10. Quality Assurance & Regulatory Compliance

GCP/GPSP Compliance: This study will be conducted in accordance with Japan's Good Post-marketing Study Practice (GPSP) and Good Vigilance Practice (GVP). **Monitoring Plan:** Centralized monitoring of collected post-marketing data and source data verification as required by PMDA regulations. **Audit Trail:** Secure database for ADR logging and Case Report Form data clarification.

11. Study Identifiers & Governance

Primary ID: D081CC00012 **Registry Number:** NCT05677308 **Sponsor/Lead Organization:** AstraZeneca **Study Title:** LYNPARZA Breast Cancer in the Adjuvant Setting Japan PMS **Official Regulatory Title:** LYNPARZA Tablets 100mg, 150mg general drug use - LYNPARZA breast cancer in the adjuvant setting Japan Post-Marketing Surveillance (PMS)

12. Clinical Framework (Breast Cancer / PMS Specific)

Primary Condition: Breast Cancer (Adjuvant Setting) **Diagnosis Threshold:** BRCA-mutated, HER2-negative, high recurrent risk breast cancer **Medical Methodology:** Targeted Post-Marketing Surveillance **Optimization Target:** ADR monitoring and safety profiling (Bone marrow suppression)

13. Study Procedures & Methodology

Management Pathway: Standard real-world oncology clinical practice **Education Protocol (HCP):** GPSP training, pharmacovigilance reporting instructions **Education Protocol (Patient):** Standard LYNPARZA patient counseling regarding side effects **Quality Audit Mechanism:** Routine sponsor pharmacovigilance oversight and PMDA compliance tracking

14. Observation & Follow-Up Schedule

Total Duration: Observation covers the duration of adjuvant therapy (typically ~1 year) and immediate follow-up. **Onsite Visit Cadence:** Based strictly on real-world clinical practice standards of care. **Remote Monitoring Frequency:** Centralized safety data collection intervals per GPSP requirements. **Checklist Review Interval:** Data extracts submitted at standard surveillance intervals.

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				