

1. Administrative & Study Identification

Full Study Title: Roll-over Study to Allow Continued Access to Ribociclib **Short Title/Acronym:** Post-trial Access Ribociclib
Protocol Number: CLEE011A2412B **NCT Number:** NCT05161195 **Sponsor/ Company Name:** Novartis Pharmaceuticals **Investigational Product:** Ribociclib (LEE011) in combination with other drugs (e.g., Fulvestrant, Tamoxifen, Goserelin, Letrozole, Anastrozole) **Phase of Development:** Phase 4 / Expanded Access (Post-trial Access)
Trial Status: ACTIVE_NOT_RECRUITING (Active but not currently recruiting) **Medical Monitor:** Novartis Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the long-term safety of ribociclib in combination with other drugs in participants who are rolling over from a Novartis-sponsored global study, and to provide post-trial access (PTA). **Secondary Objectives:** To ensure continued clinical benefit and treatment access for participants who have completed the primary phase of their parent clinical trial.

2.2 Background & Rationale To address the medical necessity of continuing a successful oncology treatment. The study is conducted to provide post-trial access (PTA) to ribociclib for patients with metastatic breast cancer who are currently receiving the drug in a parent clinical trial that has fulfilled its primary objectives. This ensures continuity of care, prevents treatment disruption, and allows for ongoing long-term safety monitoring.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (Expanded Access / Roll-over Study) **Preferred UMLS Name:** Expanded Access Program **Control Type:** Single-arm (Non placebo-controlled)
Blinding: Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 134 patients **Number of Sites:** Multi-center (Global) **Estimated Study Start:** 07-Jul-2022 **Estimated Primary Completion:** 14-Aug-2030

4. Subject Selection (Eligibility Criteria)

- 4.1 Inclusion Criteria** 1. Signed informed consent must be obtained prior to participation. 2. Participant is currently participating in a Novartis-sponsored global study (parent study), receiving treatment with ribociclib in combination with other drugs, and the parent study has fulfilled its primary objective(s). 3. Participant must have been receiving treatment with ribociclib for at least 6 cycles in the parent study. 4. Participant currently has evidence of clinical benefit as determined by the Investigator.
- 4.2 Exclusion Criteria** 1. Permanent discontinuation of ribociclib in the parent study. 2. Participant currently has unresolved toxicities for which ribociclib dosing has been interrupted in the parent study. 3. Local access to commercially available ribociclib is reimbursed and available to the participant (except for US enrolled participants from parent protocol CLEE011A2404 meeting all other eligibility criteria).
-

5. Intervention & Treatment Plan

- 5.1 Investigational Regimen Dosage/Frequency:** Participants continue receiving Ribociclib at the dose that was administered in their parent study. **Route of Administration:** Oral **Duration of Treatment:** Long-term access until disease progression, unacceptable toxicity, withdrawal of consent, or commercial availability of the drug.
- 5.2 Concomitant & Prohibited Therapy Permitted:** Concomitant endocrine therapies as established in the parent study (e.g., Fulvestrant, Letrozole, Anastrozole, Tamoxifen). *Note on Tamoxifen:* ATC Code: L02BA01 | Trade Names include: Soltamox, Noltam, Barr - Tamoxifen Citrate, Nolvadex, Emblon, Fentamox, Nolvadex-D, Nolvadex Forte, Oestriphen, Tamofen. **Prohibited:** Interventions or medications that interact unsafely with CDK4/6 inhibitors or were expressly restricted during the parent trial.
-

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures		
---	---	Screening	N/A	No screening phase; direct transfer from the parent study.
---	---	Baseline	Day 0	Roll-over consent, transfer of clinical data, continued IP dispensing.
---	---	Interim	Per standard of care	Routine oncology monitoring, Safety Labs, AE/SAE Assessment.
---	---	End of Study	Follow-up	Final toxicity assessment 30 days post-last dose, IP Accountability.

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Percentage of participants with treatment-emergent adverse events (AEs), including significant AEs leading to drug discontinuation and AEs leading to dose adjustments. **Measurement Method:** Clinical safety assessments spanning from the first dose of the study drug until 30 days after the last dose, evaluated for a timeframe of up to 5 years.

7.2 Secondary & Exploratory Endpoints Clinical benefit rate, long-term survival, and sustained clinical benefit from continued treatment.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard long-term pharmacovigilance evaluating chronic toxicities specific to CDK4/6 inhibitors. **Serious Adverse Events (SAEs):** Required continuous reporting within 24 hours of investigator awareness. **Data Monitoring Committee (DMC):** Novartis internal independent review panel/safety committee.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all participants receiving at least one roll-over dose). **Sample Size Justification:** Convenience sampling based on the number of eligible patients successfully rolling over from parent studies (Target N=134\$). **Handling of Missing Data:** Descriptive summary statistics will be used for primary safety endpoints; missing data will not undergo formal imputation for AE reporting.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Routine clinical site monitoring aligned with expanded access standard operating procedures. **Audit Trail:** Anonymized patient-level data sharing and secure eCRF locking mechanisms in compliance with data privacy regulations.

11. Study Identifiers & Governance

Primary ID: CLEE011A2412B **Registry Number:** NCT05161195 **Posting ID:** 242532514829724191 **Sponsor/Lead Organization:** Novartis Pharmaceuticals **Study Title:** Roll-over Study to Allow Continued Access to Ribociclib **Official Regulatory Title:** A Post-trial Access Roll-over Study to Allow Access to Ribociclib (LEE011) for

12. Clinical Framework (Breast Cancer Specific)

Primary Condition: Metastatic Breast Cancer **Preferred Name:** Tubular breast cancer metastatic **Semantic Type:** Neoplastic Process **Definition:** Metastatic breast cancer, also known as stage IV breast cancer, is a condition where breast cancer cells spread from the original tumor in the breast to distant parts of the body, such as the bones, lungs, liver, or brain. Despite spreading to new locations, the cancer cells found in these organs are still breast cancer cells, and not cancer of the organ they have colonized. **Diagnosis Threshold:** Confirmed clinical benefit on Ribociclib during parent study **Medical Methodology:** Cyclin-dependent kinase 4 and 6 (CDK4/6) inhibitor therapy **Optimization Target:** Sustained disease control and long-term safety **Classification Codes:** * **MeSH Code:** D016629 * **SNOMED ID:** 254837009 * **SNOMED Hierarchy:** 424163001 | Secondary malignant neoplastic disease (disorder) | Secondary malignant neoplastic disease (disorder)

13. Study Procedures & Methodology

Management Pathway: Post-trial access clinical pathway **Education Protocol (HCP):** Safety monitoring for long-term oral oncology treatment **Education Protocol (Patient):** Self-management and adherence to extended therapy **Quality Audit Mechanism:** Continuous safety tracking & drug accountability

14. Observation & Follow-Up Schedule

Total Duration: Up to 5 years **Onsite Visit Cadence:** Per routine oncology clinical practice **Remote Monitoring Frequency:** Aligned with site-level standards for PTA studies **Checklist Review Interval:** At each drug dispensing visit

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]				