

1. Administrative & Study Identification

Full Study Title A Study to Evaluate the Safety and Immunogenicity of RSVpreF Coadministered With Herpes Zoster Vaccine in Adults **Short Title/Acronym** PISSARRO **Protocol Number** C3671058 **NCT Number** NCT06890416 **Sponsor Name** Pfizer **Investigational Product** RSVpreF Vaccine (ABRYSV0) and HZ/su Vaccine (Shingrix) **Phase of Development** Phase 3 **Medical Monitor** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective * **Primary Objective:** To evaluate the safety, tolerability, and immunogenicity of the RSVpreF and HZ/su vaccines when administered together in adults 50 years of age and older. * **Secondary Objectives:** To evaluate the neutralizing titers (NTs) for RSV A and RSV B before and after vaccination.

2.2 Background & Rationale To streamline adult immunization schedules and improve vaccine uptake for vulnerable older populations. This study is conducted to confirm that co-administering the Respiratory Syncytial Virus (RSV) vaccine and the Herpes Zoster (shingles) vaccine does not negatively impact the safety profile or the patient's immune response compared to receiving the vaccines separately.

3. Study Design & Methodology

3.1 Design Framework * **Study Type:** Interventional * **Control Type:** Parallel-group * **Blinding:** Open-label * **Randomization:** Parallel Assignment

3.2 Planned Enrollment & Duration * **Target SN\$:** 526 participants * **Number of Sites:** Approximately 29 research locations * **Estimated Study Start:** 04-Apr-2025 * **Estimated Primary Completion:** 30-Sep-2025

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Adults 50 years of age and older. 2. Participants must be generally healthy or have stable long-term chronic health conditions.

4.2 Exclusion Criteria 1. Previous vaccination with any licensed or investigational RSV vaccine, or planned receipt of a nonstudy

RSV vaccine during study participation. 2. Previous vaccination with any licensed recombinant adjuvant zoster vaccine (Shingrix), or receipt of the live HZ vaccine (Zostavax) within the last 2 years. 3. Current clinically suspected or PCR-confirmed ongoing episode of Herpes Zoster (HZ) and/or history of HZ within the past 12 months, or prior history of Guillain Barré syndrome. 4. Individuals receiving chronic systemic treatment with immunosuppressive therapy (e.g., ≥ 20 mg/day of prednisone or equivalent for ≥ 14 days) from 60 days before study intervention.

5. Intervention & Treatment Plan

5.1 Investigational Regimen * Dosage/Frequency: Co-administration of the RSVpreF and HZ/su vaccines (versus sequential administration depending on group assignment). *** Route of Administration:** Intramuscular (IM) injection. *** Duration of Treatment:** Single administration visit with subsequent follow-up tracking for 4 months.

5.2 Concomitant & Prohibited Therapy * Permitted: Standard medications for stable, well-controlled baseline co-morbidities. *** Prohibited:** Immunosuppressive therapies, investigational VZV vaccines, or other RSV/Herpes Zoster vaccines.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	Day -14 to 0	Informed Consent, Medical History, Eligibility check
Baseline	Day 0	Randomization, Blood draw (baseline GMTs), Vaccine Administration
Interim	Month 1 $\pm$ [Y]	Safety tracking review, Blood draw for immunogenicity (RSV NTs)
End of Study	Month 4	Final safety follow-up, SAE tracking, Exit Interview

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint * Definition: Frequency and severity of local reactions (redness, swelling, and pain at the injection site) and systemic events (fatigue, headache, vomiting, nausea, diarrhea, muscle pain, and joint pain) within 7 days following study intervention. Furthermore, the incidence of Severe Adverse Events (SAEs) occurring through 4 months after the first study intervention. *** Measurement Method:** Patient electronic diary (e-diary) and clinical trial site monitoring.

7.2 Secondary & Exploratory Endpoints * Neutralizing Titers (NTs) for RSV A and RSV B expressed as Geometric Mean Titers (GMT). * Measured before vaccination with RSVpreF, and 1 month after vaccination.

8. Safety & Adverse Event Reporting

- **Adverse Event (AE) Monitoring:** Patient electronic diary (e-diary) utilized for 7 days post-vaccination to record local and systemic reactions.
- **Serious Adverse Events (SAEs):** Actively tracked and recorded up to 4 months after the initial vaccination.
- **Data Monitoring Committee (DMC):** Standard internal and external safety monitoring for Phase 3 trials governed by Pfizer.

9. Statistical Analysis Plan (SAP) Summary

- **Analysis Populations:** Intent-to-Treat (ITT) population for all primary safety endpoints; Per-Protocol (PP) Set for the immunogenicity (GMT) evaluation.
- **Sample Size Justification:** $N=526$ provides sufficient statistical power to evaluate non-inferiority in immune response between the co-administered and sequentially administered vaccine groups.
- **Handling of Missing Data:** Missing serology and e-diary data to be evaluated via standard imputation frameworks based on study guidelines.

10. Quality Assurance & Regulatory Compliance

- **GCP Compliance:** This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.
- **Monitoring Plan:** Regular clinical trial site monitoring, combining onsite verification and remote e-diary compliance checks.
- **Audit Trail:** Fully validated eCRF tracking and secure e-diary database locking prior to unblinding and analysis.

11. Study Identifiers & Governance

- **Primary ID:** C3671058
 - **Registry Number:** NCT06890416
 - **Sponsor/Lead Organization:** Pfizer
 - **Study Title:** PISSARRO
 - **Official Regulatory Title:** A Study to Evaluate the Safety and Immunogenicity of RSVpreF Coadministered With Herpes Zoster Vaccine in Adults
-

12. Clinical Framework (Vaccine Specific)

- **Primary Condition:** Respiratory Syncytial Virus (RSV) Infections & Herpes Zoster (Shingles)
 - **Diagnosis Threshold:** Prophylactic preventative treatment in healthy older adults (50+ years)
 - **Medical Methodology:** Active Immunization (Subunit / Recombinant Vaccines)
 - **Optimization Target:** Non-inferior immune response (Geometric Mean Titers) when co-administered
-

13. Study Procedures & Methodology

- **Management Pathway:** Routine adult prophylactic vaccination clinical pathway
 - **Education Protocol (HCP):** IM Administration training and trial protocol compliance
 - **Education Protocol (Patient):** Proper usage and daily logging using the AE tracking e-diary
 - **Quality Audit Mechanism:** Active tracking of patient e-diary entries and site-level source data verification
-

14. Observation & Follow-Up Schedule

- **Total Duration:** 4 months follow-up period
 - **Onsite Visit Cadence:** Baseline (Day 0) and 1 Month (for blood draws)
 - **Remote Monitoring Frequency:** Daily for the first 7 days via e-diary
 - **Checklist Review Interval:** Safety tracking at Month 1 and Month 4
-

15. Sign-off & Approval

Role Name	Signature	Date	:--	:--	:--	
Principal Investigator	____	[DD-MMM-YYYY]		Clinical		
Operations Lead	____	[DD-MMM-YYYY]		Lead Statistician		
____	[DD-MMM-YYYY]					