

1. Administrative & Study Identification

Full Study Title: Prospective Observational Study With Retrospective Part to Evaluate Secukinumab Drug Survival, Effectiveness and Tolerability in Pediatric Patients With Moderate-to-severe Plaque Psoriasis
Short Title/Acronym: SPARROW Study
Protocol Number: CAIN457LRU01
NCT Number: NCT06142357
Sponsor Name: Novartis Pharmaceuticals
Investigational Product: Secukinumab (Cosentyx)
Phase of Development: Observational / Non-interventional (Phase IV equivalent)
Medical Monitor: Novartis Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate secukinumab drug survival (time to discontinuation and survival rate) in pediatric patients with moderate-to-severe plaque psoriasis in a real-world setting. **Secondary Objectives:** To evaluate the real-world effectiveness (measured by PASI 75 and PASI 90), tolerability, and long-term safety profile of secukinumab over a 104-week follow-up period.

2.2 Background & Rationale To address the gap in real-world evidence regarding the long-term drug survival, safety, and effectiveness of secukinumab in pediatric populations (6 to <18 years). This non-interventional study evaluates patients treated during routine clinical practice to verify if the clinical outcomes seen in controlled trials translate accurately to standard real-world medical care.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Prospective cohort study with a retrospective part) **Control Type:** Single-arm
Blinding: Open-label (Non-blinded) **Randomization:** N/A (Non-interventional)

3.2 Planned Enrollment & Duration Target \$N\$: Approximately 199 pediatric patients **Number of Sites:** Multicenter (Global/Regional healthcare facilities treating pediatric psoriasis patients, e.g., Russian Federation) **Estimated Study Start:** 16-Nov-2023
Estimated Primary Completion: 28-Jan-2026

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Age ≥ 6 and < 18 years at the time of inclusion. 2. Confirmed diagnosis of moderate-to-severe plaque-type psoriasis. 3. Patient was prescribed and initiated routine treatment with secukinumab within 4-16 weeks prior to study inclusion, per the approved national label. 4. History of failure or intolerance to prior psoriasis treatments.

4.2 Exclusion Criteria 1. Known or suspected severe hypersensitivity to secukinumab, formulation excipients, or injection device components (e.g., latex). 2. History of chronic recurrent infection or clinically significant infection exacerbation, including active tuberculosis. 3. Pregnancy and breastfeeding. 4. Parallel participation in an interventional clinical trial or another Novartis-sponsored non-interventional study generating primary data for secukinumab.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Secukinumab administered according to the approved national label during routine clinical practice; decision for prescription is made by the attending physician independently of the study. **Route of Administration:** Subcutaneous (SC) injection. **Duration of Treatment:** Maximum duration of follow-up is 104 weeks post-index date (date of treatment initiation).

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant topical or systemic therapies permitted under routine real-world clinical care for pediatric psoriasis. **Prohibited:** Concurrent participation in any interventional clinical trials.

6. Study Timeline & Visit Schedule

Visit ID	Window	Key Activities/Procedures
1	Day 0	Secukinumab treatment initiation (retrospective data collection point)
2	Weeks 4 to 16	Patient enrollment, baseline characteristics collection, informed consent
3	Follow-up	Routine clinical schedule Prospective data collection: PASI scoring, Safety tracking, Drug administration tracking
4	End of Study	Week 104 Final effectiveness assessment, AE/SAE collection, tracking of treatment discontinuation/survival

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Secukinumab drug survival rate, defined as the proportion of patients who have not discontinued treatment due to reasons other than lack of efficacy. Drug

survival is calculated as the time from the index date until discontinuation (defined as ≥ 2 missed consecutive doses). **Measurement Method:** Documented by the investigator in the electronic Case Report Form (eCRF).

7.2 Secondary & Exploratory Endpoints 1. **PASI 75:** Proportion of patients achieving at least a 75% improvement in the Psoriasis Area and Severity Index (PASI) score compared to baseline. 2. **PASI 90:** Proportion of patients achieving at least a 90% improvement in the PASI score compared to baseline. 3. Overall safety and tolerability assessed via Adverse Event (AE) occurrence.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Real-world safety tracking collected proactively during routine clinical follow-up visits. **Serious Adverse Events (SAEs):** Reported according to standard local pharmacovigilance regulations and Novartis safety reporting protocols for non-interventional studies. **Data Monitoring Committee (DMC):** Managed internally by Novartis standard quality and safety monitoring teams.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Enrolled observational cohort (Intent-to-observe/Real-world Set) consisting of eligible pediatric patients. **Sample Size Justification:** Target $N = 199$ is based on epidemiological modeling of the available pediatric clinic populations initiating secukinumab within the recruitment window. **Handling of Missing Data:** Standard handling for observational real-world data; right-censoring for drug survival analyses (e.g., Kaplan-Meier estimates).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: Conducted in accordance with Good Epidemiological Practice (GEP), standard observational study guidelines, and the Declaration of Helsinki. **Monitoring Plan:** Source data verification and periodic eCRF monitoring to ensure accurate transcription of real-world clinical records. **Audit Trail:** Standard electronic data capture (EDC) system with rigorous audit trails for real-world data collection.

11. Study Identifiers & Governance

Primary ID: CAIN457LRU01 **Registry Number:** NCT06142357 **Sponsor/Lead Organization:** Novartis Pharmaceuticals **Study Title:** SPARROW

Official Regulatory Title: Prospective Observational Study With Retrospective Part to Evaluate Secukinumab Drug Survival, Effectiveness and Tolerability in Pediatric Patients With Moderate-to-severe Plaque Psoriasis

12. Clinical Framework (Psoriasis Specific)

Primary Condition: Pediatric Plaque Psoriasis **Diagnosis Threshold:** Moderate-to-severe plaque-type psoriasis **Medical Methodology:** Routine clinical practice according to the approved national label **Optimization Target:** Sustained drug survival and PASI 75/90 improvement

13. Study Procedures & Methodology

Management Pathway: Standard routine dermatological clinical pathway **Education Protocol (HCP):** N/A (Observational real-world study) **Education Protocol (Patient):** N/A (Standard clinic instructions) **Quality Audit Mechanism:** Investigator eCRF tracking to confirm \$\\ge 2\$ missed consecutive doses for discontinuation metrics

14. Observation & Follow-Up Schedule

Total Duration: Up to 104 follow-up weeks **Onsite Visit Cadence:** Aligned with routine clinical care **Remote Monitoring Frequency:** N/A (Non-interventional observational visits) **Checklist Review Interval:** Periodically at scheduled routine clinical visits

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]				Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]				