

1. Administrative & Study Identification

Full Study Title: A Phase 3 Extension Study to Evaluate the Long-term Safety and Efficacy of Tulisokibart in Participants With Crohn's Disease or Ulcerative Colitis **Short Title/Acronym:** Extension Study of Long-term Safety and Efficacy of Tulisokibart in Participants With Crohn's Disease or Ulcerative Colitis (MK-7240-011) **Protocol Number:** MK-7240-011 **NCT Number:** NCT06651281 **Sponsor Name:** Merck Sharp & Dohme LLC **Investigational Product:** Tulisokibart (MK-7240) - Anti-TL1A monoclonal antibody **Phase of Development:** Phase 3 **Medical Monitor:** Merck Sharp & Dohme LLC Clinical Director

2. Study Synopsis & Rationale

2.1 Study Objective * **Primary Objective:** To evaluate the long-term safety and tolerability of tulisokibart over time in patients with Crohn's disease (CD) or ulcerative colitis (UC) who participated in a qualifying parent study. * **Secondary Objectives:** To evaluate the long-term efficacy of tulisokibart, including the maintenance of clinical remission and endoscopic improvement in participants with CD or UC over the extension period.

2.2 Background & Rationale Tulisokibart (also known as MK-7240) is an investigational humanized monoclonal antibody designed to treat active, moderate to severe Crohn's disease and ulcerative colitis by binding to human tumor necrosis factor-like cytokine 1A (TL1A). This extension study is necessary to provide continued treatment to people who received tulisokibart in qualifying parent studies and to gather robust, long-term safety and efficacy data to support its clinical profile and future regulatory submissions.

3. Study Design & Methodology

3.1 Design Framework * **Study Type:** Interventional (Extension study) * **Control Type:** Placebo to tulisokibart / Active control (participants enter the appropriate arm continuing the treatment they received in their parent study) * **Blinding:** Partially Blinded / Open-label depending on parent group. Participants in "Group 1: Low Dose Unblinded" and "Group 2: High Dose Unblinded" remain open-label. Participants in "Group 3: High Dose Blinded" and "Group 4: Low Dose Blinded" remain blinded until regulatory approval. * **Randomization:** N/A (Participants roll over into parallel assigned arms based on their parent study assignment).

3.2 Planned Enrollment & Duration * **Target** \$N\$: 1,380 participants * **Number of Sites**: Multicenter, global (approx. 37+ locations) * **Estimated Study Start**: 25-Nov-2024 * **Estimated Primary Completion**: 17-Dec-2037

4. Subject Selection (Eligibility Criteria)

- 4.1 Inclusion Criteria** 1. Has participated in a qualifying tulisokibart Phase 2 or Phase 3 parent study for CD or UC. 2. Participant of childbearing potential (POCBP) must not be pregnant, must have a negative highly sensitive pregnancy test, and must use an acceptable contraceptive method or adhere to abstinence. 3. Must have shown clinical benefit or successfully completed the required phase of the qualifying parent study.
- 4.2 Exclusion Criteria** 1. Has prematurely discontinued study intervention in their parent study. 2. Has received any protocol-specified prohibited medications during their parent study. 3. Has known allergies, hypersensitivity, or intolerance to tulisokibart or its excipients.
-

5. Intervention & Treatment Plan

- 5.1 Investigational Regimen** * **Dosage/Frequency**: High dose and Low dose regimens of tulisokibart (or matched placebo), depending on the assigned group from the parent study. * **Route of Administration**: Subcutaneous (SC) injection. * **Duration of Treatment**: Long-term extension treatment lasting up to approximately 13 years (Primary completion in 2037).
- 5.2 Concomitant & Prohibited Therapy** * **Permitted**: Baseline standard-of-care medications for IBD continued from the parent study, provided they are stable. * **Prohibited**: Initiation of new advanced biologic therapies, JAK inhibitors, or other protocol-specified prohibited medications during the extension phase.
-

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Screening	Rollover Verification of parent study completion, Informed Consent Baseline Day 0
Continuation of assigned parent study arm, First Extension Dose			
Interim	Scheduled Intervals	Administration of SC tulisokibart, Safety Labs, Efficacy Assessment (e.g., Week 364 assessment)	End of Study 2037 Final Vital Signs, Exit Interview, IP Accountability

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint * **Definition:** 1) Number of participants who experience an Adverse Event (AE), and 2) Number of participants who discontinue study treatment due to an AE over the extension period (up to approx. 378 weeks). * **Measurement Method:** Clinical assessment, laboratory evaluations, and participant reporting of untoward medical occurrences.

7.2 Secondary & Exploratory Endpoints * Percentage of participants with Crohn's disease who achieve clinical remission, defined by CDAI score <150 at Week 364. * Percentage of participants with Ulcerative Colitis who achieve clinical remission, defined by a Modified Mayo Score (MMS) with Endoscopic subscore (ES) of 0 or 1, Rectal bleeding subscore (RBS) of 0, and Stool frequency subscore (SFS) of 0 or 1. * Endoscopic improvement evaluated by SES-CD for Crohn's Disease.

8. Safety & Adverse Event Reporting

- **Adverse Event (AE) Monitoring:** Standard collection at each visit, defined as any untoward medical occurrence temporally associated with the use of study treatment, regardless of causal relationship.
 - **Serious Adverse Events (SAEs):** Monitored continuously and reported within standard 24-hour global regulatory timelines.
 - **Data Monitoring Committee (DMC):** An independent Data Monitoring Committee (DMC) is established to monitor safety and scientific integrity continuously.
-

9. Statistical Analysis Plan (SAP) Summary

- **Analysis Populations:** Safety Set (all patients receiving at least one dose of the extension study medication) and Intent-to-Treat (ITT) equivalent for long-term efficacy parameters.
 - **Sample Size Justification:** Estimated $N = 1,380$ based on the anticipated rollover rate of eligible participants from the parent Phase 2 and Phase 3 trials.
 - **Handling of Missing Data:** Standard handling utilizing non-responder imputation (NRI) for categorical efficacy endpoints and mixed-effects models for repeated measures (MMRM) for continuous endpoints.
-

10. Quality Assurance & Regulatory Compliance

- **GCP Compliance:** This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

- **Monitoring Plan:** Routine onsite and remote monitoring to ensure protocol adherence, drug accountability, and accurate safety reporting.
 - **Audit Trail:** Robust electronic Case Report Form (eCRF) tracking, central laboratory data integration, and standardized data clarification processes.
-

11. Study Identifiers & Governance

- **Primary ID:** MK-7240-011
 - **Registry Number:** NCT06651281
 - **Sponsor/Lead Organization:** Merck Sharp & Dohme LLC
 - **Study Title:** Extension Study of Long-term Safety and Efficacy of Tulasimab in Participants With Crohn's Disease or Ulcerative Colitis (MK-7240-011)
 - **Official Regulatory Title:** A Phase 3 Extension Study to Evaluate the Long-term Safety and Efficacy of Tulasimab in Participants With Crohn's Disease or Ulcerative Colitis
-

12. Clinical Framework (Tulasimab Specific)

- **Primary Condition:** Crohn's Disease (CD) and Ulcerative Colitis (UC)
 - **Diagnosis Threshold:** Patients with an established diagnosis of moderate to severe active CD or UC who were eligible for the parent trials.
 - **Medical Methodology:** Targeted biologic therapy (Anti-TL1A monoclonal antibody)
 - **Optimization Target:** Sustained clinical remission, mucosal healing, and long-term tolerability
-

13. Study Procedures & Methodology

- **Management Pathway:** Chronic maintenance therapy via subcutaneous injection of MK-7240
 - **Education Protocol (HCP):** Protocol training on blinded vs. unblinded arm management and long-term AE monitoring.
 - **Education Protocol (Patient):** Contraception compliance, injection site reaction monitoring, and reporting of AEs.
 - **Quality Audit Mechanism:** Real-time data capture, regular Data Monitoring Committee reviews, and clinical site auditing.
-

14. Observation & Follow-Up Schedule

- **Total Duration:** Estimated 13 years (Primary Completion: Dec 2037)

- **Onsite Visit Cadence:** Outlined by parent-protocol maintenance scheduling, with major efficacy milestones tracked long-term (e.g., Week 364)
- **Remote Monitoring Frequency:** Standard inter-visit safety check-ins and e-Diary tracking.
- **Checklist Review Interval:** Regular assessment of concomitant medications and adverse events at every clinical touchpoint.

15. Sign-off & Approval

Role	Name	Signature	Date						
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]						
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]						
Statistician	[Name]	_____	[DD-MMM-YYYY]						