

1. Administrative & Study Identification

Full Study Title: Consistency of Response With Rimegepant in Acute Treatment of Migraine **Official Title:** CORRELATE-UK: Consistency of Response With Rimegepant Oral Lyophilisate in Acute Treatment of migraine in the United Kingdom **Short Title/ Acronym:** CORRELATE-UK **Protocol Number:** C4951071 **NCT Number:** NCT06898047 **Posting ID:** 316245311525200873 **Sponsor/Company Name:** Pfizer **Trial Status:** NOT_YET_RECRUITING (Not yet recruiting participants) **Investigational Product:** Rimegepant (Trade Name: Nurtec; oral lyophilisate; ATC Code: N02CD06) **Phase of Development:** Observational / Phase Not Applicable **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the patient-reported consistency of response to rimegepant in the acute treatment of migraine, specifically determining the Time to Meaningful Pain Relief (MPR) post-dosing across multiple attacks. **Secondary Objectives:** To assess the time to improvement in non-pain symptoms post-dosing and evaluate acute migraine treatment optimization.

2.2 Background & Rationale This is a non-interventional, prospective observational, real-world cohort study. Longitudinal data capture allows for the determination of treatment effectiveness across multiple migraine attacks in a real-world setting. A patient-centered, real-time approach using a daily questionnaire via mobile device captures granular data and minimizes patient recall bias, which is highly important for tracking subjective outcomes such as pain.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Prospective Cohort Study) **Control Type:** Single-arm (Rimegepant users) **Blinding:** Open-label / None **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 250 participants (Split approximately 50% episodic and 50% chronic migraine) **Number of Sites:** Multiple healthcare institutions across the United Kingdom **Enrollment Period:** Approximately 6 months **Total Data Collection Period:** Approximately 9 months

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. UK resident, at least 18 years of age. 2. Migraine diagnosis confirmed by a healthcare professional with a current prescription of rimegepant for the acute treatment of migraine. 3. Experienced at least 4 migraine attacks per month prior to study enrolment. 4. For participants receiving preventive migraine treatment: * Oral preventives must be "stable" (final dosing regimen found). * Monthly preventives must have had the most recent treatment within the 3 weeks prior to study enrolment. * Quarterly preventives must have had the most recent treatment within the 2 months prior to study enrolment. * If the last treatment is not within the stipulated period, participants will be asked to provide the date of the next scheduled treatment, after which they may be invited back to enrol. 5. Evidence of a personally signed (or acknowledged if obtained electronically/online) and dated informed consent document.

4.2 Exclusion Criteria 1. Current use of rimegepant as a preventive migraine medication. 2. Current prescription of any strong inhibitors of CYP3A4, or strong/moderate inducers of CYP3A4. 3. Current diagnosis of any of the following conditions: new daily persistent headache, chronic daily headache, cluster headache, post-traumatic headache, hemicrania continua, major depression, pain syndromes other than migraine (e.g. fibromyalgia), psychiatric conditions (e.g., schizophrenia), dementia, or significant neurological disorders other than migraine. 4. Patients currently participating in a migraine-related clinical trial.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Standard acute dosing of rimegepant (Nurtec) as prescribed for acute migraine attacks. **Route of Administration:** Oral (oral lyophilisate) **Duration of Treatment:** Up to 12 weeks of observation and follow-up.

5.2 Concomitant & Prohibited Therapy Permitted: Stable preventive migraine treatments (meeting the timeframe requirements specified in the inclusion criteria). **Prohibited:** Strong CYP3A4 inhibitors and strong/moderate CYP3A4 inducers.

6. Study Timeline & Visit Schedule

Visit ID	Window	Key Activities/Procedures
Screening	Day -14 to 0	Briefing materials via routine consultation/email. Online eligibility screener, demographic/clinical history via link with unique ID/PIN, electronic Informed Consent.
Baseline	Day 0 (Within 72h)	

Baseline demographic and clinical questions via web application (daily reminders sent until window closes). | | **Interim** | Days 1 to 84 | Daily SMS survey link (within 24h of attack, 96h window to complete/return later) for migraine symptom occurrence and rimegepant use. Custom follow-up questions triggered by responses. Days 0, 28, 56 & 84: Menstruation tracking. | | **End of Study** | Week 12 (Day 84) | Final surveys including the mTOQ-6 Likert version and TSQM-II questionnaire. |

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Time to Meaningful Pain Relief (MPR) post-dosing. Proportion of participants who report MPR: * within 1 hour post dose; * 1-2 hours post dose; * over 2 hours up to 4 hours post dose; * more than 4 hours post dose; * who have not achieved MPR and took the medication more than 2 hours before completing the survey; * who have not achieved MPR and took the medication less than 2 hours before completing the survey.

Measurement Method: Daily patient-reported digital diary/survey.

7.2 Secondary & Exploratory Endpoints * Time to improvement in non-pain symptoms post-dosing. * Acute migraine treatment optimization evaluated at the end of the study period.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Patient daily digital questionnaire and end-of-study surveys. **Serious Adverse Events (SAEs):** Pharmacovigilance reporting aligned with real-world standard of care timelines. **Data Monitoring Committee (DMC):** Internal safety tracking managed by Pfizer.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Real-world observational cohort (all enrolled and eligible rimegepant users completing baseline data). **Sample Size Justification:** Target $N = 250$ appropriately scaled to track longitudinal treatment effectiveness across episodic and chronic subgroups. **Handling of Missing Data:** A 96-hour completion window is provided for daily questions. Patients can save responses and return at a later time within the window if they are still experiencing symptoms.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study is conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and local UK regulations. **Monitoring Plan:** Fully remote digital tracking. SMS compliance

prompts sent every 24 hours if the baseline/daily window is missed. **Audit Trail:** Secure web application platform requiring a unique ID and PIN for electronic consent and digital diary inputs.

11. Study Identifiers & Governance

Primary ID: C4951071 **Registry Number:** NCT06898047 **Posting ID:** 316245311525200873 **Sponsor/Lead Organization:** Pfizer **Study Title:** CORRELATE-UK **Official Regulatory Title:** CORRELATE-UK: Consistency of Response With RimegEpant Oral Lyophilisate in Acute Treatment of migraine in the United Kingdom

12. Clinical Framework (Migraine Specific)

Primary Condition: Migraine / Migraine Disorders (Disease Area: Migraine; Semantic Type: Disease or Syndrome) **Condition Definition:** Migraine is a chronic neurological disorder characterized by episodic attacks of headache and associated symptoms. **Diagnosis Threshold:** ≥ 4 migraine attacks per month prior to enrollment **Medical Methodology:** Real-world cohort evaluation / Patient-Reported Outcomes (ePRO) **Optimization Target:** Meaningful Pain Relief (MPR) consistency, non-pain symptom improvement, and acute treatment optimization.

13. Study Procedures & Methodology

Management Pathway: Standard UK clinical pathway for real-world acute migraine management **Education Protocol (HCP):** N/A (Non-interventional study) **Education Protocol (Patient):** Digital onboarding, self-learning via study web application, and electronic informed consent **Quality Audit Mechanism:** Automated SMS reminders, 96-hour diary windows, and platform compliance tracking

14. Observation & Follow-Up Schedule

Total Duration: 12 Follow-up weeks **Onsite Visit Cadence:** Fully Remote/Decentralized (No physical site visits required) **Remote Monitoring Frequency:** Daily (via SMS diary link sent at the same time every day) **Checklist Review Interval:** Days 0, 28, 56, and 84 (for menstruation tracking and overall end-of-study assessment)

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	____	[DD-MMM-YYYY]				

Clinical Operations Lead | [Name] | ____ | [DD-MMM-YYYY] | | Lead
Statistician | [Name] | _____ | [DD-MMM-YYYY] |