

Clinical Study Summary Report (CSSR)

Document Status: Final | Version: 1.0 | Date: 02-Apr-2026

1. Administrative & Study Identification

Full Study Title: A Study to Learn About the Medicine Called Ritlecitinib in Adults With Severe Alopecia Areata in Real-world Settings

Official Title / Acronym: Satisfaction and Treatment Experiences With Ritlecitinib And Traditional Treatments for Severe Alopecia Areata Among Adults in the United States (SERENATA)

Protocol Number: B7981115

NCT Number: NCT07200128

Posting ID: 346815912907332413

Sponsor / Company Name: Pfizer

Investigational Product: Ritlecitinib (Trade Name: Litfulo)

Phase of Development: Not Applicable (Observational / Retrospective Secondary Database Analysis)

Trial Status: COMPLETED (Study has been completed)

Medical Monitor: Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Summary/Objective: This study is a secondary analysis of the Adelphi Real World Alopecia Areata II United States Disease Specific Programmes database. This database contains data from a cross-sectional study capturing linked physician and patient survey data for dermatologists who treat alopecia areata and patients diagnosed with alopecia areata in the United States. The retrospective analysis of these data evaluated experiences of patients and dermatologists receiving/prescribing ritlecitinib for severe alopecia areata in the United States. Specifically, the study describes characteristics of patients who received ritlecitinib for severe alopecia areata, including demographics, clinical characteristics at the time of starting ritlecitinib, and their alopecia areata-related treatment history. The study also reports dermatologist satisfaction with treatment and change in the patient's alopecia areata severity and disease activity from the start of ritlecitinib to different time points on treatment.

2.2 Background & Rationale To understand real-world utilization, effectiveness, and physician/patient experiences with ritlecitinib for severe alopecia areata. The retrospective analysis provides insights into how the therapy is prescribed and performs in routine clinical practice outside of controlled trials.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Retrospective secondary database analysis)

Control Type: Single-arm (Descriptive cohort)

Blinding: Open-label / N/A

Randomization: N/A

3.2 Planned Enrollment & Duration Targeted Enrollment (\$N\$): 123

Number of Sites: United States (Data aggregated from participating US dermatologists)

Estimated Study Start: 03-Feb-2025

Trial Status / Completion: COMPLETED

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Adult patients (Aged 18 years or older).

2. Confirmed clinical diagnosis of severe alopecia areata.

3. Treated with ritlecitinib by a dermatologist in the United States.

4. Data available within the Adelphi Real World Alopecia Areata II US database.

4.2 Exclusion Criteria 1. Patients not treated with ritlecitinib.

2. Patients with mild to moderate alopecia areata.

3. Incomplete baseline demographic or clinical data at the time of ritlecitinib initiation.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Investigational Drug: Ritlecitinib (Trade Name: Litfulo)

Dosage/Frequency: Ritlecitinib dosing per routine clinical practice and dermatologist prescription.

Route of Administration: Oral

Duration of Treatment: Variable (based on retrospective real-world observation period).

Reference Product Information: [EMA Product Information \(Litfulo EPAR\)](#)

5.2 Concomitant & Prohibited Therapy Permitted: Routine concomitant medications and therapies as prescribed by the treating dermatologist in a real-world setting.

Prohibited: N/A (Observational methodology; no strict prohibitions).

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening / Baseline	Day 0 (Index Date)	Data extraction on demographics, clinical characteristics, and treatment history at the start of ritlecitinib
Interim	Various time points	Retrospective extraction of disease severity, activity, and dermatologist satisfaction data
End of Study	End of available data	Final extraction of treatment outcomes

(Note: As a retrospective database analysis, there are no prospective patient visits or defined windows.)

7. Outcome Measures (Endpoints)

7.1 Primary Outcomes 1. Percentage (%) of patients for whom their clinician was "satisfied" with current control of alopecia areata.

2. Percentage (%) of patients with clinician-assessed mild, moderate, or severe disease.

3. Percentage (%) of patients with clinician assessed progressive, stable, or improving disease.

7.2 Secondary & Exploratory Endpoints 1. Demographic and clinical characteristics at the time of starting ritlecitinib, alongside alopecia areata-related treatment history.

2. Change in the patient's alopecia areata severity and disease activity from the start of ritlecitinib to different time points on treatment.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Retrospective data extraction of documented AEs and treatment experiences within the Adelphi survey database.

Serious Adverse Events (SAEs): Documented per available real-world patient records.

Data Monitoring Committee (DMC): N/A (Observational, non-interventional study).

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All eligible patients (N = 123) meeting the inclusion criteria within the Adelphi database.

Sample Size Justification: Target enrollment of 123 appropriate patient records within the Adelphi Real World Alopecia Areata II US Disease Specific Programmes database.

Handling of Missing Data: Standard descriptive statistical methods; missing values treated as missing or imputed via

appropriate observational techniques based on the specific variable.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study was conducted in accordance with observational research guidelines, good pharmacoepidemiology practices (GPP), and health data privacy regulations (e.g., HIPAA).

Monitoring Plan: N/A (Secondary data analysis).

Audit Trail: Data validation, anonymization, and secured access to the Adelphi database were strictly maintained.

11. Study Identifiers & Governance

Primary ID: B7981115

Posting ID: 346815912907332413

Registry Number: NCT07200128

Sponsor/Lead Organization: Pfizer

Study Title: A Study to Learn About the Medicine Called Ritlecitinib in Adults With Severe Alopecia Areata in Real-world Settings

Official Regulatory Title: Satisfaction and Treatment Experiences With Ritlecitinib And Traditional Treatments for Severe Alopecia Areata Among Adults in the United States (SERENATA)

12. Clinical Framework (Alopecia Areata Specific)

Disease Areas / Primary Condition: Severe Alopecia Areata

Preferred UMLS Name: Alopecia Areata

MeSH Code: D000523

SNOMED ID: 402513000

Condition Definition: Severe Alopecia Areata is an autoimmune disorder characterized by extensive, non-scarring hair loss, where the body's immune system mistakenly attacks its own hair follicles. This severity is typically defined by hair loss affecting more than 50% of the scalp surface area, or involvement of other body hair, including eyebrows, eyelashes, or progression to complete scalp hair loss (alopecia totalis) or total body hair loss (alopecia universalis).

Medical Methodology: Real-world oral JAK3/TEC family kinase inhibitor therapy

Optimization Target: Disease severity reduction and dermatologist/patient satisfaction

13. Study Procedures & Methodology

Management Pathway: Standard real-world dermatological clinical pathway for Severe Alopecia Areata

Education Protocol (HCP): N/A (Retrospective survey methodology)

Education Protocol (Patient): N/A (Retrospective survey methodology)

Quality Audit Mechanism: Adelphi Real World database quality control and survey validation

14. Observation & Follow-Up Schedule

Total Duration: Retrospective extraction across all available time points for each patient

Onsite Visit Cadence: N/A (Secondary data analysis)

Remote Monitoring Frequency: N/A

Checklist Review Interval: N/A

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---	
Principal Investigator	[Name]	_____	02-Apr-2026					
Clinical Operations Lead	[Name]	_____	02-Apr-2026		Lead			
Statistician	[Name]	_____	02-Apr-2026					