

1. Administrative & Study Identification

Full Study Title: A Prospective, Registry-based, Observational Study to Assess Maternal, Fetal and Infant Outcomes Following Exposure to Rimegepant: The Migraine Observational Nurtec Pregnancy Registry (MONITOR) **Short Title/Acronym:** MONITOR
Protocol Number: C4951005 / BHV3000-402 **NCT Number:** NCT05046613
Sponsor Name: Pfizer **Investigational Product:** Rimegepant (Nurtec)
Phase of Development: N/A (Observational/Registry) **Medical Monitor:** Pfizer CT.gov Call Center

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate fetal, maternal, and infant outcomes through 12 months of age, focusing on identifying any major congenital malformations (birth defects) or health issues in infants following maternal exposure to rimegepant,. **Secondary Objectives:** To evaluate the occurrence of minor congenital malformations and gestational hypertension reported by healthcare providers.

2.2 Background & Rationale This research is important to gather information regarding potential birth defects or health issues that may arise after exposure to rimegepant, a medication used to treat migraines, during pregnancy. Understanding these real-world outcomes will help healthcare providers make better-informed decisions about managing migraines safely in pregnant women.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational, Registry-based, **Control Type:** Unexposed parallel group (pregnant women with migraine not taking rimegepant) **Blinding:** Open-label / N/A
Randomization: N/A (Observational)

3.2 Planned Enrollment & Duration Target \$N\$: 780 subjects **Number of Sites:** Multi-center (United States) **Estimated Study Start:** 23-Sep-2021 **Estimated Primary Completion:** 30-Apr-2034

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Pregnant women with migraine exposed to rimegepant: a diagnosis of migraine and at least 1 dose of rimegepant during pregnancy or just prior to pregnancy (up to 3 days prior to conception),. 2. Pregnant women with migraine

unexposed to rimegepant: a diagnosis of migraine and no exposure to rimegepant before or during pregnancy,.

4.2 Exclusion Criteria 1. Women exposed to other calcitonin gene-related peptide (CGRP) antagonists (e.g., ubrogepant), CGRP monoclonal antibodies, or ditans (e.g., lasmiditan) at any time during pregnancy or just prior to pregnancy,.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Variable (Real-world routine clinical care usage),. **Route of Administration:** Oral (per routine care prescription of rimegepant). **Duration of Treatment:** Based on the patient's individual treatment plan during or just prior to pregnancy,.

5.2 Concomitant & Prohibited Therapy Permitted: Routine care therapies prescribed for migraine and prenatal care. **Prohibited:** Use of other CGRP antagonists (e.g., ubrogepant), CGRP monoclonal antibodies, or ditans during or just prior to pregnancy.

6. Study Timeline & Visit Schedule

Visit ID	Window	Key Activities/Procedures
1	Any time during pregnancy	Screening / Enrollment
2	Any time during pregnancy	Registry consent, maternal baseline health, and migraine history collection.
3	Throughout pregnancy	Pregnancy Follow-up
4	Throughout pregnancy	Collection of healthcare provider reports on maternal health and gestation.
5	At delivery	Birth / Delivery
6	At delivery	Assessment of pregnancy outcomes, recording of major/minor congenital malformations,.
7	Up to 12 Months	Infant Follow-up
8	Up to 12 Months	Infant health, survival, and development assessment reported by healthcare providers,.

(Note: As an observational registry, visits and data collection coincide with the patient's routine prenatal and pediatric care schedule).

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Number of infants with major congenital malformations (birth defects). **Measurement Method:** Healthcare provider report through the registry, reviewed annually beginning April 2022.

7.2 Secondary & Exploratory Endpoints * Number of infants with minor congenital malformations. * Incidence of gestational hypertension in the mother.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection via healthcare provider reports focusing on maternal, fetal, and infant outcomes through the registry mechanism. **Serious Adverse Events (SAEs):** Specific monitoring for major congenital malformations and severe maternal complications (e.g., severe gestational hypertension). **Data Monitoring Committee (DMC):** Managed internally by Pfizer's pharmacovigilance and registry oversight teams,.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All enrolled pregnant women meeting inclusion criteria (exposed and unexposed cohorts) and their resulting infants,. **Sample Size Justification:** $N = 780$ targeted to provide sufficient observational data to detect and compare the incidence of major congenital malformations against the unexposed cohort and standard baseline populations. **Handling of Missing Data:** Standard epidemiological handling for registry databases, tracking lost-to-follow-up participants up to the 12-month infant milestone.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study is conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and applicable regulatory guidelines for observational registries. **Monitoring Plan:** Centralized remote data monitoring of healthcare provider reports to ensure data completeness and accuracy regarding fetal/maternal outcomes. **Audit Trail:** Electronic data capture system ensuring a secure audit trail for all registry entries and data clarification mechanisms.

11. Study Identifiers & Governance

Primary ID: C4951005 / BHV3000-402 **Registry Number:** NCT05046613
Sponsor/Lead Organization: Pfizer **Study Title:** MONITOR **Official Regulatory Title:** A Prospective, Registry-based, Observational Study to Assess Maternal, Fetal and Infant Outcomes Following Exposure to Rimegepant: The Migraine Observational Nurtec Pregnancy Registry (MONITOR)

12. Clinical Framework (Migraine Specific)

Primary Condition: Migraine in Pregnant Women **Diagnosis Threshold:** Clinical diagnosis of migraine **Medical Methodology:** Observational Pregnancy Registry **Optimization Target:** Maternal and fetal safety monitoring following rimegepant exposure

13. Study Procedures & Methodology

Management Pathway: Routine clinical care for migraine during pregnancy **Education Protocol (HCP):** Guidelines for accurate reporting of maternal, fetal, and infant outcomes to the registry **Education Protocol (Patient):** Informed consent processes and registry participation information **Quality Audit Mechanism:** Healthcare provider report tracking and centralized clinical data verification

14. Observation & Follow-Up Schedule

Total Duration: From registry enrollment through 12 months of infant age **Onsite Visit Cadence:** N/A (Relies on routine healthcare visits determined by the provider) **Remote Monitoring Frequency:** Continuous data collection via HCP reports during pregnancy, at birth, and at infant age 12 months, **Checklist Review Interval:** Annually for primary and secondary outcomes

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]		Lead		
Statistician	[Name]	_____	[DD-MMM-YYYY]	[]			