

1. Administrative & Study Identification

Full Study Title: Deucravacitinib in Routine Clinical Practice: A 5-year, Multicenter, Prospective, Non-Interventional Cohort Study to Evaluate Effectiveness and Quality of Life in Patients With Moderate-to-Severe Plaque Psoriasis in Germany **Brief Study Title:** A Study to Evaluate Deucravacitinib in Participants With Moderate-to-Severe Plaque Psoriasis in Germany **Short Title/ Acronym:** DELPHIN **Protocol Number:** IM011-250 **NCT Number:** NCT06104644 **Posting ID:** 425090069803687444 **Sponsor Name:** Bristol Myers Squibb **Investigational Product:** Deucravacitinib **Phase of Development:** Not Applicable **Trial Status:** Active, Not Recruiting (ACTIVE_NOT_RECRUITING) **Medical Monitor:** Bristol Myers Squibb Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To describe the real-world effectiveness of deucravacitinib treatment by evaluating the proportion of patients achieving an absolute Psoriasis Area Severity Index (aPASI) score ≤ 3 at Week 24 or the nearest visit. **Secondary Objectives:** To evaluate the long-term effectiveness (up to 5 years) and changes in health-related quality of life (using instruments like the Dermatology Life Quality Index [DLQI]) in patients treated with deucravacitinib in routine clinical practice.

2.2 Background & Rationale To address the gap in real-world data regarding the long-term effectiveness and safety of deucravacitinib, a novel, oral, selective tyrosine kinase 2 (TYK2) inhibitor, in patients with moderate-to-severe plaque psoriasis. While interventional trials have demonstrated its efficacy, this study (DELPHIN) is necessary to understand how the drug performs in routine clinical practice in Germany over a 5-year observation period, its impact on quality of life, and its practical benefits outside controlled trial environments.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Prospective, Non-interventional cohort study) **Control Type:** Single-arm **Blinding:** Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Target N: 550 estimated patients **Number of Sites:** Multicenter (Germany) **Estimated Study Start:** 13-Apr-2023 **Estimated Primary Completion:** 18-Aug-2025

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patients with a physician-reported diagnosis of moderate-to-severe plaque psoriasis initiating deucravacitinib according to the approved label in the European Union. 2. The decision upon treatment with deucravacitinib must have been made before enrollment and independently of this non-interventional observational study. 3. Patient is at least 18 years of age at the time of the treatment decision. 4. Patient provided written informed consent to participate in the study.

4.2 Exclusion Criteria 1. Any contraindications according to the approved deucravacitinib Summary of Product Characteristics. 2. Prior treatment with deucravacitinib. 3. Simultaneous participation in an interventional clinical trial for moderate-to-severe psoriasis.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Drug Details: Deucravacitinib (Trade Name: Sotyktu | ATC Code: L04AA56) **Dosage/Frequency:** Deucravacitinib dosed according to the approved EU label (typically 6 mg once daily). **Route of Administration:** Oral **Duration of Treatment:** Up to 5 years (60 months) of real-world observation.

5.2 Concomitant & Prohibited Therapy Permitted: Standard of care therapies for co-morbidities as prescribed by the treating physician in a routine practice setting. **Prohibited:** Simultaneous participation in an interventional clinical trial and any medications contraindicated in the deucravacitinib Summary of Product Characteristics.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening/Baseline	Day 0	Treatment decision, Informed Consent, Baseline aPASI, DLQI
Interim 1	Week 4	Routine care assessment, aPASI score, Safety observation
Interim 2	Week 16	Routine care assessment, aPASI score, Safety observation
Interim 3	Week 24	Primary Endpoint Evaluation (aPASI, DLQI evaluation)
End of Study	Year 5 (Week 240)	Final long-term effectiveness, Quality of Life, and Safety exit evaluation

(Note: Because this is a non-interventional study, the exact cadence of intermediate visits conforms to routine clinical practice in Germany.)

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Proportion of patients achieving an absolute Psoriasis Area Severity Index (aPASI) score ≤ 3 at Week 24 or nearest visit. **Measurement Method:** Physician-reported clinical evaluation during routine care.

7.2 Secondary & Exploratory Endpoints 1. Effectiveness of deucravacitinib treatment measured by the number of participants who achieve an absolute Psoriasis Area Severity Index (aPASI) score ≤ 3 and ≤ 6 . 2. Effectiveness of deucravacitinib treatment measured by the number of participants who achieve Psoriasis Area Severity Index (PASI) 75/90/100. 3. Effectiveness of deucravacitinib treatment measured by the number of participants who achieved static Physician's Global Assessment (sPGA) 0/1 and change in sPGA over time. 4. Improvement in Dermatology Life Quality Index (DLQI) scores. 5. Long-term aPASI score improvements and safety outcomes observed over the 5-year study period.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Routine clinical practice monitoring; events collected through physician reports and patient assessments during standard care visits. **Serious Adverse Events (SAEs):** Reported according to post-marketing pharmacovigilance regulations and standard reporting timelines (typically 24 hours to the sponsor). **Data Monitoring Committee (DMC):** Internal Pharmacovigilance / Medical Affairs team (Bristol Myers Squibb).

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Full Analysis Set (FAS), comprising enrolled patients receiving at least one dose of deucravacitinib in the real-world setting. **Sample Size Justification:** A target of 550 patients provides sufficient precision for descriptive statistics to track real-world effectiveness (aPASI ≤ 3) and DLQI improvements. **Handling of Missing Data:** Generally evaluated "as observed" in non-interventional settings; appropriate methods such as Last Observation Carried Forward (LOCF) may be applied for specific longitudinal endpoints.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Epidemiological Practice (GEP), Good Pharmacovigilance Practices (GVP), and local regulatory requirements for observational studies. **Monitoring Plan:** Periodic source data

verification of Electronic Data Capture (EDC) entries based on the observational monitoring plan. **Audit Trail:** Validated EDC system with comprehensive audit trail capabilities, ensuring data integrity and prompt data clarification.

11. Study Identifiers & Governance

Primary ID: IM011-250 **Registry Number:** NCT06104644 **Posting ID:** 425090069803687444 **Sponsor/Lead Organization:** Bristol Myers Squibb **Study Title:** DELPHIN **Official Regulatory Title:** Deucravacitinib in Routine Clinical Practice: A 5-year, Multicenter, Prospective, Non-Interventional Cohort Study to Evaluate Effectiveness and Quality of Life in Patients With Moderate-to-Severe Plaque Psoriasis in Germany

12. Clinical Framework

Primary Condition: Plaque Psoriasis (Preferred Name: Chronic small plaque psoriasis) **Disease Identifiers:** MeSH Code: D056345 | SNOMED ID: 200965009 **Diagnosis Threshold:** Physician-reported diagnosis of moderate-to-severe plaque psoriasis according to EU label **Medical Methodology:** Real-world administration of an oral TYK2 inhibitor **Optimization Target:** Absolute PASI (aPASI) score ≤ 3

13. Study Procedures & Methodology

Management Pathway: Routine dermatological clinical practice in Germany **Education Protocol (HCP):** Site initiation and training on the observational study protocol and EDC data entry. **Education Protocol (Patient):** Standard of care patient counseling and routine disease education regarding deucravacitinib. **Quality Audit Mechanism:** Periodic remote and onsite data monitoring of HCP diagnostic and treatment records.

14. Observation & Follow-Up Schedule

Total Duration: 5 years (approx. 240 weeks) **Onsite Visit Cadence:** Baseline, Weeks 4, 16, 24, and routine follow-ups continuing up to 5 years **Remote Monitoring Frequency:** Dependent on routine standard of care scheduling. **Checklist Review Interval:** Routine standard of care continuous assessment.

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Insert Name]	____	[DD-MMM-YYYY]				

| **Clinical Operations Lead** | **[Insert Name]** | ____ | **[DD-MMM-YYYY]**
| | **Lead Statistician** | **[Insert Name]** | _____ | **[DD-MMM-YYYY]** |