

1. Administrative & Study Identification

Full Study Title: SPECIAL INVESTIGATION FOR ABRYSV0 IN INDIVIDUALS AGED 60 YEARS OR OLDER **Short Title/Acronym:** ABRYSV0 Post-Marketing Safety Study Japan **Protocol Number:** C3671019 **NCT Number:** NCT06546800 **Sponsor Name:** Pfizer **Investigational Product:** Abrysvo (Biological: RSVpreF vaccine) **Phase of Development:** Phase IV / Post-Marketing Observational **Medical Monitor:** Pfizer Clinical Medical Team

2. Study Synopsis & Rationale

2.1 Study Objective * **Primary Objective:** To confirm the safety of the Abrysvo (RSV vaccine) in individuals aged 60 years or older under actual clinical practice settings in Japan. * **Secondary Objectives:** To evaluate the percentage of individuals reporting Serious Adverse Reactions (SAEs) up to 28 days post-vaccination.

2.2 Background & Rationale This post-marketing study is a multicenter cohort study intended to generate real-world evidence confirming the safety profile and tolerability of Abrysvo in the Japanese elderly population (aged 60 and older) following its launch.

3. Study Design & Methodology

3.1 Design Framework * **Study Type:** Observational (Multicenter Cohort Study) * **Control Type:** Single-arm * **Blinding:** Open-label * **Randomization:** N/A

3.2 Planned Enrollment & Duration * **Target \$N\$:** 1100 * **Number of Sites:** Multicenter across Japan * **Estimated Study Start:** 27-May-2025 * **Estimated Primary Completion:** 28-Oct-2027

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Individuals aged 60 years or older who have been vaccinated with Abrysvo for the first time after Abrysvo is launched. 2. Vaccinated participants (or his/her legally acceptable representative) who understand the information on this study and have provided written consent regarding their participation in the study.

4.2 Exclusion Criteria 1. Those who have previously participated in the clinical trials of this product will be excluded.

5. Intervention & Treatment Plan

5.1 Investigational Regimen * **Dosage/Frequency:** Standard single dose of the Abrysvo vaccine. * **Route of Administration:** Intramuscular Injection. * **Duration of Treatment:** 1 day (Single vaccination), followed by a 28-day observation period.

5.2 Concomitant & Prohibited Therapy * **Permitted:** Standard treatments as per actual clinical practice. * **Prohibited:** Prior participation in Abrysvo clinical trials.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening / Baseline	Day 0	Informed Consent, Medical History check, Vaccine Administration
End of Study	Day 28	Evaluation of Adverse Reactions and Serious Adverse Reactions

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint * **Definition:** Percentage of individuals aged 60 years or older reporting Adverse Reactions for 28 days after vaccination. * **Measurement Method:** Clinical observation and patient reporting of adverse events from the day of vaccination up to 28 days after.

7.2 Secondary & Exploratory Endpoints * Percentage of individuals aged 60 years or older reporting Serious Adverse Reactions from the day of vaccination up to 28 days after vaccination.

8. Safety & Adverse Event Reporting

- **Adverse Event (AE) Monitoring:** Collection of all adverse reactions (including serious) assessed for 28 days post-vaccination.
 - **Serious Adverse Events (SAEs):** Monitored and evaluated over the same 28-day observation window.
 - **Data Monitoring Committee (DMC):** Internal pharmacovigilance and safety monitoring board at Pfizer.
-

9. Statistical Analysis Plan (SAP) Summary

- **Analysis Populations:** Safety Set (all vaccinated individuals meeting eligibility).

- **Sample Size Justification:** Descriptive observational cohort powered to detect rare and common post-marketing safety signals in the Japanese population.
 - **Handling of Missing Data:** Standard handling procedures for observational post-marketing registries.
-

10. Quality Assurance & Regulatory Compliance

- **GCP Compliance:** Conducted in accordance with Good Post-Marketing Study Practice (GPSP) and local Japanese regulatory guidelines.
 - **Monitoring Plan:** Routine tracking of safety reporting forms and adverse reaction logs submitted by participating centers.
 - **Audit Trail:** Secure maintenance of clinical data and safety reporting logs.
-

11. Study Identifiers & Governance

- **Primary ID:** C3671019
 - **Registry Number:** NCT06546800
 - **Sponsor/Lead Organization:** Pfizer
 - **Study Title:** SPECIAL INVESTIGATION FOR ABRYSV0 IN INDIVIDUALS AGED 60 YEARS OR OLDER
 - **Official Regulatory Title:** SPECIAL INVESTIGATION FOR ABRYSV0 IN INDIVIDUALS AGED 60 YEARS OR OLDER
-

12. Clinical Framework (Study Specific)

- **Primary Condition:** Respiratory Syncytial Virus (RSV) Infection
 - **Diagnosis Threshold:** Individuals aged ≥ 60 years
 - **Medical Methodology:** Prophylactic Vaccination (Actual clinical practice)
 - **Optimization Target:** Vaccine safety and tolerability
-

13. Study Procedures & Methodology

- **Management Pathway:** Standard immunization practice and 28-day follow-up.
 - **Education Protocol (HCP):** Administration guidelines according to the approved label in Japan.
 - **Education Protocol (Patient):** Informed consent and AE self-reporting instructions.
 - **Quality Audit Mechanism:** Active tracking of real-world AE and SAE reporting.
-

14. Observation & Follow-Up Schedule

- **Total Duration:** 28 Days per participant
 - **Onsite Visit Cadence:** Day 0 (Vaccination)
 - **Remote Monitoring Frequency:** Adverse event follow-up concluding on Day 28.
 - **Checklist Review Interval:** N/A (Continuous safety reporting over the 4-week window).
-

15. Sign-off & Approval

Role Name	Signature	Date					
Principal Investigator	_____	02-Apr-2026					
Operations Lead	_____	02-Apr-2026					
Lead Statistician	_____	02-Apr-2026					