

1. Administrative & Study Identification

Full Study Title: An open label, multi-center roll-over study to assess long-term effect in pediatric patients treated with Tafinlar (dabrafenib) and/or Mekinist (trametinib) **Short Title/ Acronym:** Pediatric Long-Term Follow-up and Rollover Study **Protocol Number:** CDRB436G2401 **NCT Number:** NCT03975829 **Sponsor/ Company Name:** Novartis Pharmaceuticals **Investigational Product:** Tafinlar (dabrafenib) and Mekinist (trametinib) **Phase of Development:** Phase IV **Medical Monitor:** Novartis Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To assess the long-term safety (number of participants with adverse events and serious adverse events [SAEs]) of continued treatment with dabrafenib, trametinib, or the combination in pediatric patients. **Secondary Objectives:** To evaluate the long-term effects of the treatments on general health, physical growth (height and weight), and skeletal maturation over time.

2.2 Background & Rationale This study facilitates the collection of long-term outcome data for pediatric patients with BRAF V600 mutation-positive cancers (such as astrocytomas, gliomas, and associated childhood cancer survivor conditions) who have previously participated in Novartis-sponsored clinical trials (parent studies). Additionally, this rollover study provides a mechanism for these pediatric patients to maintain continuous access to the study medication(s) if they are still deriving clinical benefit, the parent study is planned to be closed, and the drugs are not yet commercially available or reimbursed in their local country for their specific indication.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (Roll-over study) **Control Type:** Single-arm **Blinding:** Open-label (None blind) **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 163 participants (Targeted Enrollment) **Number of Sites:** Global / Multi-center **Trial Status:** Active, Not Recruiting

4. Subject Selection (Eligibility Criteria)

4.1 Key Inclusion Criteria 1. Written informed consent, according to local guidelines, signed by the subjects and/or by the parents or legal guardian prior to any study-related screening procedures. 2. Participation in a Novartis-sponsored study such as CTMT212X2101, CDRB436G2201, or CDRB436A2102, regardless of current age, where the parent study (or cohort) is planned to be closed. 3. Subject has demonstrated compliance within the parent study protocol requirement(s) and is willing and able to comply with scheduled visits and treatment plans. 4. For subjects entering the treatment period: Currently receiving treatment with dabrafenib/trametinib monotherapy or combination within a Novartis Sponsored Drug Development study. (Note: subjects who were on the chemotherapy arm of the CDRB436G2201 study are eligible for the treatment period of this study only after crossing over into the experimental treatment arm of the CDRB436G2201 study). 5. In the opinion of the investigator, the subject is likely to benefit from continued treatment.

4.2 Key Exclusion Criteria 1. Subject has participated in a combination trial where dabrafenib and/or trametinib was dispensed in combination with another study medication. 2. Subject has permanently discontinued from study treatment in the parent protocol due to any reason. 3. Treatment with dabrafenib and/or trametinib for the subject's indication is approved for marketing, and the appropriate dosage form is commercially available and reimbursed in the local country. 4. Subject currently has unresolved drug-related severe toxicities for which dabrafenib and/or trametinib dosing has been interrupted in the parent study (unless criteria to resume treatment on the parent protocol are met).

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Oral Dabrafenib (Tafinlar) and/or Trametinib (Mekinist; ATC Code: L01EE01) dosed according to the established age- and weight-based regimen parameters of the parent study. **Route of Administration:** Oral (capsules or dispersible tablets for oral suspension/liquid-dose formulation). **Duration of Treatment:** Administered continuously until unacceptable toxicity, progressive disease (PD), lack of clinical benefit, or patient/physician decision to discontinue.

5.2 Concomitant & Prohibited Therapy Permitted: Standard institutional care therapies, supportive medications for symptom management. **Prohibited:** Other investigational systemic anti-cancer therapies that could interact with the BRAF/MEK inhibition pathway.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	-14 to 0	Consent transition from parent protocol, baseline vitals, and tumor assessments review
2	Standard of Care	Continued IP dispensing, monitoring of safety, physical growth, and development
3	Every 6 Months	Efficacy Assessments
4	At Discontinuation	Final safety labs, survival follow-up, and transition to commercial drug if applicable

7. Outcome Measures (Endpoints)

7.1 Primary Outcome Measure Definition: Long-term safety profile characterized by the number of participants with Adverse Events and Serious Adverse Events (SAEs). **Measurement Method:** Routine clinical evaluation graded by standard toxicity criteria to assess the long-term safety of treatment with dabrafenib, trametinib, or the combination.

7.2 Secondary Outcome Measures

- * **[Endpoint 1]** Percentage of participants with height (measured by cm or in) changes over time.
- * **[Endpoint 2]** Percentage of participants with weight (measured by kg or lb) changes over time.
- * **[Endpoint 3]** Percentage of participants with skeletal maturation (measured by bone age on x-ray or MRI) changes over time.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Continuous monitoring during the treatment and follow-up phases by the investigator during standard care visits. **Serious Adverse Events (SAEs):** Reported within standard protocol timelines to Novartis safety teams. **Data Monitoring Committee (DMC):** Internal safety review committees tracking long-term toxicities unique to pediatric continuous BRAF/MEK inhibition.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: All-Treated Population (any subject receiving at least one dose of the rolled-over study drug). **Sample Size Justification:** No formal hypothesis testing is planned as this is a rollover study. The sample size (N=163) is dictated by the number of eligible subjects transitioning from parent studies. **Handling of Missing Data:** Summarized descriptively; no formal imputation rules as assessments follow institutional standard of care.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Periodic site monitoring to ensure accurate adverse event reporting and drug accountability. **Audit Trail:** Standard eCRF management to link parent study records with long-term rollover study data.

11. Study Identifiers & Governance

Primary Protocol ID: CDRB436G2401 **Registry Number (NCT):**

NCT03975829 **Posting ID:** 469225023552225056 **Sponsor/Lead**

Organization: Novartis Pharmaceuticals **Study Title:** Pediatric Long-Term Follow-up and Rollover Study **Official Regulatory Title:** An Open Label, Multi-center Roll-over Study to Assess Long-term Effect in Pediatric Patients Treated With Tafinlar (Dabrafenib) and/or Mekinist (Trametinib)

12. Clinical Framework (Pediatric Oncology Specific)

Disease Areas / Conditions: Diffuse Astrocytoma, Anaplastic Astrocytoma, Astrocytoma, Oligodendroglioma, Childhood, Anaplastic Oligodendroglioma, Glioblastoma, Pilocytic Astrocytoma, Giant Cell Astrocytoma, Pleomorphic Xanthoastrocytoma, Anaplastic Pleomorphic Xanthoastrocytoma, Angiocentric Glioma, Chordoid Glioma of Third Ventricle, Gangliocytoma, Ganglioglioma, Anaplastic Ganglioglioma, Dysplastic Gangliocytoma of Cerebrellum, Desmoplastic Infantile Astrocytoma and Ganglioglioma, Papillary Glioneuronal Tumor, Rosette-forming Glioneuronal Tumor, Central Neurocytoma, Extraventricular Neurocytoma, Cerebellar Liponeurocytoma, Neurofibromatosis Type 1. **Preferred UMLS Name:** Childhood Cancer Survivors **Diagnosis Threshold:** Previous confirmed diagnosis and enrollment/compliance in a Novartis-sponsored parent trial. **Medical Methodology:** Targeted BRAF/MEK inhibitor therapy. **Optimization Target:** Maintenance of disease response and evaluation of long-term safety/development.

13. Study Procedures & Methodology

Management Pathway: Institutional standard of care aligned with parent protocol requirements. **Education Protocol (HCP):** Site initiation and continuation training for pediatric targeted therapy toxicities. **Education Protocol (Patient):** Ongoing counseling regarding long-term therapy compliance and medication administration (oral suspension vs. capsules). **Quality Audit Mechanism:** Ongoing safety data reconciliation and registry matching.

14. Observation & Follow-Up Schedule

Total Duration: Open-ended (until marketing authorization is achieved in the local region or patient discontinuation). **Onsite Visit Cadence:** Dictated by institutional standard of care (minimum safety and efficacy reviews roughly every 6 months). **Remote Monitoring Frequency:** Standard ongoing pharmacovigilance. **Checklist Review Interval:** Routine clinic visits.

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]				Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]				