

1. Administrative & Study Identification

Full Study Title: Study to Allow Access to Imatinib for Patients Who Are on Imatinib Treatment in a Novartis-sponsored Study and Are Benefiting From the Treatment as Judged by the Investigator
Official Title: An Open Label, Multi-center Imatinib Roll-over Protocol for Patients Who Have Completed a Previous Novartis-sponsored Imatinib Study and Are Judged by the Investigator to Benefit From Continued Imatinib Treatment
Short Title/Acronym: Imatinib Roll-Over Study / Expanded Access Program
Protocol Number: CSTI571A2406 [EudraCT: 2012-002540-25] **NCT Number:** NCT01742299 **Posting ID:** 474314557593038687 **Sponsor/Company Name:** Novartis **Investigational Product:** Imatinib mesylate (STI571 / Gleevec / Glivec) **Phase of Development:** PHASE4 **Trial Status:** ACTIVE_NOT_RECRUITING **Medical Monitor:** Novartis Oncology Medical Monitor

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate long term safety data (SAEs and AEs): To better characterize the long-term safety of imatinib in patients who are on imatinib treatment and are benefiting from the treatment as judged by the investigator.
Secondary Objectives: To evaluate clinical benefit as assessed by the investigator.

2.2 Background & Rationale The purpose of this study is to allow continued use of imatinib in patients who are on imatinib treatment in a Novartis-sponsored, Oncology Clinical Development & Medical Affairs (CD&MA) study and are benefiting from the treatment as judged by the investigator. This addresses the ethical and medical necessity of providing uninterrupted, post-trial access to treatment for conditions such as Gastrointestinal Stromal Tumors (GIST) and Chronic Myeloid Leukemia (CML).

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional (Roll-over protocol / Expanded Access Program) **Control Type:** Single-arm
Blinding: Open-label **Randomization:** N/A

3.2 Planned Enrollment & Duration Targeted Enrollment: 155 **Number of Sites:** Multi-center (Global) **Estimated Study Start:** February 2013 **Estimated Primary Completion:** Event-driven (Until commercial availability, disease progression, or transition to local standard of care)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patient is currently enrolled in a Novartis-sponsored, Oncology Clinical Development & Medical Affairs study receiving imatinib and has fulfilled all their requirements in the parent study. 2. Patient is currently benefiting from the treatment with imatinib, as determined by the investigator. 3. Patient has demonstrated compliance, as assessed by the investigator, with the parent study protocol requirements. 4. Willingness and ability to comply with scheduled visits, treatment plans and any other study procedures. 5. Written informed consent obtained prior to enrolling in roll-over study. 6. If consent cannot be expressed in writing, it must be formally documented and witnessed, ideally via an independent trusted witness.

4.2 Exclusion Criteria 1. Patient has been permanently discontinued from imatinib treatment in the parent study due to unacceptable toxicity, non-compliance to study procedures, withdrawal of consent or any other reason. 2. Patient has participated in a Novartis sponsored combination trial where imatinib was dispensed in combination with another study medication and patient is still receiving combination therapy. 3. Pregnant or nursing (lactating) women, where pregnancy is defined as the state of a female after conception and until the termination of gestation, confirmed by a positive hcG laboratory test. 4. Women of child-bearing potential, defined as all women physiologically capable of becoming pregnant, unless they are using highly effective methods of contraception during the study and for 30 days after the final dose of imatinib. Male patients must use highly effective contraception during the study and for 30 days after the final dose of imatinib.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Imatinib mesylate doses carry over from the parent study, adjusted per investigator discretion based on long-term tolerability. **Route of Administration:** Oral **Duration of Treatment:** Continuous until loss of clinical benefit, unacceptable toxicity, patient withdrawal, or transition to commercial supply.

5.2 Concomitant & Prohibited Therapy Permitted: Standard supportive care and concomitant medications as required for managing co-morbidities. **Prohibited:** Other concurrent investigational antineoplastic therapies or combination therapies where the patient is still receiving the combination medication from a parent trial.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Transition/Baseline	Day 0	Informed Consent for roll-over, Baseline physical, Transition of medical records from parent study
Maintenance Visits	Every 12-24 Weeks	Dispensation of imatinib, Safety Labs, Routine Efficacy/Survival Assessment
End of Study	N/A	Final Vital Signs, Exit Evaluation, IP Accountability, Transition to commercial drug

7. Outcome Measures (Endpoints)

7.1 Primary Outcome 1. To evaluate long term safety data (SAEs and AEs): To better characterize the long-term safety of imatinib in patients who are on imatinib treatment and are benefiting from the treatment as judged by the investigator.

7.2 Secondary Outcome 1. To evaluate clinical benefit as assessed by the investigator.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection via HCP interviews and laboratory assessments to evaluate long term safety data. **Serious Adverse Events (SAEs):** Mandatory reporting to the sponsor to characterize long-term safety of imatinib.

Pregnancy Reporting: If a study patient becomes pregnant or suspects they are pregnant during the study or within 30 days of the final dose of imatinib, the Investigator/Study Doctor needs to be informed immediately and ongoing study treatment with imatinib has to be stopped immediately.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (includes all patients who receive at least one dose of imatinib under the roll-over protocol). **Sample Size Justification:** Targeted enrollment is 155 patients. **Handling of Missing Data:** Descriptive statistics applied to safety data; further clinical benefit analyzed as assessed by the investigator.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki.

Monitoring Plan: Periodic risk-based onsite and remote monitoring to ensure patient safety and proper investigational product

accountability. **Audit Trail:** eCRF entry tracking and regular data clarification audits by the sponsor.

11. Study Identifiers & Governance

Primary ID: CSTI571A2406 **Registry Number:** NCT01742299 **Posting ID:** 474314557593038687 **Sponsor/Lead Organization:** Novartis **Study Title:** Study to Allow Access to Imatinib for Patients Who Are on Imatinib Treatment in a Novartis-sponsored Study and Are Benefiting From the Treatment as Judged by the Investigator **Official Regulatory Title:** An Open Label, Multi-center Imatinib Roll-over Protocol for Patients Who Have Completed a Previous Novartis-sponsored Imatinib Study and Are Judged by the Investigator to Benefit From Continued Imatinib Treatment

12. Clinical Framework (Oncology Roll-over Specific)

Primary Condition: Disease Areas: GIST and CML (Philadelphia chromosome positive chronic myelogenous leukemia) **Diagnosis Threshold:** Confirmed diagnosis established during parent trial entry **Medical Methodology:** Long-term Tyrosine Kinase Inhibitor (TKI) Maintenance Therapy **Optimization Target:** Sustained clinical benefit

13. Study Procedures & Methodology

Management Pathway: Post-trial continuous access pathway (Expanded Access Program) **Education Protocol (HCP):** Standard investigator brochure updates and pharmacovigilance tracking **Education Protocol (Patient):** Continuation of therapy counseling, contraception requirements training, and long-term adherence training **Quality Audit Mechanism:** Routine drug accountability and continuous safety signal detection

14. Observation & Follow-Up Schedule

Total Duration: Event-driven (Lifelong or until commercial transition) **Onsite Visit Cadence:** Standardized to local clinical practice for stable oncology maintenance **Remote Monitoring Frequency:** As needed based on patient condition **Checklist Review Interval:** Concurrent with dispensation schedules

15. Sign-off & Approval

Role	Name	Signature	Date	:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				

Clinical Operations Lead | [Name] | ____ | [DD-MMM-YYYY] | | Lead
Statistician | [Name] | _____ | [DD-MMM-YYYY] |