

1. Administrative & Study Identification

Full Study Title: A Multicentre, Single Arm, Non-interventional, Prospective Study to Assess Demographic Characteristics and Patient Reported Outcomes in Patients With Severe Eosinophilic Asthma Treated With Benralizumab in China **Short Title/Acronym:** SPEED **Protocol Number:** D3250R00131 **NCT Number:** NCT06862206 **EudraCT Identifier:** N/A **CTIS Identifier:** N/A **Sponsor Name:** AstraZeneca **Investigational Product:** Benralizumab **Phase of Development:** N/A (Observational / Non-interventional) **Overall Status:** Recruiting **Medical Monitor:** AstraZeneca Clinical Study Information Center

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To collect empirical data that elucidates the clinical profile and therapeutic efficacy of benralizumab among patients aged 12 years and above with severe eosinophilic asthma (SEA). **Secondary Objectives:** To evaluate early treatment response, long-term treatment outcomes, and changes in asthma control in a real-world setting in China. The study will also describe physician-reported reasons for the discontinuation or switching of benralizumab therapy.

2.2 Background & Rationale To address the need for real-world evidence elucidating the effectiveness, early clinical response, and patient-reported outcomes associated with benralizumab in Chinese patients with severe eosinophilic asthma (SEA).

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational, Non-interventional, Prospective **Allocation:** N/A **Intervention Model:** N/A **Masking:** N/A (Open-label) **Primary Purpose:** N/A **Endpoint Classification:** N/A **Control Type:** Single-arm **Blinding:** Open-label (None) **Randomization:** N/A

3.2 Planned Enrollment & Duration Target \$N\$: 1,000 participants (Estimated Enrollment) **Sex:** All Genders **Healthy Volunteers:** No **Number of Sites:** ~20 sites across China **Estimated Study Start Date:** 11-Jul-2025 **Estimated Primary Completion Date:** 31-Dec-2027 **Estimated Study Completion Date:** 31-Dec-2027

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Patients must be 12 years old (inclusive) or older at the time of signing the informed consent. 2. Patients diagnosed with severe eosinophilic asthma prescribed with benralizumab at the discretion of the clinician. 3. Blood EOS $\geq 150/\mu\text{l}$ in the 3 months prior to OR EOS $\geq 300/\mu\text{l}$ in the 1 year prior to the time of signing the informed consent. 4. Participating patients and/or their legally authorized representative must provide signed and dated written informed consent form prior to any study specific procedures.

4.2 Exclusion Criteria 1. Patients currently participating in any other clinical trial. 2. Known history of allergy or reaction to any component of the study treatment formulation. 3. Malignancy of any kind. 4. Patients with prior or ongoing treatment with benralizumab.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Benralizumab administered at the discretion of the treating clinician following standard real-world prescribing guidelines. **Route of Administration:** Subcutaneous injection. **Duration of Treatment:** Up to 56 weeks of observational follow-up.

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant maintenance therapies for asthma at the clinician's discretion. **Prohibited:** Concurrent participation in any other clinical trials or prior treatment with benralizumab.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
1	Screening/Baseline	Day 0 Informed Consent, Medical History, Blood EOS Labs, First Benralizumab Dose, Baseline ACQ-6
2	Interim	Weeks 1, 2, 4, 8, 16, 24, 40 Routine Clinical Visits, Asthma Control Questionnaire (ACQ-6) assessment, Therapy continuation assessment
3	End of Study	Week 56 Final ACQ-6 assessment, Evaluation of overall treatment outcomes, Exit documentation

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Changes from baseline in the Asthma Control Questionnaire-6 (ACQ-6) score at weeks 1, 2, 4, 16, 24, 40, and 56 after initiation of benralizumab. **Measurement Method:** Patient Reported Outcomes (PRO) via the ACQ-6 tool.

7.2 Secondary & Exploratory Endpoints * The percentage of patients well-controlled (ACQ-6 ≤ 0.75), partially controlled (> 0.75 and < 1.5), and uncontrolled (≥ 1.5) at weeks 1, 2, 4, 8, 16, 24, 40, and 56. * The percentage of patients achieving a clinically meaningful change in ACQ-6 (defined as ≥ 0.5 -unit improvement). * Physician-reported reasons for treatment discontinuation or therapy switching.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard real-world pharmacovigilance monitoring during routine clinical practice; recording physician-reported reasons for therapy changes. **Serious Adverse Events (SAEs):** Routine spontaneous reporting within 24 hours of clinician awareness. **Data Monitoring Committee (DMC):** Managed via standard AstraZeneca real-world evidence internal review.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Enrolled analysis set consisting of all participants who received at least one dose of benralizumab and completed baseline assessments. **Sample Size Justification:** $N = 1,000$ participants ensures statistically robust empirical data to characterize demographic profiles and real-world early treatment efficacy across the Chinese population. **Handling of Missing Data:** Standard imputation techniques tailored for observational studies and Patient Reported Outcomes (PRO) missingness.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: The study will be conducted in accordance with Good Pharmacoepidemiology Practices (GPP), local observational study regulations, and the Declaration of Helsinki. **Monitoring Plan:** Centralized monitoring of real-world data collection and PRO entries. **Audit Trail:** Secure Electronic Data Capture (eDC) system logging with data clarification forms.

11. Study Identifiers & Governance

Primary ID: D3250R00131 **Registry Number:** NCT06862206 **EudraCT Identifier:** N/A **CTIS Identifier:** N/A **Sponsor/Lead Organization:** AstraZeneca **Verification Date:** 01 Mar 2026 **Study Title:** SPEED **Official Regulatory Title:** A Multicentre, Single Arm, Non-interventional, Prospective Study to Assess Demographic Characteristics and Patient Reported Outcomes in Patients With Severe Eosinophilic Asthma Treated With Benralizumab in China

12. Clinical Framework (Severe Eosinophilic Asthma Specific)

Primary Condition: Chronic Obstructive Pulmonary Disease / Severe Eosinophilic Asthma (SEA) **Diagnosis Threshold:** Blood EOS ≥ 150 \$/ul (past 3 months) or ≥ 300 \$/ul (past 1 year) **Medical Methodology:** Real-world benralizumab therapy **Optimization Target:** Asthma Control (ACQ-6 ≤ 0.75)

13. Study Procedures & Methodology

Management Pathway: Standard real-world clinical pathway for SEA **Education Protocol (HCP):** Routine real-world prescribing guidelines and PRO administration **Education Protocol (Patient):** Routine care and self-reporting PRO instructions **Quality Audit Mechanism:** Electronic Patient Reported Outcomes (PRO) collection and tracking of physician discontinuation logic

14. Observation & Follow-Up Schedule

Total Duration: 56 Follow-up weeks **Onsite Visit Cadence:** Weeks 1, 2, 4, 8, 16, 24, 40, 56 **Remote Monitoring Frequency:** N/A (Observational / Clinical visit based) **Checklist Review Interval:** ACQ-6 evaluation at specified weeks

15. Sign-off & Approval

Role	Name	Signature	Date	:--	:--	:--	:--
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]				
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]				Lead
Statistician	[Name]	_____	[DD-MMM-YYYY]				