

Clinical Study Summary Report (CSSR)

Document Status: Draft | Version: 1.0 | Date: 02-Apr-2026

1. Administrative & Study Identification

Full Study Title: STudy of Real World vaccinE Effectiveness of maTernal RSVpreF vaccination Against Respiratory Syncytial Virus (RSV) in Hospitalised Infants in Australia **Short Title/Acronym:** STREETON **Protocol Number:** Not specified (Internal Pfizer Study ID) **NCT Number:** NCT07122661 **Sponsor Name:** Pfizer **Investigational Product:** ABRYSV0 (RSVpreF vaccination) **Phase of Development:** Observational / Phase IV equivalent (Retrospective non-interventional study) **Medical Monitor:** Pfizer Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To estimate the real-world vaccine effectiveness (VE) of ABRYSV0 during pregnancy against RSV-positive lower respiratory tract disease (LRTD) hospitalisation among infants from birth through 6 months (0 to ≤ 180 days) of age. **Secondary Objectives:** To estimate VE of ABRYSV0 during pregnancy against RSV-positive LRTD hospitalisation among infants from birth through 6 months within key subgroups (e.g., gestational age at vaccination, gestational age at birth, time from vaccination to birth, and time intervals of infant age at illness) and against RSV-positive severe LRTD hospitalisation.

2.2 Background & Rationale To evaluate the real-world vaccine effectiveness of maternal RSVpreF (ABRYSV0) vaccination during pregnancy against RSV-associated outcomes in infants. This Pfizer-sponsored real-world retrospective study leverages standard of care testing data using a test-negative design across independent hospitals in Australia, supplemented by national immunisation registry data, to understand the population-level impact of maternal RSVpreF vaccination without disrupting routine clinical care.

3. Study Design & Methodology

3.1 Design Framework Study Type: Observational (Real-world retrospective non-interventional study) **Control Type:** Case-control (Test-negative design comparing test-positive cases to test-negative controls) **Blinding:** Open-label / N/A (Retrospective analysis) **Randomization:** N/A

3.2 Planned Enrollment & Duration Target N\$: Not strictly defined; encompasses all eligible infants admitted to up to 9

participating hospitals across 6 states/territories in Australia.
Number of Sites: Up to 9 hospitals in Australia **Estimated Study Start:** 01-Mar-2025 (Start of data collection window) **Estimated Primary Completion:** 28-Feb-2027 (End of data collection window)

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Infant ≤ 12 months (≤ 360 days) of age on the hospitalisation date. 2. Index date within the time period for data collection (approximately 01 March 2025 - 28 February 2027). 3. Hospitalised with acute respiratory illness meeting the protocol-defined clinical case definition, and for whom RSV testing results from a specimen collected 10 days prior to hospital admission through 3 days after a hospital admission are known. 4. Infant born to a birth mother eligible to receive ABRYSV0 vaccination, with infant date of birth on or after 17 February 2025.

4.2 Exclusion Criteria 1. Infant born at < 28 weeks and 0/7 days of gestational age. 2. Infant received any licensed or investigational RSV preventive product (e.g., palivizumab, nirsevimab, active RSV vaccine) since birth. 3. Infant received ≥ 1 blood transfusion or other blood products containing antibody (e.g., fresh frozen plasma) since birth. 4. Infant born to a birth mother who received any other licensed or investigational RSV vaccine during this pregnancy. 5. Infant born to a birth mother for whom ABRYSV0 vaccination status cannot be confirmed in available data sources.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Standard of care maternal ABRYSV0 (RSVpreF) vaccination administered during pregnancy. **Route of Administration:** Intramuscular (standard for ABRYSV0 administration). **Duration of Treatment:** Single administration during pregnancy.

5.2 Concomitant & Prohibited Therapy Permitted: Standard clinical care therapies during infant hospitalization. **Prohibited:** Receipt of infant RSV preventive products (e.g., nirsevimab, palivizumab) or receipt of non-study maternal RSV vaccines during pregnancy excludes patients from the primary analysis cohort.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures	:---
:---	:---	Index Event	Day -10 to Day 3 of Admission
Acute respiratory illness presentation, hospitalization, and routine RSV respiratory panel testing (standard of care).			
Data Extraction	N/A	Retrospective collection of routine	

clinical encounter data, pathology lab results, and Australian Immunisation Register records. | | **End of Follow-up** | Up to 12 months | Assessment of maternal vaccination status and infant RSV hospitalization outcomes. |

(Note: As a retrospective observational study, there is no active enrollment or direct contact with study participants.)

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: Vaccine Effectiveness (VE) of ABRYSV0 during pregnancy against RSV-positive lower respiratory tract disease (LRTD) hospitalisation among infants from birth through 6 months (0 to ≤ 180 days) of age. **Measurement Method:** Calculated using an adjusted Odds Ratio (aOR) derived from a multivariable logistic regression model comparing the odds of maternal ABRYSV0 vaccination between RSV test-positive cases and RSV test-negative controls, adjusted for potential confounding ($VE = [1 - aOR] \times 100\%$).

7.2 Secondary & Exploratory Endpoints 1. VE against RSV-positive LRTD hospitalisation among infants from birth through 6 months within key subgroups (gestational age at vaccination/birth, time from vaccination to birth, etc.). 2. VE against RSV-positive severe LRTD hospitalisation.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: N/A; this is a retrospective non-interventional study analyzing existing health records and registries. No primary safety data outside the standard of care are prospectively collected. **Serious Adverse Events (SAEs):** Standard of care reporting is applicable within the respective hospital systems, but not mandated by this retrospective protocol. **Data Monitoring Committee (DMC):** Managed by the Sponsor (Pfizer) in coordination with the independent research network across Australia.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Case-control population using a test-negative design (infants tested for RSV). **Sample Size Justification:** Descriptive and relies on available population within the 9 designated Australian hospitals over the data collection window. Standardised mean differences >0.10 will be considered meaningful to compare distributions. **Handling of Missing Data:** Exclusion of cases where ABRYSV0 vaccination status cannot be confirmed in the official national immunisation registry (Australian Immunisation Register) or health records.

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Pharmacoepidemiology Practices (GPP) and local retrospective data privacy regulations. **Monitoring Plan:** No active site monitoring; reliance on established data extraction from accredited pathology laboratories and the Paediatric Active Enhanced Diseases Surveillance Network. **Audit Trail:** Validated through cross-referencing hospital electronic health records (EHR) with the official national Australian Immunisation Register.

11. Study Identifiers & Governance

Primary ID: {{STREETON}} **Registry Number:** {{NCT07122661}}
Sponsor/Lead Organization: {{Pfizer}} **Study Title:** {{STREETON}}
Official Regulatory Title: {{STudy of Real World vaccine Effectiveness of maTernal RSVpreF vaccination Against Respiratory Syncytial Virus (RSV) in Hospitalised Infants in Australia}}

12. Clinical Framework (RSV Specific)

Primary Condition: {{Respiratory Syncytial Virus (RSV)}}
Diagnosis Threshold: {{RSV-positive lower respiratory tract disease (LRTD) hospitalisation}} **Medical Methodology:** {{Real-world retrospective non-interventional study, Test Negative Design}} **Optimization Target:** {{Maternal RSVpreF vaccination during pregnancy}}

13. Study Procedures & Methodology

Management Pathway: {{Routine standard of care clinical encounters available in health records}} **Education Protocol (HCP):** {{N/A - Retrospective Study}} **Education Protocol (Patient):** {{N/A - Retrospective Study}} **Quality Audit Mechanism:** {{Data supplemented with official national immunisation registry and accredited pathology laboratories}}

14. Observation & Follow-Up Schedule

Total Duration: {{Infant follow-up through 6 to 12 months of age}} **Onsite Visit Cadence:** {{N/A - Retrospective Study}} **Remote Monitoring Frequency:** {{N/A - Data extracted from registries and EHR}} **Checklist Review Interval:** {{N/A}}

15. Sign-off & Approval

Role	Name	Signature	Date		:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]					
Statistician	[Name]	_____	[DD-MMM-YYYY]					