

1. Administrative & Study Identification

Full Study Title: A Phase 3 Open-label Rollover Clinical Study of Doravirine/Islatravir (DOR/ISL) Once-daily for the Treatment of HIV-1 Infection in Participants Who Previously Received DOR/ISL in a Phase 2 or Phase 3 DOR/ISL Clinical Study **Short Title/**
Acronym: Follow-up of Doravirine/Islatravir for HIV-1 Infection (MK-8591A-033) **Protocol Number:** MK-8591A-033 **NCT Number:** NCT04776252 **Sponsor Name:** Merck Sharp & Dohme LLC **Investigational Product:** Doravirine/Islatravir (DOR/ISL 100 mg/0.75 mg) Fixed Dose Combination (MK-8591A) **Phase of Development:** Phase 3 **Medical Monitor:** Merck Clinical Operations Lead

2. Study Synopsis & Rationale

2.1 Study Objective Primary Objective: To evaluate the long-term safety and tolerability of MK-8591A, a 2-drug fixed dose combination (FDC) of doravirine (100mg) and islatravir (0.75mg), in participants with HIV-1 infection who were treated with DOR and ISL in earlier clinical studies. **Secondary Objectives:** To provide a rollover mechanism for participants deriving clinical benefit from earlier DOR/ISL trials to continue receiving treatment until alternatives are identified.

2.2 Background & Rationale To ensure continued access and evaluation for participants who have completed prior Phase 2 or Phase 3 DOR/ISL studies. Participants have the option to continue receiving DOR/ISL (100 mg/0.75 mg) until treatment alternatives are identified, or up to Week 288, given that participants are still deriving benefit, based on an individual benefit/risk assessment.

3. Study Design & Methodology

3.1 Design Framework Study Type: Interventional **Control Type:** Single-arm (Single Group Assignment) **Blinding:** Open-label (None) **Randomization:** N/A (Rollover study)

3.2 Planned Enrollment & Duration Target \$N\$: Eligible rollover participants from previous MSD-sponsored DOR/ISL studies **Number of Sites:** Global, Multicenter **Estimated Study Start:** 15-Sep-2021 **Estimated Primary Completion:** 29-May-2029

4. Subject Selection (Eligibility Criteria)

4.1 Inclusion Criteria 1. Is currently receiving DOR 100 mg/ISL 0.75 mg adult FDC tablet in an MSD-sponsored clinical study and has completed the last treatment visit. 2. Is considered by the investigator to have derived clinical benefit from receiving DOR/ISL and for whom further treatment with DOR/ISL is considered clinically appropriate. 3. Female is not pregnant or breastfeeding, and at least one of the following conditions applies: Is not a woman of childbearing potential (WOCBP); or is a non-pregnant WOCBP who agrees to use an acceptable method of contraception during the intervention period and for at least 6 weeks after the last dose.

4.2 Exclusion Criteria 1. Is taking or is anticipated to require any prohibited therapies. 2. Pregnancy or breastfeeding without protocol-allowed exceptions. 3. Does not derive clinical benefit from continuing DOR/ISL per the investigator's judgment.

5. Intervention & Treatment Plan

5.1 Investigational Regimen Dosage/Frequency: Doravirine 100 mg / Islatravir 0.75 mg (DOR/ISL) taken once daily. **Route of Administration:** Oral (Fixed Dose Combination tablet). **Duration of Treatment:** Up to Week 288 or until treatment alternatives are identified.

5.2 Concomitant & Prohibited Therapy Permitted: Standard concomitant medications for comorbidities not interacting with DOR/ISL. **Prohibited:** Any therapies anticipated to cause severe drug-drug interactions with doravirine or islatravir.

6. Study Timeline & Visit Schedule

Visit ID	Window (Days)	Key Activities/Procedures
Screening	N/A	Rollover transition from prior MSD-sponsored trial
Baseline	Day 0	Transition onto MK-8591A-033 protocol, First Rollover Dose
Interim	Ongoing	Routine safety labs, adverse event monitoring up to Week 192 / 198
End of Study	Up to Week 288	Final Vital Signs, IP Accountability, Transition to alternative ART

7. Outcome Measures (Endpoints)

7.1 Primary Endpoint Definition: 1. Percentage of participants with serious adverse events (SAEs) evaluated up to Week 198. 2. Percentage of participants who discontinued study treatment due to an AE evaluated up to Week 192. **Measurement Method:** Clinical safety evaluations, investigator assessments, and standard AE reporting.

7.2 Secondary & Exploratory Endpoints 1. Long-term maintenance of HIV-1 viral suppression. 2. Long-term overall tolerability of the fixed-dose combination.

8. Safety & Adverse Event Reporting

Adverse Event (AE) Monitoring: Standard collection during all study visits, tracking treatment discontinuations specifically up to Week 192. **Serious Adverse Events (SAEs):** Evaluated continuously up to Week 198; reported within 24 hours to the sponsor. **Data Monitoring Committee (DMC):** Internal/External safety review as established for the MK-8591A clinical program.

9. Statistical Analysis Plan (SAP) Summary

Analysis Populations: Safety Set (all participants receiving at least one dose of rollover study medication). **Sample Size Justification:** Determined practically by the number of eligible participants completing prior Phase 2/3 trials who elect to roll over. **Handling of Missing Data:** Standard approaches for open-label safety extensions (e.g., descriptive statistics for AE frequencies).

10. Quality Assurance & Regulatory Compliance

GCP Compliance: This study will be conducted in accordance with Good Clinical Practice (GCP) and the Declaration of Helsinki. **Monitoring Plan:** Routine on-site and remote monitoring to ensure protocol adherence, benefit/risk assessments, and safety reporting. **Audit Trail:** Standard eCRF implementation, drug accountability logging, and data clarification mechanisms.

11. Study Identifiers & Governance

Primary ID: {{MK-8591A-033}} **Registry Number:** {{NCT04776252}}
Sponsor/Lead Organization: {{Merck Sharp & Dohme LLC}} **Study Title:** {{Follow-up of Doravirine/Islatravir for HIV-1 Infection}}
Official Regulatory Title: {{A Phase 3 Open-label Rollover Clinical Study of Doravirine/Islatravir (DOR/ISL) Once-daily for the Treatment of HIV-1 Infection in Participants Who Previously Received DOR/ISL in a Phase 2 or Phase 3 DOR/ISL Clinical Study}}

12. Clinical Framework (HIV-1 Specific)

Primary Condition: {{HIV-1 Infection}} **Diagnosis Threshold:** {{Confirmed HIV-1 infection and completion of prior DOR/ISL study}} **Medical Methodology:** {{Antiretroviral Therapy (ART)}}

Optimization Target: {{Viral suppression and long-term safety maintenance}}

13. Study Procedures & Methodology

Management Pathway: {{Standard clinical pathway for HIV-1 long-term management}} **Education Protocol (HCP):** {{ART dispensing, AE reporting, and long-term follow-up procedures}} **Education Protocol (Patient):** {{Adherence counseling, safe sex practices, and contraception requirement tracking}} **Quality Audit Mechanism:** {{Drug accountability and routine safety lab monitoring}}

14. Observation & Follow-Up Schedule

Total Duration: {{Up to 288 weeks}} **Onsite Visit Cadence:** {{Routine ART follow-up intervals}} **Remote Monitoring Frequency:** {{As dictated by clinical need and protocol}} **Checklist Review Interval:** {{Periodic AE and concomitant medication review}}

15. Sign-off & Approval

Role	Name	Signature	Date		:---	:---	:---	:---
Principal Investigator	[Name]	_____	[DD-MMM-YYYY]					
Clinical Operations Lead	[Name]	_____	[DD-MMM-YYYY]					
Statistician	[Name]	_____	[DD-MMM-YYYY]					